

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
1 April 2004 (01.04.2004)

PCT

(10) International Publication Number
WO 2004/026888 A2

(51) International Patent Classification⁷: **C07H**
(21) International Application Number:
PCT/US2003/029577
(22) International Filing Date:
19 September 2003 (19.09.2003)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
60/412,479 19 September 2002 (19.09.2002) US

(71) Applicants (for all designated States except US): **COLEY PHARMACEUTICAL GMBH** [DE/DE]; Elisabeth-Selbert-Strasse 9, 40764 Langenfeld (DE). **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA). **QIAGEN GMBH** [DE/DE]; Max-Volmer-Strasse 4, 40724 Hilden (DE).


(72) Inventors; and
(75) Inventors/Applicants (for US only): **LIPFORD, Grayson, B.** [US/US]; 38 Bates Road, Watertown, MA 02472 (US). **MOOKHERJEE, Neeloffer** [IN/CA]; Apt 408, 2233 Allison Road,, Vancouver, BC V6T 1T7 (CA). **BABIUK, Lorne** [CA/CA]; 245 East Place, Saskatoon, Saskatchewan S7J 2Y1 (CA). **BROWNLIE, Robert** [CA/CA]; 123 O'Brien Crescent, Saskatoon, Saskatchewan S7K 5K3 (CA). **GRIEBEL, Philip** [CA/CA]; Box 36, RR5, Saskatoon, Saskatchewan S7K 3J8 (CA). **MUTWIRI, George** [CA/CA]; 569 Nordstrum Road, Saskatoon, Saskatchewan S7K 7X6 (CA). **HECKER, Rolf** [DE/DE]; Benrodestr. 60, 40597 Düsseldorf (DE).

(74) Agent: **STEELE, Alan, W.**; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).

(81) Designated States (national): AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX,

[Continued on next page]

(54) Title: TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES



(57) Abstract: Novel amino acid and nucleotide sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) Toll-like receptor 9 (TLR9) are provided. Also provided are amino acid and nucleotide sequences for dog (canine), cat (feline), mouse (murine), and human TLR9. Comparison of these sequences, especially in combination with functional assessment for species-specific CpG motif preferences, permits identification of specific regions and amino acid residues of interest in TLR9 ligand interaction. Novel chimeric TLR9 receptor molecules, cells expressing these molecules, and methods for their use in screening assays for TLR9 ligands are also provided.

SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

Background of the Invention

Synthetic oligodeoxynucleotides (ODN) and DNA containing immunostimulatory CpG motifs (CpG DNA) function as potent adjuvants and activators of the innate immune system. Heeg K et al. (2000) *Int Arch Allergy Immunol* 121:87-97; Krieg AM (2001) *Vaccine* 19:618-22. A wide variety of CpG-containing sequences have been screened for biological activity and it is reported that optimal CpG DNA sequences can vary among species. Rankin R et al. (2001) *Antisense Nucleic Acid Drug Dev* 11:333-40.

Toll-like receptor 9 (TLR9) has recently been identified as a receptor for CpG ODN. Hemmi H et al. (2000) *Nature* 408:740-5. The molecular mechanism by which TLR9 recognizes CpG DNA is not understood.

Summary of the Invention

Toll-like receptor 9 (TLR9) is known to be involved in innate immunity and to signal in response to CpG DNA. To date, the amino acid sequences only of human and murine TLR9 have been reported, and, interestingly, these two species are known to prefer different CpG motifs. The structural basis for this species-specific CpG motif preference has not yet been fully elucidated. The instant invention provides, in part, novel amino acid and nucleotide sequences of rat, pig, cow, and horse TLR9. These novel TLR9 sequences are useful for elucidating certain key structural features of TLR9. Specifically, comparison of sequences of murine, human, and these novel TLR9 sequences permits identification of areas of highly conserved sequence, areas of group conservation, and areas of hypervariability. In addition, such comparisons permit an assessment of evolutionary relatedness among TLR9 molecules of the various species, as well as an assessment of inter-species homologies. Importantly, such comparisons permit a rational basis for identifying amino acids in TLR9 that may be involved in the CpG binding site, as well as amino acids involved in conferring species specificity for particular CpG motifs. Such information may be used to design and construct novel TLR9 molecules which incorporate specific point or regional mutations and which possess desired ligand binding characteristics. Such information may also be useful in designing and identifying novel ligands for TLR9 of a given species.

- 2 -

In one aspect, the invention provides isolated polypeptides having amino acid sequences for rat, pig (porcine), cow (bovine), horse (equine), and sheep (ovine) TLR9 polypeptides. These amino acid sequences correspond to SEQ ID NOs 1, 5, 9, 13, and 17, respectively. Each of these sequences is believed to include at least a majority of an
5 extracellular domain, as well as a transmembrane region and at least part of a TLR/IL-1 receptor (TIR) domain. To the extent any such sequence may lack an amino-terminal and/or carboxy-terminal sequence, such sequence is ascertainable, without undue experimentation, using conventional molecular biology techniques and the sequence information provided herein.

10 In another aspect the invention provides isolated polypeptides having amino acid sequences for essentially the whole extracellular domain, optionally including a signal peptide, of each of rat, porcine, bovine, equine, and ovine TLR9. These amino acid sequences correspond to SEQ ID NOs 2, 6, 10, 14, and 18, respectively. Such extracellular domains are believed to include sequence specifically involved in binding to TLR9 ligand,
15 such as CpG DNA. In addition, such extracellular domains are believed to include sequence that confers species specificity for particular CpG motifs.

Isolated nucleic acid molecules encoding the polypeptides just described above are also provided according to further aspects of the invention. Such nucleic acid molecules include, but are not limited to, nucleic acid molecules having sequences provided by SEQ ID
20 NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively. Isolated nucleic acid molecules encoding the TLR9 polypeptides of SEQ ID NOs 1, 5, 9, 13, 17; and 2, 6, 10, 14, and 18 also include nucleic acid molecules that differ in sequence from SEQ ID NOs 3, 7, 11, 15, 19; and 4, 8, 12, 16, and 20, respectively, due to degeneracy of the genetic code. Such nucleic acid molecules will hybridize, under stringent conditions, with suitably selected nucleic acid
25 molecules having sequences selected from SEQ ID NOs 3, 4, 7, 8, 11, 12, 15, 16, 19, and 20.

In another aspect the invention provides a vector which includes an isolated nucleic acid molecule of the invention. In one embodiment the vector is an expression vector and the isolated nucleic acid molecule of the invention is operably linked to a regulatory sequence in the vector. When present within a cell, an expression vector according to this aspect of the
30 invention causes the cell to express a polypeptide of the invention.

The invention according to another aspect provides a cell in which a vector of the invention is present. In one embodiment the cell containing the vector expresses a

- 3 -

polypeptide of the invention. In certain embodiments the cell also contains a reporter construct that transduces a TLR9-mediated signal in response to contact of the polypeptide of the invention or a TLR9 with a suitable TLR9 ligand. The cell containing the vector, and optionally containing the reporter construct, can be used in screening methods also provided
5 by the invention.

In yet another aspect the invention provides an antibody or antibody fragment that binds specifically to an isolated polypeptide of the invention. In certain embodiments the antibody or antibody fragment binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide. More specifically, the antibody or antibody fragment binds uniquely to
10 one of the isolated polypeptides of the invention. In one embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide also binds to either mouse or human TLR9. In another embodiment the antibody or antibody fragment that binds uniquely to one of rat, porcine, bovine, equine, or ovine TLR9 polypeptide does not also bind to either mouse or human TLR9. In some embodiments
15 the antibody or antibody fragment binds selectively to a chimeric TLR9 polypeptide of the invention. In certain embodiments the antibody or antibody fragment of the invention is a monoclonal antibody or fragment of a monoclonal antibody.

In one aspect the invention provides a method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the
20 first species. The method involves aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species; generating an initial set of candidate amino acids in the TLR9 of the
25 first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with the TLR9 of the third species or (b)
30 differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

- 4 -

In another aspect the invention provides a method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9. The method according to this aspect of the invention involves aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a CpG DNA optimized for murine TLR9; generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution; generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids. In one embodiment the method according to this aspect of the invention is performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred CpG DNA).

In another aspect the invention also provides an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (extracellular domain (ECD) of murine TLR9) except for substitution of at least one key amino acid identified according to the method above. The polypeptide according to this aspect of the invention is a chimeric TLR9 polypeptide. Preferably the polypeptide according to this aspect of the invention binds to CpG DNA optimized for human TLR9 better than does the isolated polypeptide having an amino acid sequence identical to SEQ ID NO:30 (ECD of murine TLR9). In one embodiment the polypeptide includes only one substituted amino acid. The isolated polypeptide according to this aspect of the invention may further include sequence involved in TLR/IL-1R signal transduction, e.g., intracellular domain of TLR9 as provided in SEQ ID NOs 29 and 33. For example, in one embodiment a polypeptide according to this aspect of the invention is an isolated polypeptide having an amino acid sequence identical to SEQ ID NO:29 (full length murine TLR9) except for substitution of at least one key amino acid identified according to the method above.

- 5 -

In another aspect the invention provides an isolated nucleic acid molecule including a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described. In one embodiment the isolated nucleic acid molecule has a nucleic acid sequence encoding a chimeric TLR9 polypeptide just described.

5 In yet another aspect, the invention provides a screening method to identify a TLR9 ligand. The method involves contacting a polypeptide (including a chimeric TLR9 polypeptide) of the invention with a candidate TLR9 ligand; measuring a signal in response to the contacting; and identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling. In one embodiment
10 the candidate TLR9 ligand is an immunostimulatory nucleic acid. In one embodiment the candidate TLR9 ligand is a CpG DNA.

The invention also provides, in yet a further aspect, a screening method to identify species-specific CpG-motif preference of an isolated polypeptide of the invention. The method according to this aspect of the invention involves contacting an isolated polypeptide
15 of the invention with a CpG DNA including a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG; measuring a signal in response to the contacting; and identifying a species-specific CpG-motif preference when the signal in
20 response to the contacting is consistent with TLR9 signaling. In one embodiment the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
25	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
30	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
35	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),

- 6 -

TCCATGACGTCTTTGATGTT (SEQ ID NO:55),
 TCCATGACGTATTTGATGTT (SEQ ID NO:56), and
 TCCATGACGTGTTTGATGTT (SEQ ID NO:57).

In certain embodiments of the screening methods of the invention, the signal includes
 5 expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway. In one
 embodiment the reporter gene is operatively linked to a promoter sensitive to NF- κ B. In one
 embodiment the signal in response to contacting is binding of the candidate TLR9 ligand or
 CpG DNA to the polypeptide of the invention.

In one embodiment the screening method is performed on a plurality of test
 10 compounds. In one embodiment the response mediated by the TLR9 signal transduction
 pathway is measured quantitatively and the response mediated by the TLR9 signal
 transduction pathway associated with each of the plurality of test compounds is compared
 with a response arising as a result of an interaction between the functional TLR9 and a
 reference immunostimulatory compound.

15

Brief Description of the Figures

Figure 1 depicts a Clustal W multiple sequence alignment of deduced amino acid
 sequences for cat (feline), dog (canine), cow (bovine), mouse (murine), sheep (ovine), pig
 (porcine), horse (equine), human, and rat TLR9 polypeptides. The deduced amino acid
 20 sequences for feline, canine, bovine, murine, ovine, porcine, equine, human, and rat TLR9
 polypeptides shown in the figure correspond to SEQ ID NOs 25, 21, 9, 29, 17, 5, 13, 33, and
 1, respectively. Lines labeled "multiple" refer to the multiple sequence alignment of all six
 sequences shown. Lines labeled "mo/hu" refer to a paired sequence alignment of mouse and
 human TLR9 sequences alone.

25 Figure 2 is a cladogram depicting an evolutionary relatedness tree for rat, murine,
 porcine, bovine, equine, and human TLR9 polypeptides in Figure 1.

Figure 3 is a graph depicting species specificity of TLR9 signaling with selected
 oligonucleotides having strong specificity for human (2006), mouse (5890), or neither (1982).

30

Detailed Description of the Invention

The present invention provides novel amino acid and nucleotide sequences for TLR9
 derived from rat, pig, cow, horse, and sheep. These sequences can be used to identify key
 features of the primary sequences of these and related TLR molecules, including previously

- 7 -

known primary sequences of human and mouse (murine) TLR9. Such key features include binding site information and species specificity toward particular CpG motifs. Native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to identify and to design novel TLR9 ligands. Additionally, the native and novel chimeric TLR9 polypeptides designed with the aid of this information can be expressed in vitro or in vivo and used in screening assays to compare various TLR9 ligands, including CpG DNA.

In one aspect the invention provides isolated TLR9 polypeptides, and isolated nucleic acid molecules encoding them, from rat, pig, cow, horse, and sheep. The term "isolated" as used herein with reference to a nucleic acid molecule or polypeptide means substantially free of or separated from components with which it is normally associated in nature, e.g., other nucleic acids, proteins, lipids, carbohydrates or *in vivo* systems to an extent practical and appropriate for its intended use. In particular, the nucleic acids or polypeptides are sufficiently pure and are sufficiently free from other biological constituents of host cells so as to be useful in, for example, producing pharmaceutical preparations. Because an isolated nucleic acid or polypeptide of the invention may be admixed with a pharmaceutically acceptable carrier in a pharmaceutical preparation, the nucleic acid or polypeptide may represent only a small percentage by weight of such a preparation. The nucleic acid or polypeptide is nonetheless substantially pure in that it has been substantially separated from the substances with which it may be associated in living systems.

An amino acid sequence of rat TLR9 is provided as SEQ ID NO:1. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:1 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of rat TLR9 (See Figure 1). Amino acids numbered 1-821 of SEQ ID NO:1 are presumptively extracellular domain and correspond to SEQ ID NO:2. SEQ ID NO:3 is a nucleotide sequence of rat TLR9 cDNA having an open reading frame corresponding to nucleotides 1-3096. SEQ ID NO:4 is a nucleotide sequence of rat cDNA encoding amino acids 1-821 of SEQ ID NO:1.

An amino acid sequence of porcine TLR9 is provided as SEQ ID NO:5. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:5 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of porcine TLR9

- 8 -

(See Figure 1). Amino acids numbered 1-819 of SEQ ID NO:5 are presumptively extracellular domain and correspond to SEQ ID NO:6. SEQ ID NO:7 is a nucleotide sequence of porcine TLR9 cDNA having an open reading frame corresponding to nucleotides 77-3166. SEQ ID NO:8 is a nucleotide sequence of porcine cDNA encoding amino acids 1-819 of SEQ ID NO:5.

An amino acid sequence of bovine TLR9 is provided as SEQ ID NO:9. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:9 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of bovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:9 are presumptively extracellular domain and correspond to SEQ ID NO:10. SEQ ID NO:11 is a nucleotide sequence of bovine TLR9 cDNA having an open reading frame corresponding to nucleotides 84-3170. SEQ ID NO:12 is a nucleotide sequence of bovine cDNA encoding amino acids 1-818 of SEQ ID NO:9.

An amino acid sequence of equine TLR9 is provided as SEQ ID NO:13. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:13 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of equine TLR9 (See Figure 1). Amino acids numbered 1-820 of SEQ ID NO:13 are presumptively extracellular domain and correspond to SEQ ID NO:14. SEQ ID NO:15 is a nucleotide sequence of equine TLR9 cDNA having an open reading frame corresponding to nucleotides 115-3207. SEQ ID NO:16 is a nucleotide sequence of equine cDNA encoding amino acids 1-820 of SEQ ID NO:13.

An amino acid sequence of ovine TLR9 is provided as SEQ ID NO:17. Based on comparison with known amino acid sequences of human and murine TLR9, it appears that SEQ ID NO:17 includes sequence for at least a majority of the extracellular domain, all of the transmembrane domain, and at least a portion of the intracellular domain of ovine TLR9 (See Figure 1). Amino acids numbered 1-818 of SEQ ID NO:17 are presumptively extracellular domain and correspond to SEQ ID NO:18. SEQ ID NO:19 is a nucleotide sequence of ovine TLR9 cDNA having an open reading frame corresponding to nucleotides 92-3178. SEQ ID NO:20 is a nucleotide sequence of ovine cDNA encoding amino acids 1-818 of SEQ ID NO:17.

- 9 -

SEQ ID NO:1 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI
HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
5 SHTNILLVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVRLPSSLTNLSL
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVVSFARLHLASSFKSLVSLQELNMNGIF
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW
PASLTPALPSTPVSKNFMVRCKNLRFMTDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
10 VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFGLSLL
AVAVGTVLPLQLHLCGWDVWYCFHLCLAWLPLLTRGRSSAQLPYDAFVVDKAQSAVADWVYNELRVRLERRG
15 RRALRLCLEDRDWLPGQTLFENLWASIYGSRKTLFVLAHTDKVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA
HRSRYVRLRQLRCQSVLFWPHQPNQGQSFWAQLSTALTRDNHHFYNNRNFRCRGPTAE

SEQ ID NO:2 (Rat TLR9)

MVLCRRTLHPLSLLVQAAVLAELALGTLPAFLPCELKPHGLVDCNWLFLKSVPHFSAAEPRSNITSLSLIANRI
20 HHLHNLDVHLPNVRQLNLKWNCPPLGLSPLHFSCRMTIEPKTFLAMRMLEELNLSYNGITTVPRLPSSLTNLSL
SHTNILLVLDASSLAGLHSLRVLFMDGNCYYKNPCNGAVNVTPDAFLGLSNLTHLSLKYNNTLTPVRLPSSLTNLSL
LLSYNLIVKLGAEDLANLTSLRMLDVGGNCRRCDHAPDLCTECRQKSLDLHPQTFHHLSHLEGLVLKDSLSLHSLN
SKWFQGLANLSVLDLSENFLYESINKTSAFQNLTRLRKLDLSFNKYCKVVSFARLHLASSFKSLVSLQELNMNGIF
FRLLNKNTLRWLAGLPKLHTLHLQMNFINQAQLSVFSTFRALRFVDLSNNRISGPPTLSRVAPEKADEAEKGVFW
25 PASLTPALPSTPVSKNFMVRCKNLRFMTDLSRNNQVTIKPEMFVNLSHLQCLSLSHNCIAQAVNGSQFLPLTNLK
VLDLSYNKLDLYHSKSFSELPQLQALDLSYNSQPFMSQIGHNFSFLANLSRLQNLSLAHNDIHSRVSSRLYSTS
VEYLDGSGNGVGRMWDEEDLYLYFFQDLRSLIHLDLSONKLHILRPQNLNLYPKSLTKLSFRDNHLSFFNWSSLA
FLPNLRDLDLAGNLLKALTNGTLPNGTLLQKLDVSSNSIVFVVPFAFFALAVELKEVNLSHNILKTVDRSWFGPIV
MNLTVLDVSSNPLHCACGAPFVDLLLEVQTKVPGLANGVKCGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG
30

SEQ ID NO:3 (Rat TLR9)

atgggtctctgtgcgcaggaccctgcacccctgtctctcctggtagcagccgcagtgctggtgaggtctctggcc
ctgggtaccctgcctgcttctaccctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg
aagtctgtgcctcacttctctgcgcgagaacccggtcccaacatcaccagccttctcttgatcgccaaccgcac
35 caccactgcacaacctcgactttgtccactgcccacgtgcgcacagctgaacctcaagtggaaactgtccgccc
cctggcctcagcccttgcaacttctcctgcccgcagcattgagcccaaaccttctggtatgcgcatgctg
gaagagctgaacctgagctataacggtatcaccactgtgcccgcctgcccagctccctgacgaatctgagccta
agccacaccaacatctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcacggac
gggaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac
40 ctcacccacttgctcccttaagtataacaacctcacagaggtgcccgcgaactgccccccagcctggagtacctc
ctgctgtcctataacctcatcgctcaagctgggggcgaagacctagccaacctgacctcccttcgaatgcttgat
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgccggcagaagtccttgatctg
caccctcagactttccatcacctgagccacctgaaggcctggtgctgaaggacagttctctccactcgctgaac
tccaagtgggtccagggtctggcgaacctctcggtgctggacctgaagcgagaactttctctacgagagcatcaac
45 aaaaccagcgcctttcagaacctgaccgctctgcgcaagctcgacctgtccttcaattactgcaagaaggtatcg
ttcgccgcctccacctggcaagttctctcaagagcctggtgtcgctgcaggagctgaacatgaacggcatcttc
ttccgcttactcaacaagaacacgctcaggtggctggctggctgcccgaagctccacacgctgcaccttcaaatg
aatctcatcaaccaggcgcagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat
cgcatcagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaaggggttccatgg
50 cctgcaagtctcaccctcagctctcccagcactcccgctctcaagaacttcatggtcaggtgtaagaacctcaga
ttccatggagctgtctcggaacaaccaggtgactatcaagccagagatgttcgtcaacctctccatctccag
tgtctgagcctgagccacaactgcatcgcgaggctgtcaatggctctcagttcctgccgtgaccaacctgaag
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcggttcagtgagctccacagttgcaggcc

- 10 -

ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctattttctc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaacctcaac
5 tacctccccaagagcctgacgaagctgagtttccgtgacaatcacctctctttctttaactggagcagctctggcc
ttcctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagcctctttgtctgtggcg
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg
10 ctggaagtgcagaccaaggtgcctggcctggcctaacgggtgtgaagtgtggcagctccccgccagctgcagggccgc
agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggcctttcactcctg
gctgtggccgtgggacgggtgttgccttactgcagcatctctgcggctgggacgtctggtactgtttccatctg
tgccctggcatggctacctttgctgacctggcggcgacgcgccaaagctctcccttatgatgccttcgtgggtg
ttcgataaaggcgacagcgcgggtgtgactgggtgtataacagacttcgagtgcggctagaggagcggcgcggt
15 cgccgagccctacgcttgtgtctggaggaccgagattggctgcctggccagacactcttcgagaacctctgggcc
tccatctatggcagccgcaagactctgtttgtgctggccacacggacaaggtcagtgccctcctgcgcaccagc
ttcctgctggctcagcagcgcctgctggaggaccgcaaggacgtggtggtgttggtgatcctgcgcctgatgcc
caccgctcccgcctacgtgcgactgcccagcgcctctgcgccagagtgtgctcttctggccccatcagcccaac
gggcagggcagcttctgggcccagctgagtacagccctgactagggaacaaccaccactctctataaccggaacttc
20 tgccggggacctacagcagaatag

SEQ ID NO:4 (Rat TLR9)

atgggtctctgtcgcaggacctgcaccccttgtctctcctggtagaggccgcagtgctggctgaggtctctggcc
ctgggtacctgctgcttccctacctgtgaactgaagcctcatggcctggtagactgcaactggctcttctctg
25 aagtctgtgctcacttctctgcgcagaaaccccttccaacatcaccagccttctcttgatgcgaaccgcatac
caccacctgcacaacctcgactttgtccacctgcccacgtgcgacagctgaacctcaagtggaaactgtccgccc
cctggcctcagcccccttgacttctcctgcgcagatgacattgagccaaaaccttctctggctatgcgcatgctg
gaagagctgaacctgagctataacgggtatcaccactgtgccccgcctgccagctccctgacgaatctgagccta
agccacaccaacatcctggtactcgatgccagcagcctcgctggcctgcacagcctgcgagttctcttcatggac
30 gggaaactgctactacaagaacccctgcaacggggcggtgaacgtgaccccgagccttctctgggcttgagcaac
ctcaccaccttgtcccttaagtataacaacctcacagaggtgccccgcgaactgccccccagcctggagtacctc
ctgctgtcctataacctcatcgctcaagctgggggcccgaagacctagccaacctgacctcccttcgaatgcttgat
gtgggtgggaattgcccgtcgctgtgatcacgccccgacctctgtacagaatgcccgcagaaactccttgatctg
caccctcagactttccatcacctgagccacctgaaggcctgggtgctgaaggacagttctctccactcgctgaac
35 tccaagtgggttcagggtctggcgaacctctcggtgctggacctaaagcgagaactttctctacgagagcatcaac
aaaaccagcgcctttcagaacctgacctgtgcgcaagctcgacctgtccttcaattactgcaagaaggatctg
ttccgcttactcaacaagaacacgctcaggtggctgggtggtctgcccaagctccacacgctgcaccttcaaatg
aatttcatcaaccaggcgagctcagcgtctttagtaccttccgagcccttcgctttgtggacctgtccaataat
40 cgcacagcgggctccaacgctgtccagagtcgccccgaaaaggcagacgaggcggagaagggggttccatgg
cctgcaagtctcaccacagctctcccgagcactccgctctcaaagaacttcaggtcaggtgtaagaacctcaga
ttcaccatggacctgtctcggaacaaccaggtgactatcaaggcagagatgttcgtcaacctctccatctccag
tgtctgagcctgagccacaactgcacgcgaggtgtcaatggctctcagttcctgcgctgaccaacctgaag
gtgctggacctgtcctataacaagctggacctgtaccattcgaaatcgttcagtgagctcccacagttgcaggcc
45 ctggacctgagctacaacagccagccattcagcatgcaggggataggccacaacttcagttttctggccaatctg
tccaggttacagaaccttagcctggcacacaatgacattcacagccgcgtgtcctcacgcctctacagcacctca
gtggagtatctggacttcagcggcaacgggtgtgggcccgcgtgtgggacgaggaggacctttacctctattttctc
caagacctgagaagcctgattcatctggacctgtctcagaataagctgcacatcctccggccccagaaacctcaac
tacctccccaaagagcctgacgaagctgagtttccgtgacaatacactctcttctttaactggagcagctctggcc
50 ttctgcccattctgcgagacctggacctggcaggcaatctactaaaggccctgaccaacggcaccctgccta
ggcacgctcctccagaaactggatgtcagtagcaacagtatcgtctttgtgggtcccagccttctttgtctgtggcg
gtagagctaaaagaggtcaacctcagccataacatcctcaagactgtggatcgctcctgggtttgggcccattgtg
atgaacctgacgggttctagacgtgagcagcaacctctgcattgtgcctgcggtgcaccctttgtagacttactg
ctggaagtgcagaccaaggtgcctggcctggcctaacgggtgtgaagtgtggcagctccccgccagctgcagggccgc
55 agcatctttgcgcaagacctgcggctgtgcctggatgacgtcctttctcgggactgctttggc

SEQ ID NO:6 (Porcine TLR9)

30 SEQ ID NO:7 (Porcine TLR9)

gagcacgaacatccttcaactgtagctgctgccgggtctgccagccagaccctttggagaagaccccactcctgtg
catggggcccccgctgcaccctgcacccctttctctcctggtgacggtgacagcgctggctgcggtcttgccca
gggcaggctgctgccttctgacctgtgagctccagccccacggcctgggtgaactgcaactggctcttctctgaa
gtccgtgccccacttctcgggcgagcgcgccgggccaacgtcaccagcctctccttactctccaaccgcatcca
35 ccacctgcacgactccgacttcgtccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcggc
tggcctgcaccccatgcatctccccctgccacatgaccatcgagcccaacaccttcttgccgctgccacccttgga
ggagctgaacctgagctacaacagcatcacgacctgcttgcctgcgcgactccctcgtgtcctgtgctgctgag
cgcgaccaacatcctggtgctagacccccacacctcactggtctacatgcctgcctgcgtacctgtacatggatgg
caactgctactacaagaacccctgccagggggcgctggaggtgggtgccgggtgccctcctcggcctgggcaacct
40 cacacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgct
gttgctctacaaccacatgtgcacctgacgctgaggacctggccaatctgactgccctgcgctgcttgatgt
gggggggaactgccgcgctgtgaccatgcccgcaacccctgcagggagtgcccaaaggaccacccaagctgca
ctctgacaccttcagccacctgagcgcctcgaaggcctggtgttgaaagacagttctctctacaacctggacac
cagggtggttcgagccttggaacaggtccaagtgtgacctgagtgagaacttctctacgactgcatcacaa
45 gaccagcgccttccaggtcctggccgactgcgcagctcaacctgtccttcaatbaccacaagaaggtgtcctt
tgcccaacctgcacctggcaccctcctttgggcacctccggtccctgaaggagctggacatgcattggcatcttctt
ccgctcgctcagtgagaccacgctccaacctctgggtccaactgcctatgctccagacctgcgctcgcatgaa
cttcattaaaccaggcccagctcagcatctttggggccttccctggcctgctgtacgtggacctatcggacaaccg
catcagcggagctgcaaggccagtgccattactagggaggtggatggtagggagaggggtctggctgccttcag
50 gaacctcgctccacgtccactggacactctccgctcagaggacttcatgccaaactgcaaggccttcagcttcac
cttggacctgtctcggaaacacctgggtgacaatccagctcggagatgtttgctcgctctcacgcctcgagtgcct
gcgctgagccacacagcatctccaggcggtcaatggcctcagtttgtgcgctgaccagcctgcgggtgct
ggacctgtcccacaacaagctggacctgtatcacgggcgctcgttcacggagctgcgcgcgctggaagcatggga
cctcagctacaatatagccagcctttaccatgcaggggtgtggggccacaacctcagcttcgttqccccagctgcccg

- 12 -

cctgcgctacctcagcctggcgacacatccatagccgagtgctccagcagctctgtagcgccctactgtg
cgccctggacttttagcggcaacgatctgagccggatgtgggctgagggagacctctatctccgcttcttccaagg
cctaagaagcctagtctggctggacctgtcccagaaccacctgcacacctctcctgccacgtgccctggacaacct
ccccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcct
5 gccaagctggaaacctggacttggctggaaaccagctgaaggccctaagcaatggcagcctgccatctggcac
ccagctgcggaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttgcctggccaagca
gttagaagagctcaacctcagcgccaatgccctcaagcagtgaggccctcctgggttggctcagtggtgggcaa
cctgaaagtctagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggttctcgtgtgga
10 ggtacaggctgccgtgcctgggtgcccagccgctcaagtgtggcagtcgggggcagctccaggccatagcat
ctttgcgcaagacctgcccctctgcctggatgagacctctcgtggaaactgttttggcatctcgtgctggccat
ggcctgggtggctgtgtgcccctgctgcaccacctctgcggctgggacctctgggtactgcttccacctgtgcct
ggcctgggtgccccaccgagggcgagcggggggcgagacgacctgttctatgatgccttcgtggttcttgaaa
agctcagagtgtgtggccgactgggtgtacaacgagctgccccgtgcagctggaggagcgcctggggcgccgagc
actgcgctgtgcctggaggagcgagactgggttacctggaagacgctcttcgagaacctgtgggacctcagctca
15 cagcagccgcaagacctgtttgtgctggcccacacggacctgtcagcgacctcttgcgtgccagtcttctgct
ggcccagcagcgctgtggaggaccgcaaggacgttgtagtgtggtgatcctgcgccccgatgcctaccgctc
ccgtacgtgccccgagcgcctctgcccagagtgctcctccttggccccaccagccccgtgggcaggg
cagcttctggggccagctgggcacagccctgaccagggaacaaccacctctataaccggaactcttgccgggg
ccccacgacagccgaatagcactgagtgcagccagcttggccccagccccctggatttgctctctgctgggg
20 tgcccaacctgtttgctcagccacacctgctctgctcctgttccccacccccccccagcctggcatgt
aacatgtgccaataaatgtaccggaggggccaagaaaaaaaaaaaaaaaaa

SEQ ID NO:8 (Porcine TLR9)

atgggccccgctgcacctgcaccccccttctctcctgggtgcaggtgacagcgctggctgcggctctggccccag
25 ggcaggctgcctgccttccctgtgagctccagccccagggcctgggtgaactgcaactggctcttccctgaag
tccgtgccccacttctcggcgccagcgcggcgcccaacgtcaccagcctctccttactctccaaccgcatccac
cacctgcacgactccgacttctgctccacctgtccagcctacgaactctcaacctcaagtggaaactgcccgcgggt
ggcctcagccccatgcacttccctgccacatgaccatcgagcccaacaccttcttggcgtgcccacctggag
30 gagctgaacctgagctacaacagcatcacgacctgcctgcccctgcccagctccctcgtgtcctgtcgtgagc
cgcaccaacatcctgggtgctagacccccaccacctcactggcctacatgccctgcgctacctgtacatggatggc
aactgctactacaagaaccttgcagggggcgctggagggtgggtgcccgggtgcccctcctcgccctgggcaacctc
acacatctctcactcaagtacaacaatctcacggaggtgccccgcagcctgccccccagcctggagacctgctg
35 ttgtcctacaaccacattgtcaccctgacgcctgaggacctggccaatctgactgcccctgcgctgcttgatgtg
ggggggaactgcgcgcgctgtgacatgcccgcacacctgcagggagtggccaaaggaccacccaagctgcac
tctgacaccttcagccacctgagcgcgctcgaaggcctgggtgttgaaagacagttctcttacaacctggacacc
aggtggttccgaggcctggacaggtcccaagtgtggacctgagtgagaacttctctacgactgcattaccaag
40 accacggccttccaggcctggcccgactgcgcagcctcaacctgtccttcaattacacaaagaggtgctctt
gcccacctgcacctggcacctccttggggacctccggtccttgaaggagctggacatgcattggcatcttcttc
cgctcgctcagtgagaccagctccaacctctgggtccaactgcctatgctccagacctgcgctgcagatgaac
45 ttcatataaccagggccagctcagcatcttggggccttccctggcctgctgtacgtggacctatcggacaaccgc
atcagcggagctgcaaggccagtgggcattactagggaggtggatggtagggagagggctcggtgccttccagg
aacctcgctccacgtccactggacactctccgctcagaggacttcatgcccactgcaaggccttcagcttacc
ttggacctgtctcggaacaacctgggtgacaatccagtcggagatgtttgctgcctctcacgcctcgagtgcctg
50 cgctgagccacaacagcatctcccaggcggtcaatggctctcagtttgtgcgctgaccagcctgcgggtgctg
gacctgtcccacaacaagctggacctgtatcacggcgctcgttcacggagctgccgcgctggaagcactggac
ctcagctacaatagccagccctttaccatgcagggtgtggggccacaacctcagcttctggtggccagctgcccgc
ctgcgtacctcagcctggcgacacatgacatccatagccagtgctcccagcagctctgtagcgctcactgtgc
gcccgtgacttttagcggcaacgatctgagccgatgtgggtgagggagacctctatctccgcttcttccaaggc
55 ctaagaagcctagtctgggtggacctgtcccagaaccacctgcacacctcctgcccagctgcccgtggacaacctc
cccaaaagcctgaagcatctgcatctccgtgacaataacctggccttcttcaactggagcagcctgacctcctg
cccaagctggaaacctggacttgggtggaaaccagctgaaggccctaagcaatggcagcctgccatctggcacc
cagctgcggaggctggacctcagtggaacagcatcggtttgtgaacctggcttcttggcctggccaagcag
ttagaagagctcaacctcagcgccaatgccctcaagacagtgaggccctcctgggttggctcagtggtgggcaac
60 ctgaaagtcttagacgtgagcgccaacctctgcactgtgcctgtggggcgaccttcgtgggttctcgtgtggag
gtacaggctgcccgtgcctgggtgcccagccgctcaagtgtggcagtcgggggcagctccaggggccatagcatc
tttgcgcaagacctgcgctctgctggatgagacctctcgtggaactgttttggc

- 13 -

SEQ ID NO:9 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS
5 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLTPVRRLLPPLDITLL
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDFTSHLSRLEGLVLKDSLSLYKLEK
DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKDMHGIF
RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVLDLSDNRISGAATPAAALGEVDSRVEVWRLPR
GLAPGPLDAVSSKDFMPSCNLTLDLNRNLTITQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD
10 LSHNKL DLYHGRSFTLPLQLEALDLSYNSQFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSLTVP
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPSWFGSLAGTL
KILDV SANPLHCACGA AFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVA
LGLAVPMLHHLCGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL
15 RLCLERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNHRHFNRFNFCRGPTTAE

SEQ ID NO:10 (Bovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAEGLTLPAPLPCELOPHGQVDCNWLFLKSVPHFSAGAPRANVTSLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVLSLS
20 HTSILVLGPTHFTGLHALRFLYMDGNCYMNPCPRALEVAPGALLGLGNLTHLSLKYNNTLTPVRRLLPPLDITLL
LSYNHIVTLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNFPKLHPDFTSHLSRLEGLVLKDSLSLYKLEK
DWFRGLGRQLQVLDLSENFLYDYITKTTIFNDLTQLRRLNLSFNYHKKVSFAHLHLASSFGSLVSLEKDMHGIF
RSLTNITLQSLTRLPKLQSLHLQLNFINQAQLSIFGAFPSLLFVLDLSDNRISGAATPAAALGEVDSRVEVWRLPR
25 GLAPGPLDAVSSKDFMPSCNLTLDLNRNLTITQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTSLRVLD
LSHNKL DLYHGRSFTLPLQLEALDLSYNSQFMSQGVGHNLSFVAQLPSRLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSENHLHTLLPRHLDNLPKSLRQLRLRDNNAFFNWSSLTVP
RLEALDLAGNQLKALSNGSLPPGIRLQKLDVSSNSIGFVPIPGFFVRATRLIELNLSANALKTVDPSWFGSLAGTL
KILDV SANPLHCACGA AFVDFLLERQEAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFGLSLLMVA
30 LGLAVPMLHHLCGWDLWYCFHLCLAHLPRRRRQRGEDTLLYDAVVVFDKVQSAVADWVYNELRVQLEERRRRAL
RLCLERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQQRLLDRKDVVVLVILRPAAYRSR
YVRLRQLRCRQSVLLWPHQPSGQGSFWANLGIALTRDNHRHFNRFNFCRGPTTAE

SEQ ID NO:11 (Bovine TLR9)

gggaagtggcgcccaagcatccttccctgcagctgcctcccaacctgcccgcagaccctctggagaagccgc
tccctgtcatgggcccactgtgccccgcacccctttctctcctggtgcaggcggcgccactggcagcgccc
tggccgagggcaccctgcctgccttccctgccctgtgagctccagcccatggtcaggtggactgcaactggctgt
35 tctgaagtctgtgcgcgacttttccgctggagccccccggcccaatgtcaccagcctctccttaatctccaacc
gcatccaccactgtcatgactctgacttcgtccacctgtccaacctgcgggtcctcaacctcaagtggaaactgcc
cgccggccggcctcagcccatgcaacttccctgcgctatgaccatcgagcccaacaccttccctggtgtgccc
ccctggaggagctgaacctgagctacaacggcatcacgacctgcctgcccagttccctcgtgtccctgt
cgctgagccacaccagcatcctggtgctaggccccaccacttcaccggcctgcacgcccctcgtcttctgtaca
40 tggacggcaactgctactacatgaaccttgcgcggggccctggaggtggccccaggcgccctcctcgccctgg
gcaacctcacgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgctgccccccagcctggaca
ccctgctgtgtcctacaaccacattgtcacctggcaccggagacctggccaacctgactgcccgtgcgctgc
ttgacgtgggtgggaactgcccgcgctgcgacctgcccgaaccttgcagggagtgcctaaagaacttcccca
agctgcacctgacaccttcagtcacctgagccgctcgaggcctggtgttgaggacagttctctctacaaac
45 tagagaaagattggttcccgccgctgggaggtcctaagtgtcgacctgagtgagaacttctctatgactaca
tcaccaagaccacatcttcaacgacctgaccagctgcgagactcaacctgtccttcaattaccacaagaagg
tgtccttcgcccactgcacctagcgtcctcttggagctcgtggtgctccctggagaagctggacatgcacggca
tcttcttcgctccctcaccacatcacgctccagtcgctgacccggctgcccagctccagagctcgcactgc
agctgaacttcatcaaccaggccagctcagcatcttggggccttcccagcctgctctcgtggacctgtcgg
50 acaaccgcatcagcggagccgcgacgcccagcggccgctgggggaggtggacagcaggggtggaagtctggcgat
tgccaggggccctcgtccaggcccgtggacgcccgtcagctcaaaggacttcatgccaagctgcaacctcaact
tcaccttggaactgtcacggaacaacctggtgacaatccagcaagagatgtttaccgcctctcccgcctccagt
gcctgcgctgagccacaacagcatctcgaggcggttaatggctcccagttcgtgccgctgaccagcctgcgag

- 14 -

tgctcgacctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcac
tggacctcagctacaacagccagcccttcagcatgcagggcggtggccacaacctcagcttcgtggcccagctgc
cctccctgcgctacctcagccttgccgacaatggcatccacagccgctgtcacagaagctcagcagcgccctcgt
5 tgcgcccctggacttcagcggcaactccctgagccagatgtggggcgaggagacctctatctctgctttttca
aaggcttgaggaaacctgggtccagctggacctgtccgagaacctatgcacaccctcctgctcgtcacctggaca
acctgcccgaagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgaccg
tcctgccccggttggaaagcctggatctggcaggaaccagctgaaggccctgagcaacggcagcctgcccgtg
gcatccggctccagaagctggagctgagcagcaacagcatcggtctcgtgatccccggcttctcgtccgcgca
10 ctgggtgatagagcttaacctcagcggcaatgcccctgaagacagtggatccctcctgggttcgttcccttagcag
ggacctgaaaatcctagacgtgagcgcaacctcgctccactgcgctgcccggcgccctttgtggacttctgc
tggagagacaggaggccgtgcccgggtgtccaggcgctcacatgtggcagctccgggcccagctccaggccgca
gcatcttcacacaggacctgcgctctgcctggatgagacctctccttggactgctttggcctctcactgctaa
tgggtggcgctgggctggcagtgcccatgctgcaccacctctgtggctgggacctctggactgcttccacctgt
15 gctggcccatttgcccagcggcgggcgaggacacctgctctatgatggcgtcgtggctctcg
acaaggtgcagagtgcagtggtgattgggtgtacaacgagctccgctgcagctggaggagcggggggcgcc
ggcgctccgctctgcctggaggagcgagactggctccctggtaagacgctcttcgagaacctgtgggctcgg
tctacagcagccgaagacctgttcgtgctggaccacacggaccgggtcagcgccctcctgcgcgccagcttcc
tgcctggcccagcagcgccctgttgaggaccgcaaggacgtcgtagtgtggtgatcctgcgccccgcgcctatc
gggtccgctacgtgcggctgcgccagcgccctctgcgccagagcgtcctcctctggccccaccagccagtgggc
20 agggtagtttctgggccaacctgggcatagccctgaccagggaacctcactctataaccggaacttctgcc
ggggccccacgacagccgaatagcacagagtgactgccag

SEQ ID NO:12 (Bovine TLR9)

atggggccctactgtgccccgcaccccccttctctcctgggtgcaggcgggcactggcagcgccctggccgag
25 ggcacctgctgccttccctgcccctgtgagctccagcccattgggtcaggtggactgcaactggctgttctgaag
tctgtgccgacttttcggctggagcccccgggccaatgtcaccagcctctccttaattctccaaccgcatccac
cacttgcatgactctgacttctgctccacctgtccaacctgcgggtcctcaacctcaagtggaaactgccgcggcc
ggcctcagccccatgcacttcccctgcccgtatgaccatcgagcccaacaccttctggctgtgcccacctggag
gagctgaacctgagctacaacggcatcacgaccgtgcctgcccagttccctcgtgtcctgtcgctgagc
30 cacaccagcatcctgggtgctaggccccaccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc
aactgctactacatgaacctcctgcccggggccctggaggtggccccaggcgccctcctcggcctgggcaacctc
acgcacctgctcgtcaagtacaacaacctcaggaggtgccccgcgcctgccccccagcctggacacctgctg
ctgtcctacaaccacattgtcacctggcaccggagacctggccaacctgactgcccgtgcgctgtgcttgactg
gggtgggaactgccgcgctgcgacctgcccgaaccttcagggagtgcccaaagaacttcccaagctgcac
35 cctgacaccttcagtcacctgagccgctcgaaggcctgggtgtgaaggacagttctctctacaaactagagaaa
gattgggttcggcgccctgggcaggctccaagtgtcgcacctgagtgagaacttctctatgactacatcaccaag
accaccatcttcaacgacctgaccagctggcgagactcaaatgtccttcaattaccacaagaaggtgtccttc
ggccacctgcacctagcgtcctccttgggagctcgtgtccttgagaaagctggacatgcacggcatcttcttc
cgctccctcaccaacatcacgtccagtcgctgaccggctgcccagctcctcctggtgacctgtcggacaaccgc
40 ttcacacacaggcccagctcagcatcttggggccttcccgagcctgcttctcgtggacctgtcggacaaccgc
atcagcggagccgcagccagcgccgcccctggggaggtggacagcagggaggagctggcagctggccagg
ggcctcgtccaggcccgtggacccgtcagctcaaaggacttcagccaagctgcaacctcaacttcaccttg
gacctgtcacggaacaacctgggtgacaatccagcaagagatgtttaccgcctctccgcctccagtgctgcgc
ctgagccacaacagcatctcgcaggcggttaattggctccagttcgtgcccgtgaccagcctgcgagtgctcgac
45 ctgtcccacaacaagctggacctgtaccatggcgctcattcacggagctgcccagctggaggcactggacctc
agctacaacagccagcccttcagcatgcagggcggtgggccaacctcagcttctggtggcccagctgcccctcctg
cgctacctcagccttgccgacaatggcatccacagccgctgtcacagaagctcagcagcgccctgttgcgcgc
ctggacttcagcggcaactccctgagccagatgtggcgaggagacctctatctctgtcttcaaggcttg
aggaacctggctcagctggacctgtccgagaacctctgcacacctcctgctcagctgacctgacaacctgccc
50 aagagcctgcccagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgacctcctgccc
cggtggaagccctggatctggcaggaaaccagctgaaggccctgagcaacggcagcctgcgcgctggcatccgg
ctccagaagctggagctgagcagcaacagcatcggtctcgtgatccccggcttctcgtccgcgcgactcggtg
atagagcttaacctcagcggcaatgcccctgaagacagtggatccctcctgggttcggttccctagcagggaacctg
aaaatcctagacgtgagcgccaacctcgctccactgcgctgcccggcgccctttgtggacttctgctggagaga
55 caggaggccgtgcccgggtgtccaggcgctcacatgtggcagtcggggccagctccaggcccgagcatcttc
acacaggacctgcgctctgctggatgagacctctccttggactgcttggc

- 15 -

SEQ ID NO:13 (Equine TLR9)

5 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI
 HHLHSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL
 10 LLSYNHIVTLAPEDIANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN
 PRWFRGLGNLTIVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF
 FRSLSQKTLQPLARLPMQLRQLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV
 15 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFPMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRNNYLAFFNWSSLT
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
 SLEVLVDVSANPLHCACGAADFVDFLLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSDWCFGLSLLV
 VALGLAMPMLHHLGWDLYCFHLGLAWLPRRGWQRGADALSADAFVVDKAQSAVADWVYNELRVRLREERRGR
 20 ALRLCLEERDWPGLTFLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQQRILLEDRKDVVVLVILSPDARR
 SRVRLRQRLCRQSVLFWPHQPSGQRSFWAQLGMALTRDNRHFYNQNFRCGPTMAE

SEQ ID NO:14 (Equine TLR9)

20 MGPCHGALQPLSLLVQAAMLAVALAQGTLPFFLPCELOPHGLVNCNWLFLKSVPHFSAAPRDNVTSLSLLSNRI
 HHLHSDFAQLSNLQKLNKWNCPAGLSPMHFPCHMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSLVSLIL
 SRTNIIQLDPTSLTGLHALRFLYMDGNCYYKNPCGRALEVAPGALLGLGNLTHLSLKYNNTTTPRSLPPSLEYL
 LLSYNHIVTLAPEDIANLTALRVLDVGGNCRCDHARNPCVECPHKFPQLHSDTFSHLSRLEGLVLKDSLSLYQLN
 25 PRWFRGLGNLTIVLDLSENFYDCITKTKAFQGLAQLRRLNLSFNYHKKVSFAHLTLAPSFGLSLLSLQELDMHGIF
 FRSLSQKTLQPLARLPMQLRQLYLQMNFINQAQLGIFKDFPGLRYIDLSDNRISGAVEPVATTGEVDGGKKVWLTS
 RDLTPGPLDTPSSEDFMPSCKNLSFTLDLSRNNLVTVQPEMFAQLSRLOCLRLSHNSISQAVNGSQFVPLTSLQV
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFPMRGVGHNLFSVAQLPTLRYLSLAHNGIHSRVSQQLCSTSL
 WALDFSGNSLSQMWAEGDLYLRFFQGLRSLIRLDLSQNRLHTLLPCTLGNLPKSLQLLRNNYLAFFNWSSLT
 LPNLETLDLAGNQLKALSNGSLPSGTQLQRLDVSRSNIIIFVVPGFALATRLRELNLSANALRTEEPSWFGFLAG
 30 SLEVLVDVSANPLHCACGAADFVDFLLQVQAAVPGLPSPVKCGSPGQLQGRSIFAQDLRLCLDKSLSDWCFG

SEQ ID NO:15 (Equine TLR9)

ctctgttctctgagctgttgccgcgtgaaggactgagcagacaaagcatcctcctctgagctgctgccagtg
 tgccagctggaccctctggatcatctccactcctgtcatggcccttgccatggtgccctgcagccctgtct
 ctctggtgcaggcgccatgctggcgtggtctggcccaaggcaccctgcctcctctgacctgtgagctc
 35 cagcccccacggcctggtgaactgcaactggctgttctctgaagtcctgccccacttctcagcagcagcaccgg
 gacaatgtcaccagccttctctgtctctcaaccgcatccaccactccacgactccgactttgcccactgtcc
 aacctgcagaaactcaacctcaaatggaactgcccgcagccggcctcagcccatgcacttcccctgccacatg
 accatcgagcccaacacttctctggctgtacccacctggaggagctgaacctgagctacaacggcatcacgact
 gtgacctgccctgccagctccctcgtgtccctgatcctgagccgcaccaacatcctgcagctagacccaccagc
 40 ctcacgggcctgcatgccttgccgttctctatacatggatggcaactgctactacaagaaccttgccggcgggcc
 ctggaggtggccccagcgccctccttgccctgggcaacctcaccacactgtcactcaagtacaacaacctcaca
 acggtgccccgcagcctgccccctagcctggagtacctgctgttctctacaaccacattgtcaccctggcacct
 gaggacctggccaactgactgacctgctgtgctcgatgtgggtggaaactgcccgcgctgtgacctgacgc
 aacctctgctggagtggccacataaattccccagctgcactccgacacctcagccacctaagccgcctagaa
 45 ggcctcgtgtgaaggatagttctctctaccagctgaacccagatggttccgtggcctgggcaacctcacagt
 ctcgacctgagtgagaacttctctacgactgcatcaccaaaaccaaggcattccagggcctggcccagctgca
 agactcaactgtccttcaattaccataagaagggtgctctcgccacctgacgtggcaccctccttcgggagc
 ctgctctcctgcaggaactggacatgcatgcttcttccgctcactcagccagaagacgctccagcactg
 gcccgcctgccatgctccagcgtctgtatctgcagatgaacttcatcaaccaggccagctcgccatcttcaag
 50 gacttccctggctctgcgctacatagacctgtcagacaaccgcatcagtggagctgtggagccgggtggccaccaca
 ggggaggtggatgggtgggaagaaggctctggctgacatccaggacactcactccaggccactggacacccccagc
 tctgaggacttcatgccaagctgcaagaacctcagcttcccttgacactgtcacggaacaacctggtaacagtc
 cagccagagatgtttgccagctctcgccctcagtgctgctgctgagccacaacagcatctcgaggcggtc

- 16 -

aatggctcacagttcgtgccactgaccagcctgcaggtgctggacctgtccataacaaactggacctgtaccat
gggagctcgtttacggagctgccgcgactggaggccctggacctcagctacaacagccagcccttcagcatgcgg
ggtgtgggccaacactcagctttgtggccagctgccaccctgcgtacctcagcctggcacacaatggcatc
cacagccgtgtgtccagcagctctgcagcacctcgctgtgggcccctggacttcagcggcaattccctgagccag
5 atgtgggctgagggagacctctatctccgcttcttccaaggcctgagaagcctaaccggctagacctgtccag
aatcgtctgcataccctcctgccatgcacctgggcaacctccccaaagagcttgagctgctgcgtctccgtaac
aattacctggccttcttcaattggagcagcctgacctcctgcccaacctggaaacctggacctggctggaaac
cagctgaaggctctgagcaatggcagcctgccttctggcaccagctccagaggctggacctcagcaggaacagc
atcatcttcgtgggtccctggcttcttctgctctggccacgaggctgcgagagctcaacctcagtgccaacgcctc
10 aggcagagaggagccctcctggtttggtttcctagcaggctcccttgaaagtcctagatgtgagcgccaacctctg
cactgcgcctgtggggcagcctttgtggacttctgctgcaggttcaggctgccgtgctggtctgccagccgc
gtcaagtgtggcagtcggggcagctccaggccgcgagcatcttcgcacaagacctgcgcctctgctggacaag
tccctctcctgggactgttttggctctctcattgctggttgtggccctgggctggccatgcctatgttgaccac
ctctgcggctgggacctctggtactgcttccacctgggctggcctggctgccccggcggggtggcagcggggc
15 gcggtatgcctgagctatgatgcctttgtggtcttcgacaaggcacagagcagtgccgactgggtgtacaat
gaactgcgggtgcggctagaggagcgcgctggcgccggcgctccgctgtgtctggaggagcgtgactggcta
cctggcaagacgctgttcgaaaacctgtgggctcagctctacagcagccgcaagatgctgtttgtgctggccac
acggaccaggtcagtgccctcttgctgacagcttctgctggccagcagcgtctgctggaggaccgcaaggac
ggtgtggtgctggttaacctgagccctgagcccgccgttcccggtacgtgcggctgcgcagcgcctctgcgc
20 cagagtgtcctcttctggccccaccagcctagtggccagcgcagcttctggggccagctaggcatggccctgacc
agggacaaccgccacttctataaccagaacttctgccccggggccgacgatggctgagtagcacagagtgcagcc
tggcatgtacaacccccagccctgaccttgctctctgcctatgatgcccagctgcctcactctgtgacgcccc
tgctctgcctccgccacctcaccctggcatacagcaggcactcaataaatgccactggcaggccaaacagcca
aaaaaaaaaaaaaaaa

25

SEQ ID NO:16 (Equine TLR9)

atgggccccttgccatggtgcccctgcagccctgtctctcctggtgcaggcgcccatgctggcctggtctgtgcc
caaggcaccctgcctcccttctgcccctgtgagctccagccccacggcctggtgaactgcaactggctgttctctg
aagtcctgtgccccacttctcagcagcagcaccgccgggacaatgtcaccagccttctctgtctccaaccgcac
30 caccacctccacgactccgactttgcccactgtccaacctgcagaaactcaacctcaaagtgaactgcccgcca
gccggcctcagccccatgcacttcccctgccacatgaccatcgagcccaacacttctcctggctgtaccacccctg
gaggagctgaacctgagctacaacggcatcagcactgtgctgcccctgcccagctccctcgtgtccctgatcctg
agccgcaccaacactctgcagctagacccaccagcctcacgggctgcagcctgcgcttctctatatacattggt
ggcaactgtactacaagaacctgcgggctgcccctggagggtggccccaggcgccctccttggcctgggcaac
35 ctacccacctgtcactcaagtacaacaacctcacaacgggtgccccgcagcctgccccctagcctggagtacctg
ctgttgcctacaaccacattgtcaccttggcacctgaggacctggccaatctgactgcccctgcgtgtgctcgat
gtgggtggaaactgcgcgcgtgtgacacatgcaagcaacctctgctggagtggccacataaattccccagctg
cactccgacaccttcagccacctaaagccgcctagaaggcctcgtgtgaaggatagttctctctaccagctgaac
cccagatggttccgtggcctgggcaacctcacagtgtcgacctgagtgagaacttctctacgactgcacacc
40 aaaaccaaggcattccaggccctggcccagctgcgaagactcaactgtccttcaattaccataagaagggtgtcc
ttcgcccactgacgtgtgacccctccttcgggagcctgctctccctgcaggaactggacatgcatggcatcttc
ttccgctcactcagccagaagcgtccagccactggcccgccctgcccctgctccagcgtctgtatctgcagatg
aacttcatcaaccaggccagctcggcatcttcaaggacttccctggtctgcgtacatagacctgtcagacaac
cgcatcagtgagctgtggagccggtggccaccacaggggaggtggatggtgggaagaaggctcggctgacatcc
45 agggacctcactccaggccactggacacccccagctctgaggacttcatgccaagctgcaagaacctcagcttc
accttggacctgtcacggaacaacctggtaacagtccagccagagatgtttgcccagctctcgcgccctccagtg
ctgcgcctgagccacaacagcatctcgcaggcggtcaatggctcacagttcgtgccactgaccagcctgcaggtg
ctggacctgtccataacaaactggacctgtaccatgggcgctcgtttacggagctgccgcgactggaggccctg
gacctcagctacaacgagccagcccttcagatgcggggtgtggggccacaacctcagctttgtggccagctgcc
50 acctgcgctacctcagcctggcacacaatggcatccacagccgtgtgtccagcagctctgcagcacctcgtg
tgggcccctggacttcagcggcaattccctgagccagatgtgggctgagggagacctctatctccgcttcttccaa
ggcctgagaagcctaaccggctagacctgtcccagaatcgtctgcataacctcctgccatgcacctgggcaac
ctccccaaagagcttgagctgtgcgtctccgtaacaattacctggccttcttcaattggagcagcctgacctc
ctgcccacacctggaaacctggacctggctggaaaccagctgaaggctctgagcaatggcagcctgccttctggc
55 accagctccagaggctggagctcagcaggaacagcatcatctcgtggtccctggcttcttctgctctggccag
aggctgcgagagctcaacctcagtgccaacgcctcaggacagaggagccctcctggtttggtttcctagcaggc
tcccttgaaagtcctagatgtgagcgccaacctctgcactgcgcctgtggggcagccttctggaacttctgctg

- 17 -

cagggttcagggtgccgtgccgtgtctgccagccgcgtcaagtgtggcagtcggggccagctccaggggccgcagc
atcttcgcacaagacctgcgcctctgcctggacaagtcctctcctgggactgttttggt

SEQ ID NO:17 (Ovine TLR9)

5 MGPYCAPHPLSLLVQAAALAAALAQGTLPALPCELPQRGKVCNWLFLKSVPRFSAGAPRANVTLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK
10 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDHMGIF
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSI FGAFFSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLFNLTDLRSNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVP
15 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL
NILDV SANPLHCACGA AFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDCFGSLLMVA
LGLAVPMLHHL CGWDLWYCFHLCLAHLP RRRRQRGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEERRGRAL
RLCLEERDWPGLKTLFENLWASVYSSRKTMFVLDHTDRVSGLLRASFLLAQORLLEDKDVVVLVILRPAAYRSR
YVRLRQLRCLRQSVLLWPHQPSGQGSFWANLGMALTRDNRHFYNNRNF CRGPTTAE

20 SEQ ID NO:18 (Ovine TLR9)

MGPYCAPHPLSLLVQAAALAAALAQGTLPALPCELPQRGKVCNWLFLKSVPRFSAGAPRANVTLSLISNRIH
HLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCRMTIEPNTFLAVPTLEELNLSYNGITTVPALPSSSLVSLSL
RTSILVLGPTHFTGLHALRFLYMDGNCYYKNPCQQAWEVAPGALLGLGNLTHLSLKYNLLEVPRLPPSLDTLL
LSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKNF PKLHPDTFSHLSRLEGLVLKDS SLYKLEK
25 DWFRGLGRLQVLDLSENFLYDYITKTTIFRNLTLQRLRLNLSFNHKKVSFAHLQLAPSFGGLVSLKLDHMGIF
RSLTNTTLRPLTQLPKLQSLQLNFINQAELSI FGAFFSLLFVDLSDNRISGAARPVAALGEVDSGVEVWRWPR
GLAPGPLAAVSAKDFMPSCNLFNLTDLRSNNLVTIQQEMFTRLSRLQCLRLSHNSISQAVNGSQFVPLTRLRVLD
LSYNKLDLYHGRSFTELPQLEALDLSYNSQPFMSQGVGHNLSFVAQLPSLRYLSLAHNGIHSRVSQKLSSASLRA
LDFSGNSLSQMWAEGDLYLCFFKGLRNLVQLDLSKNHLHTLLPRHLNLPKSLRQLRLRDNNLAFFNWSSLTVP
30 QLEALDLAGNQLKALSNGSLPPGTRLQKLDVSSNSIGFVTPGFFVLNRLKELNLSANALKTVDPFWFGRLTETL
NILDV SANPLHCACGA AFVDFLLEMQAAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETLSDCFG

SEQ ID NO:19 (Ovine TLR9)

gtcggcagcgggaagtgcgcgccaagcatccttccctgcagctgccgcccacttgcccgcagaccctctggaga
35 agccgcattccctgccatgggcccctactgtgcccgcaccccccttctctcctggtgcaggcggcggtggtg
agcagccctggcccagggcaccctgctgcttctgcccgtgtgagctccagccccgggtaaggatgaactgaa
ctggctgttctgaagtctgtgccgcgttttcggccggagccccccggccaatgtcaccagcctctcctaat
ctccaaccgcatccaccacttgacagactctgacttcgtccacctgtccaacctgcccgtctcaacctcaagt
gaactgcccgcggcgccgctcagccccatgacttcccctgcccgcagaccatcgagcccaacaccttctggtg
40 tgtgcccaccctggaggagctgaacctgagctacaatggcatcacgacctgacctgcccgtctctctcgt
atccctgtcgtgagccgcaccagcatcctggtgctaggccccaccacttcaccggcctgcacgacctgacct
tctgtacatggacggcaactgctactataagaaccttgccagcaggccgtggagggtggccccaggcgccctcct
tggcctgggcaacctcacgcacctgtcgtcaagtaacaacctcacggaggtgccccgcgctgccccccag
cctggacacctgtgctgtctctacaaccacatcatcaccctggcaccgaggacctggccaatctgactgccct
45 gcgtgtgctgatgtgggagggaactgccgcgctgagaccagccccgcaacctgagggagtgcccaagaa
cttccccaaagtgcacctgacaccttcagccacctgagccgcctcgaaggcctggtgttgaggacagttctct
ctacaaactagagaaagactggttccgcggcctgggcaggctccaagtgtcgacctgagtgagaacttctctta
tgactacatcaccaagaccacctctcaggaacctgaccagctgcgcagactcaacctgtccttcaattacca
caagaagggtgctcctcgccacctgcaactggcaccctcctttgggggctggtgtccctggagagaagctggacat
50 gcacggcatcttcttccgtccctcaccaaccacagctccggcgctgaccagctgcccagctccagagctct
gagctgtcagctgaactcatcaaccaggccgagctcagcatctttggggccttcccagacctgctctcgtgga
cctgtcggacaaccgcatcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcgggggtggaagt
ctggcggtggcccaggggcctcgtccaggcccgctggccgcccgtcagcgcaaggacttcatgccaagtgcga

- 18 -

cctcaacttcaccttggaacctgtcacggaacaacctggtagcatccagcaggagatgtttaccgcctctcccg
cctccagtgccctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgacccg
cctgcgagtgctcgacctgtcctacaacaagctggacctgtaccatgggcgctcgttcacggagctgccgcagct
5 ggaggcactggacctcagctacaacagccaccttcagcatgcagggcggtgggccacaacctcagcttcgtggc
ccagctgccgtccctgcgtacctcagccttgccgacaacggcatccacagccgctgtcacagaagctcagcag
cgctcgtcgcgcctggacttcagcggcaactccctgagccagatgtggccgaggagacctctatctctg
cttcttcaaaggcttgaggaaacctggctccagctggacctgtccaagaaccacctgcacacctcctgcctcgtca
cctggataacctgcccagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcag
cctgactgttctgccccagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcct
10 gccacctggcaccggctccagaagctggacgtgagcagcaacagcatcggctttgtgacccctggcttctttgt
ccttgccaaccggctgaaagagcttaacctcagcgccaacggcctgaagacagtgatccctctcgtggtcggtcg
cttaacagagacctgaatatcctagacgtgagcgccaacccgctccactgtgcctgcccggcgccctttgtgga
cttctcgttgagatgcaggcgccgctgcctgggctgtccaggcgctcagctgtggcagctccgggccaagctcca
ggcgcgagcatcttcgcacaggacctgcgcctctgcctggatgagacctctccttggaactgctttggcttctc
15 gctgctaattggctggcgctgggctggcggtgcccagctgcaccacctctgtggctgggacctgtggtactgctt
ccacctgtgtctggccatttgcggcagcgccggcgagcgggcgaggacacctgctctacgatgccttctg
ggcttctcgacaaggcgagagtgagtgccgactgggtgtacaacagagctcccgctgcagctggaggagcgccg
cgggcgccggcgctccgctctgctggaggagcgagactggctccctggcaagacgctcttcgagaacctgtg
ggcctcggtctacagcagccgtaagacctgttctgctggaccacacggaccgggtcagtggtcctcgtgcgcgc
20 cagcttctcgtggccagcagcgctgttgaggagccgaaggatgtcgtggtgctggtgatcctgcgccccgc
cgctaccggctccgctacgtgcggctgcgcagcgctctgcgcagagcgtcctcctctgccccaccagcc
cagtgggccagggtagcttctgggccaacctgggcatggcctgaccagggaacaaccggcacttctataaccggaa
cttctgcccgggccccacgacagccgaatagcacagatgactgcccag

25 SEQ ID NO:20 (Ovine TLR9)

atgggcccctactgtgccccgcaccccccttctctcctggtagcaggcgccggcgctggcagcagccctggccag
ggcaccctgctgcttctgcccctgtgagctccagccccgggtaagggtgaactgcaactggctgttctgaag
tctgtgccgcgcttttcggccggagccccccgggccaatgtcaccagcctctccttaatctccaaccgcatccac
cacttgacgactctgacttctcaccctgtccaacctgcgggtcctcaacctcaagtggaaactgcccgccggcc
30 ggctcagccccatgcaattccctgcgcagatgacctcgagcccaacaccttctggctgtgcccacctggag
gagctgaacctgagctacaatggcatcacgacctgctgcccctgcccagttctctcgtatccctgtcgtgagc
cgccagcatcctgggtgctaggccccacccacttcaccggcctgcacgcccctgcgcttctgtacatggacggc
aactgctactataagaacctgtccagcagggcgtgagggtggccccagcgccctccttgccctgggcaacctc
acgcacctgtcgtcaagtacaacaacctcacggaggtgccccgcgcctgccccccagcctggacacctgctg
35 ctgtcctacaaccacatcatcaccctggcaccggagacctggccaatctgactgcccctgctgtgcttgatgtg
ggcgggaaactgcgcgcgtgcgaccacgcccgaaccttcagggagtgcccaaagaacttccccagctgcac
cctgacaccttcagccacctgagccgctcgaaggcctgggtgtgaggacagttctctctacaacctagagaaa
gactgggtccgcggcctgggagggctccaagtgtcgcacctgagtgagaacttctctatgactacatcaccaag
accacctcttcaggaacctgaccagctgcgcagactcaacctgtccttcaattaccacaagaagggtgtccttc
40 gcccacctgcaactggcaccctcctttgggggctggtgtccctggagaagctggacatgcacggcatcttcttc
cgctccctcaccacaccacgctccggcgctgaccagctgcccagctccagagctctgagctcgcagctgaac
ttcatcaaccaggccgagctcagcatcttggggccttcccgagcctgctctcgtggacctgtcggaacaaccgc
atcagcggagctgcgaggccggtggccgcccctcggggaggtggacagcggggtggaagtctggcggtggcccagg
ggcctcgtccaggcccgctggccgcccgtcagcgcaaggacttcagccaagctgcaacctcaacttcaccttg
45 gacctgtcacggaacaacctggtgacgatccagcaggagatgtttaccgcctctcccgcctccagtgccctgcgc
ctgagccacaacagcatctcgcaggcggttaatggctcgcagttcgtgccgctgaccgcctgcgagtgctcgac
ctgtcctacaacaagctggacctgtacctggggcgtcgttcacggagctgcccagctggaggcactggacctc
agctacacagcagcccttcagcatgcaggcgctggggccaacctcagcttcgtggcccagctgcgctcctg
cgctacctcagcccttgccgacaacggcatccacagccgctgtcacagaagctcagcagcgctcgtcgcgcgc
50 ctggacttcagcggcaactcctgagccagatgtggggcgaggagacctctatctcgttcttcaaaggcttg
aggaacctgggtccagctggacctgtccaagaaccacctgcacacctcctgcctcgtcacctggataacctgccc
aagagcctgcggcagctgcgtctccgggacaataacctggccttcttcaactggagcagcctgactgttctgccc
cagctggaagccctggatctggcgggaaaccagctgaaggccctgagcaacggcagcctgcccacctggcaccgg
ctccagaagctggacgtgagcagcaacagcatcggctttgtgacccctggcttcttctgcttggccaaccggctg
55 aaagagcttaacctcagcgccaacgcctgaagacagtgatcccttctgggtcggctcgttaacagagacctg
aatatcctagacgtgagcgccaaccgctccactgtgcctgcccggcgcccttctggaactcctgctggagatg

- 19 -

caggcgccgctgcctgggctgtccaggcgctcacgtgtggcagtcggggccagctccagggccgcagcatcttc
gcacaggacctgcgcctctgcttgatgagacctctccttgactgctttggc

Complete nucleotide and amino acid sequences for canine and feline TLR9 are
publicly available. For example, an amino acid sequence for canine TLR9 is available as
GenBank accession number BAC65192 and its corresponding nucleotide sequence is
available as GenBank accession number AB104899. An amino acid sequence for feline
TLR9 is available as GenBank accession number AAN15751 and its corresponding
nucleotide sequence is available as GenBank accession number AY137581.

Complete nucleotide and amino acid sequences for canine and feline TLR9 were also
determined independently from those available from public databases.

An amino acid sequence of canine TLR9 is provided as SEQ ID NO:21. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:21 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of canine TLR9
(See Figure 1). Amino acids numbered 1-822 of SEQ ID NO:21 are presumptively
extracellular domain and correspond to SEQ ID NO:22. SEQ ID NO:23 is a nucleotide
sequence of canine TLR9 cDNA having an open reading frame corresponding to nucleotides
91-3186. SEQ ID NO:24 is a nucleotide sequence of canine cDNA encoding amino acids 1-
822 of SEQ ID NO:21.

An amino acid sequence of feline TLR9 is provided as SEQ ID NO:25. Based on
comparison with known amino acid sequences of human and murine TLR9, it appears that
SEQ ID NO:25 includes sequence for at least a majority of the extracellular domain, all of the
transmembrane domain, and at least a portion of the intracellular domain of feline TLR9 (See
Figure 1). Amino acids numbered 1-820 of SEQ ID NO:25 are presumptively extracellular
domain and correspond to SEQ ID NO:26. SEQ ID NO:27 is a nucleotide sequence of feline
TLR9 cDNA having an open reading frame corresponding to nucleotides 87-3179. SEQ ID
NO:28 is a nucleotide sequence of feline cDNA encoding amino acids 1-820 of SEQ ID
NO:25.

SEQ ID NO:21 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPALPCELQPHGLVNCNWLFLKSVPRFSAAAPRGNVTSLSLYSNRI
HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCHMTIEPNTFLAVPTLEDNLNSYNSITTVPALPSSLVSLSL
SRTNILLVDPATLAGLYALRFLFDGNCYYKNPCQALQVAPGALLGLGNLTHLSLKYNNLTVVPRGLPPSLEYL

- 20 -

LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLSLQELDIHGIF
 FRSLSKTTQLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 5 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGLDLYLRFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL
 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSLSL
 LAVALSLAVPMLHQLCGWDLWYCFHLCLAWLPRGRRRGVDALAYDAFVVDKAQSSVADWVYNELRVQLEERRG
 10 RRALRLCLEERDWPVGKTLFENLWASVYSSRKTFLVLRARTDRVSGLLRASFLLAQQRLLDRKDVVVLVILCPDA
 HRSRYVRLRQLRCRQSVLLWPHQPSGQRSFVAQLGTALTRDNRFYNQNFRCRGPPTA

SEQ ID NO:22 (Canine TLR9)

MGPCRGALHPLSLLVQAAALALALAQGTLPAPFLPCELQPHGLVNCNWLFLKSVPFRSAAAPRGNVTSLSLSYSNRI
 15 HHLHDYDFVHFVHLRRLNLKWNCPASLSPMHFPCMTIEPNTFLAVPTLEDLNLNSYNSITTVPALPSSLVSLSL
 SRTNIVLDPATLAGLYALRFLFDGNCYYKNPCQQALQVAPGALLGLGNLTHLSLKYNLTVVPRGLPPSLEYL
 LLSYNHIIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCRECPKGFQHPNTFGHLSHLEGLVLRDSSLYSLD
 PRWFHGLGNLMVLDLSENFLYDCITKTAFYGLARLRRLNLSFNHKKVSAHLHLASSFGSLSLQELDIHGIF
 20 FRSLSKTTQLSLAHLPLQLRLHLQNFISQAQLSIFGAFFGLRYVDLSDNRISGAAPAAATGEVEADCGERVWP
 QSRDLALGPLGTPGSEAFMPSCRTLNFTLDLSRNNLTVQPEMFVRLARLQCLGLSHNSISQAVNGSQFVPLSNL
 RVLDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMRGVGHNLSFVAQLPALRYLSLAHNGIHSRVSQQLRSA
 SLRALDFSGNTLSQMWAEGLDLYLRFQGLRSLVQLDLSQNLRLHTLLPRNLDNLPKSLRLLRLRDNYLAFFNWSSL
 ALLPKLEALDLAGNQLKALSNGSLPNGTQLQRLDLSGNSIGFVVPSPFALAVRLRELNLSANALKTVEPSWFGSL
 25 AGALKVLDVTANPLHCACGATFVDFLLEVQAAVPGLPSPRVKCGSPGQLQGRSIFAQDLRLCLDEALSWVCFSL

SEQ ID NO:23 (Canine TLR9)

aggaaggggctgtgagctccaagcatcctttcctgcagctgctgcccagcctgccagccagaccctctggagaag
 ccccgctccctgtcatggccctgcccgtggcgccctgcacccctgtctctcctgggtgcagctgcgcgccta
 gccctggccctggccagggcaccctgcctgcctcctgcccgtgtgagctccagcccatggcctggtaactgc
 30 aactggctgttctcaagtccgtgcccgccttctcgccagctgcaccccgcgtaactgcaccagcctttccttg
 tactccaaccgcatccaccacctccatgactatgactttgtccacttcgtccacctgcggcgtctcaatctcaag
 tggaaactgcccgcgcgcagcctcagcccatgcactttccctgtcacatgaccattgagcccaacaccttccctg
 gctgtgcccaccctagaggacctgaatctgagctataacagcatcacgactgtgcccgcctgcccagttcgctt
 gtgtccctgtccctgagccgcaccaacatcctgggtgtgagccctgccaccctggcaggcctttatgccctgcgc
 35 ttcctgttccctggagtggaactgctactacaagaacccctgccagcaggccctgcaggtggcccccaggtgcctc
 ctgggcctgggcaacctcacacacctgtcactcaagtacaacaacctcaccgtgggtgcccgcgggctgcctcc
 agcctggagtacctgctctgtcctacaaccacatcacccctggcaccctgaggacctggccaactgactgcc
 ctgctgtcctcgatgtgggtgggaactgtcgccgtgtgacctgcccgttaacccctgcaggagtgccccaag
 ggcttccccagctgcaccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctct
 40 ctctacagcctggacccaggtggttccatggcctgggcaacctcatggtgtggacctgagtgagaacttctctg
 tatgactgcatcaccaaaacaaagccttctacggcctggcccggtgcgcagactcaacctgtccttcaattat
 cataagaaggtgtcctttgccacctgcatctggcatcctccttcgggagcctactgtccctgcaggagctggac
 atacatggcatcttcttcgctcgctcagcaagaccagctccagctcgctggccacctgccatgctccagcgt
 ctgcatctgcagttgaactttatcagccaggccagctcagcatcttcggcgcccttcctggactgcggtaactg
 45 gacttgtcagacaaccgcatcagtgagctgcagagcccgcggtgccacaggggaggtagaggcagactgtggg
 gagagagtctggccacagctcccgggaccttgcctgtgggcccactgggcaaccccggtcagaggccttcatgccg
 agctgcaggacctcaacttcaccttggaacctgtctcggaacaacctagtactgttcagccggagatgtttgtc
 cggctggcgccgctccagtgctgggctgagccacaacagcatctcgaggcggtcaatggctcgagcttcgtg
 cctctgagcaacctgcgggtgtggacctgtccataacaagctggacctgtaccacgggcgctcgttcacggag
 50 ctgcccgggctggaggccttggaacctcagctacaacagccagcccttcagcatgcggggcggtgggcccacatctc
 agctttgtggcacagctgccagccctgcgctacctcagctggcgcaaatggcatccacagcccggtgtcccag
 cagctccgagcgccctcgctccgggcccgtgacttcagtggaataacctgagccagatgtgggcccagggagac
 ctctatctccgcttcttccaaggcctgagaagcctgggttcagctggacctgtccagaatcgctgcataacctc
 ctgccacgcaacctggacaacctcccaagagcctgcggctcctgcggctccgtgacaattacctggctttcttc
 55 aactggagcagcctggccctcctacccaagctggaagccctggacctggcgggaaaccagctgaaggccctgagc

- 21 -

aatggcagcttgcceaacggcaccagctccagaggtggacctcagcggcaacagcatcggcttcgtgggtcccc
 agcttttttgccttggcgtgaggttcgagagctcaacctcagcgccaacgacctcaagacggtggagccctcc
 tgggttgggttccttggcgggtgcctgaaagtccctagacgtgaccgccaaccccttgcatctgcttgcggcgca
 5 accttcgtggacttcttgcctggaggtgcaggtgcggtgcccggcctgcctagcgtgtcaagtgcggcagcccg
 ggccagctccagggccgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgt
 ttcagcctctcgtgctggctgtggccctgagcctggctgtgcccatgctgcaccagctctgtggctgggacctc
 tggtagcttccacctgtgcctggcctggctgccccggcgggggcgcggggtgtggatgccttggcctat
 gacgccttcgtgggtcttcgacaaggcgagagctcggtggcggaactgggtgtacaatgagctgcgggtacagcta
 gaggagcgccgtggggcgccggcgctacgcctgtgtctggaggaacgtgactgggtaccgggcaaaacctcttc
 10 gagaacctctgggctcagtttacagcagccgcaagacgctgtttgtgctggcccgacggacagagtcagcggc
 ctctgctgcccagcttctctgctggcccaacagcgctgctggaggaccgcaaggacgtcgtggtgctggtgatc
 ctgtgccccgacgcccaccgctcccgctatgtgcggtgcgcccagcgctctgcccagagtgctcctcctctgg
 cccaccagcccagtgggcagcgagcttctgggcccagctgggcacggccctgaccagggacaaccggcacttc
 tacaaccagaactcttgccggggccccacgacagcctgataggcagacagcccagcaccttcgcgccccacacc
 15 ctgcctgtctgtctgggatgcccagcctgctggctctacaccgcgctctgtctcccctacaccagccctggca
 taaagcgaccgctcaataaatgctgctggtagac

SEQ ID NO:24 (Canine TLR9)

atgggccccctgcggtggcgccctgcacccccctgtctctcctgggtgcaggtgcgcgctagccctggccctggcc
 20 cagggcaccctgcctgccttctcctgcctgtgagctccagccccatggcctgggtgaactgcaactggctgttctc
 aagtccgtgccccgttctcctggcagctgcacccccgcggaacgtcaccagccttctcctgtactccaaccgcatc
 caccacctccatgactatgactttgtccacttcgtccacctgcggcgctctcaatctcaagtggactgcccggcc
 gccagcctcagccccatgcactttccctgtcacatgaccattgagcccaacaccttccctggctgtgcccacccta
 gaggacctgaatctgagctataacagcatcacgactgtgcccgccttgcctgagttcgttgttccctgtccttg
 25 agccgcaccaacatcctgggtgctggacctgcccacctggcaggcctttatgcctgcgcttccctgttccctggat
 ggcaactgctactacaagaacccctgcccagcaggccttgcaggtggccccaggtgcccctcctgggctgggcaac
 ctcacacacctgtcactcaagtacaacaacctcacctgggtgcgcggggcctgccccccagcctggagtagctg
 ctcttgcctacaaccacatcatcacctggcacctgaggacctggccaatctgactgcccctgcgtgtcctcgat
 gtgggtgggaactgtgcgcgctgtgaccatgcccgtaacccctgcagggagtgccccaagggttccccagctg
 30 ccccccaacaccttcggccacctgagccacctcgaaggcctgggtgttgaggagacagctctctctacagcctggac
 cccaggtgggtccatggcctgggcaacctcatggtgctggacctgagtgagaacttccctgtatgactgcacacc
 aaaaccaaagccttctacggcctggccggctgcgcagactcaacctgtccttcaattatcataagaagggtgtcc
 ttggcccacctgcatccttggcatcctcctcgggagcctactgctcctgcaggagctggacatacatggcatcttc
 ttccgctcgtcagcaagaccagctccagtcgtggcccacctgcccagctccagcgtctgcactctgcagttg
 35 aactttatcagccaggcccagctcagcatcttcggcgcccttccctggactgcggtacgtggacttgtcagacaac
 cgcacagtgaggctgcagagcccgcggtgccacaggggaggttagaggcagactgtggggagagagctctggcca
 cagtcgccgggaccttgcctctgggcccactgggcacccccggctcagaggccttcatgcccagctgcaggacctc
 aacttcaccttggacctgtctcggaacaacctagtgactgttcagccggagatgtttgtccggctggcgcgccctc
 cagtgcctgggctgagccacaacagcatctcgcaggcggtcaatggctcgcagttcgtgcctctgagcaacctg
 40 cgggtgctggacctgtccataacaagctggacctgtaccacgggcgctcgttcacggagctgcgcggctggag
 gccttggacctcagctacaacagccagcccttcagcatgccccggcggtgggcccacaatctcagcttctgtggcag
 ctgccagccctgcgtacctcagcctggcgcaaatggcatccacagccgctgtcccagcagctccgcagcgcc
 tcgctccgggcccctggacttgcagtggaataacctgagccagatgtgggcccaggaggagacctctatctccgcttc
 ttccaaggcctgagaagcctgggtcagctggacctgtcccagaatgcctgcataacctcctgccacgcaacctg
 45 gacaacctccccaaagagcctgcggctcctgcggctccgtgacaattacctggcttcttcaactggagcagcctg
 gccctcctaccaagctggaagcctggacctggcgggaaaccagctgaaggccctgagcaatggcagcttggcc
 aacggcaccagctccagaggtggacctcagcggcaacagcatcggcttcgtgggtccccagcttttttgccttg
 gccgtgaggtctcagagagctcaacctcagcgccaacgacctcaagacgggtggagccctcctgggttgggtccctg
 50 gcgggtgccctgaaagtctagacgtgacgcgcaaccccttgcatctgcgttgcggcgcaacctcgtgggacttc
 ttgctggaggtgcaggtgcgggtgcccggcctgcctagccgtgtcaagtgcggcagccggggcagctccagggc
 cgcagcatcttcgcacaggacctgcgcctctgcctggacgaagcgtctcctgggtctgtttcagc

SEQ ID NO:25 (Feline TLR9)

55 MGPCHGALHPLSLVQAAALAVALAQGTLPALPCELQRHGLVNCWDLFLKSVPHFSAAAPRGNVTSLSLYSNRI
 HHLHDSDFVHLSSLRRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVSLSL

- 22 -

SRTNIIIVLDPANLAGLHSLRFLFDGNCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSLSYLN
 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF
 5 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGLDYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLLRLRDNILAFFNWSSLVL
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG
 10 TLKVLDDVTGNPLHCACGAADFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFGLSLLT
 VALGLAVPMLHHLGWDLWYCFHLCLAWLPRGRRRGADALPYDAFVVDKAQSAVADWVYNELRVRLEERRGR
 ALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQQLLEDRKDVVVLVILRPDAHR
 SRYVRLRQLRCRQSVLLWPHQPSGQRSFWAQLGTALTRDNQHFYNQNFRCGPPTAE

SEQ ID NO:26 (Feline TLR9)

15 MGPCHGALHPLSLIVQAAALAVALAQGTLPAPLPCELQRHGLVNCWDLFLKSVPHFSAAPRGNVTSLSLYSNRI
 HHLHDSDFVHLSLRLRLNLKWNCPASLSPMHFPCHMTIEPHTFLAVPTLEELNLSYNSITTVPALPSSLVLSL
 SRTNIIIVLDPANLAGLHSLRFLFDGNCYYKNPCPQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYL
 LLSYNHIITLAPEDLANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLHPDTFSLHNHLEGLVLKDSLSYLN
 20 PRWFHALGNLMVLDLSENFLYDCITKTTAFQGLAQLRRLNLSFNHKKVSFAHLHLAPSPGSLLSLQQLDMHGIF
 FRSLSETTLRSLVHLPMLQSLHLQMNFINQAQLSIFGAFPGRLRYVDLSDNRISGAMELAAATGEVDGGERVRLPS
 GDALGPPGTPSPSEGFMPGCKTLNFTLDLSRNNLVTIQPEMFARLSRLQCLLLSRNSISQAVNGSQFMPLTSLQV
 LDLSHNKLDLYHGRSFTLPRLEALDLSYNSQPFMSQGVGHNLFSVAQLPALRYLSLAHNDIHSRVSQQLCSASL
 RALDFSGNALSRMWAEGLDYLHFFRGLRSLVRLDLSQNLRLHTLLPRTLDNLPKSLRLLRLRDNILAFFNWSSLVL
 LPRLEALDLAGNQLKALSNGSLPNGTQLQRLDLSNSISFVASSFFALATRLRELNLSANALKTVEPSWFGSLAG
 25 TLKVLDDVTGNPLHCACGAADFVDFLLEVQAAVPGLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG

SEQ ID NO:27 (Feline TLR9)

agggctctgcgagctccaggcattcttctctgccatcgctgccagctctgccatccagaccctctggagaagcccc
 cactccctgtcagctgggcccctgccatggcgccctgcacccccctgtctctcctgggtgcaggtgcgcgctggccg
 30 tggcccttggcccaggccacctgacctgcccccttctgccccctgtgagctccagcgccacggcctggtgaattgcgact
 ggctgttccctcaagtcctgccccacttctcgccggcagcgccccctggtaacgtcaccagccttccctgtact
 ccaaccgcatccaccacctccacgactccgacttctgtccacctgtccagcctgccccctgtcctcaacctcaatgga
 actgcccacccgcccagcctcagccccatgcacttccccctgtcacatgaccttgagccccacaccttccctggccg
 tgcccaccttggaggagctgaacctgagctacaacagcatcacgacagtaccgccccctgccaggttccctcgtgt
 35 cccctgtccttgagccgtaccaacatcctggtgctggaccctgccaaacctcgcagggctgcaactccctgagcttcc
 tgttccctggatggcaactgtactacaagaaccttgcgcgagccctgcaggtggccccggggcgcctccttg
 gcctgggcaaccttacgcacctgtcactcaagtaacaacacctcactgcggtgccccgcggcctgccccccagcc
 tggagtacctgctattgtcctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgccccctgc
 gtgtgctcgatgtgggtgggaactgccgtcgctgtgaccacgccccgaacctgtatggagtgcaccaagggct
 40 tccccgacctgcacctgacaccttcagccacctgaaccacctcgaaggcctggtgttgaggacagctctctct
 acaacctgaacccagatggttccatgccccctgggcaacctcatggtgctggacctgagtgagaacttccatata
 actgcatcaccaaaaccacagccttccagggcctggcccagctgcgcagactcaacttgtcttcaattaccaca
 agaaggtgtcctttgcccacctgcatctggcgccctccttcgggagcctgctctccctgcagcagctggacatgc
 atggcatcttcttcgctcgctcagcgagaccagctccggctcgctggccacctgcccagctccagagctcgc
 45 acctgcagatgaacttcatcaatcaggccccagctcagcatcttcggggccttccctggcctgcgatacgtggacc
 tgtcagacaaccgcataagtggagccatggagctggcggtgcccacggggaggtggatggtggggagagagtc
 ggctgccatctggggacctagctctggggccaccgggacccccctagctccgagggcttcatgccaggctgcaaga
 cctcaacttcaacttggacctgtcacggaacaacctagtgaacatccagccagagatggttggccggctctcgc
 gcctccagtgctgctcctgagccgcaacagcatctcgcaggcagtcacggctcacaatttatgccgctgacca
 50 gcctgcaggtgctggacctgtcccataacaagctggacctgtacctggggcgtctttcacggagctgcccgggc
 tggaggccctggacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagcttctgtg
 cacagctgcccggccctgcgtatctcagcctggcgcaacagcatccacagccgtgtgtcccagcagctctgca
 gcgcctcgctgcgggccccttgacttcagcgctgacgtccttgagccgagtggtgggcccaggagacctgtatctcc
 acttctccgagggcctgaggagcctggttcgggttgatctccagaatcgccctgcataacctcttgccacgca
 55 ccttggaacaacctccccagagcctgcccgtgctgcgtctccgtgacaattatctggcttcttcaactggagca

- 23 -

gcctggctcctcctccccaggctggaagccctggacctggcgggaaaccagctgaagggcctgagcaacggcagct
 tgccaatggaacccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttg
 ctctggccaccaggtgagagctcaacctcagtgccaacgccctcaagacgggtggagccctcctgggtcggtt
 ctctagcgggcaccctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcgtgg
 5 acttcttgcctggaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcacaggtcagctcc
 agggccgcagcatctttgcgcaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggcctct
 cgtgctgaccgtggccctggcctggcctgcccctgctgcaccacctctgtggctgggacctctgggtactgct
 tccacctgtgcctggcctggctgccccggcgggggcgggcgggggcgcggtgcccctgcccctacgatgcctttg
 tggctcttcgacaaggcacagagcgcggtggccgactgggtgtacaacagctgcgggtacggctagaggagcgcc
 10 gtggacgcccagcgcctccgctgtgcctggaggaaactgactggctaccggtaaaacgctctttgagaacctgt
 gggcctcagtttacagcagccgcaagatgctgtttgtgctggcccacacagacaggggtcagcgccctcttgcgcg
 ccagctttctgctggcccagcagcgcctgctggaggaccgcaaggacgttgtggtgctgggtgatcctgcgccccg
 acgcccaccgctcccgcctatgtgcggctgcgccagcgcctctgcgccagagcgtcctcctctggccccaccagc
 ccagtggccagcgcagcttctgggcccagctgggacggccctgaccagggaacaccagcactctctataaccaga
 15 acttctgcggggggcccacgagcgcagagtgaccgcccagcaccccaagcctcctacacctgacctgtgcctg
 ggatgcggg

SEQ ID NO:28 (Feline TLR9)

atggggccctgccatggcgccctgacccccctgtctctcctgggtgcaggctgcgcgctggccgtggccctggcc
 20 cagggcaccctgcctgcctttctgcctgtgagctccagcgccacggcctgggaattgcgactggctgttctctc
 aagtcctgccccacttctcgccggcagcgcccggtggaacgtcaccagcctttccctgactccaaccgcac
 caccacctccagactccgactttgtccacctgtccagcctgcggcgtctcaacctcaaagtgaactgccaccc
 gccagcctcagccccatgcacttcccctgtcacatgaccattgagccccacaccttccctggcgtgccacccctg
 gaggagtgaacctgagctacaacagcatcacgacagtaccgcccctgccagttccctcgtgtccctgtccttg
 25 agccgtaccaacatcctggtgctggaccctgccaacctgcgagggtgcactccctgcgcttctgttctcctggat
 ggcaactgctactacaagaacccctgcccgaggccctgcagggtggcccgggcgccctccttggcctgggcaac
 cttacgcacctgtcactcaagtacaacaacctcactgcgggtgccccgcggcctgccccccagcctggagtacctg
 ctattgtctacaaccacatcatcaccctggcacctgaggacctggccaacctgaccgcccctgcgtgtgctcgat
 gtgggtgggaactgcctgcctgtgaccacgcccgcgaacccctgtatggagtggcccaagggttcccgcacctg
 30 caccctgacaccttcagccacctgaaccacctcgaaggcctgggtgttgaaggacagctctctctacaacctgaac
 ccagatgggtccatgcctgggcaacctcatggtgctggacctgagtgagaacttccctatgactgcatcacc
 aaaaccacagccttccaggcctggcccagctgcgcagactcaactgtctttcaattaccacaagaagggtctcc
 ttgcccacctgcatctgcgcctccttccgggagcctgctctccctgcagcagctggacatgcatgcatcttcc
 ttccgctcgctcagcgagaccagctccggctgcctgggtccacctgccatgctccagagtctgcacctgcagatg
 35 aacttcatcaatcaggcccagctcagcatcttcggggccttccctggcctgcgatacgtggacctgtcagacaac
 cgcataaagtggagccatggagctggcggtgccacgggggaggtggatgggtggggagagagtcgggtgccatct
 ggggacctagctctggggccaccggggcaccctagctccgagggttcatgcccaggctgcaagacctcaacttc
 accttggacctgtcacggaacaacctagtgaacatccagccagagatgtttgcccggctctgcgcctccagtgc
 ctgctcctgagccgcaacagcatctgcaggcagtcacgggtcacaatttatgcccgtgaccagcctgcagggtg
 40 ctggacctgtcccataacaagctggacctgtaccatggcgctctttcacggagctgcgcgggtggaggccctg
 gacctcagctacaacagccagcccttcagcatgcaggcgctgggtcacaacctcagctttgtggcacagctgcgcg
 gccctgcgctatctcagcctggcgcaacacgacatccacagccgtgtgtcccagcagctctgcagcgccctgcgtg
 cgggccttggacttcagcggaatgccttgagccggatgtggggcggaggagacctgtatctccacttcttccga
 ggctgaggagcctgggtccgggtggatctgtcccagaatgcctgcataacctcttgccacgcacctggacaac
 45 ctcccgaagagcctgcggctgctgcgtctccgtgacaattatctggctttcttcaactggagcagcctggctctc
 ctcccaggttgggaagccctggacctggcgggaaaccagctgaaggccctgagcaacggcagcttgccctaatgga
 acccagctccagaggctggacctcagcagcaacagtatcagcttcgtggcctccagcttttttgcctctggccacc
 aggtgcgagagctcaacctcagtgccaacgcctcgaagcgggtggagccctcctgggttcgggtctctagcgggc
 acctgaaagtccatagatgtgactggcaacccctgactgcgcctgtggggcgccctcgtggaccttcttgcgtg
 50 gaggtgcaggctgcagtgcccggcctgccaggccacgtcaagtgtggcagtcacaggtcagctccaggggcgcgagc
 atctttgcgcaggatctgcgcctctgcctggatgaggccctctcctgggactgttttggc

Complete nucleotide and amino acid sequences for murine and human TLR9 are publicly available. For example, an amino acid sequence of murine TLR9 is available as

- 24 -

GenBank accession no. AAK29625, provided as SEQ ID NO:29. Amino acids numbered 1-821 of SEQ ID NO:29 presumptively include the entire extracellular domain and correspond to SEQ ID NO:30. SEQ ID NO:31 corresponds to GenBank accession number AF348140, which is a nucleotide sequence of murine TLR9 cDNA. SEQ ID NO:32 is a nucleotide
 5 sequence of murine cDNA encoding amino acids 1-821 of SEQ ID NO:29.

An amino acid sequence of human TLR9 is available as GenBank accession no. AAF78037, provided as SEQ ID NO:33. Amino acids numbered 1-820 of SEQ ID NO:33 presumptively include the entire extracellular domain and correspond to SEQ ID NO:34. SEQ ID NO:35 corresponds to GenBank accession number AF245704, which is a nucleotide
 10 sequence of human TLR9 cDNA. SEQ ID NO:36 is a nucleotide sequence of human cDNA encoding amino acids 1-820 of SEQ ID NO:33.

SEQ ID NO:29 (Murine TLR9)

15 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLPETFHHLSHLEGLVLKDDSSLHTLN
 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF
 20 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 25 MNLTVLVDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFLSL
 AVAVGMVVPILHHLGWDVWYCFHLCCLAWPLLLARSRRSAQALPYDAFVVFDAQSAVADWVYNELRVRLREERG
 RRALRLCLEDRDLWLPQTLFENLWASLYGSRKTLFVLAHTDRVSGLLRTSFLLAQQRLLLEDKDVVVLVILRPDA
 HRSRYVRLRQLCRQSVLFWPQQPNGQGGFWAQLSTALTRDNRHFYNQNFRCRGPTAE

SEQ ID NO:30 (Murine TLR9)

30 MVLRRRTLHPLSLLVQAAVLAETLALGTLPAFLPCELKPHGLVDCNWLFLKSVPRFSAAASCSNITRLSLISNRI
 HHLHNSDFVHLSNLRQLNLKWNCPPTGLSPLHFSCHMTIEPRTFLAMRTLEELNLSYNGITTVPRLPSSLVNL
 SHTNIVLDANSLAGLYSLRVLFMDGNCYYKNPCTGAVKVTPGALLGLSNLTHLSLKYNNTLTKVPRQLPPSLEYL
 LVSYNLIVKLGPEDLANLTSLRVLDVGGNCRCDHAPNPCIECGQKSLHLPETFHHLSHLEGLVLKDDSSLHTLN
 35 SSWFQGLVNLVLDLSENFLYESINHTNAFQNLTRLRKLNLNFNYRKKVSFARLHLASSFKNLVSLQELNMNGIF
 FRSLNKYTLRWLADLPKLHTLHLQMNFINQAQLSIFGTFRALRFVDLSDNRISGPSTLSEATPEEADDAEQEELL
 SADPHAPLSTPASKNFMDCRKNFKFTMDLSRNNLVTIKPEMFVNLSRLQCLSLSHNSIAQAVNGSQFLPLTNLQ
 VLDLSHNKLDLYHWKSFSELPQLQALDLSYNSQPFMSKIGHNFSFVAHLSMLHSLSLAHNDIHTRVSSHLNSNS
 VRFLDFSGNGMGRMWDEGGLYLHFFQGLSGLLKLDSLQNNLHILRPQNLNLPKSLKLLSLRDNYLSFFNWTSL
 40 FLPNLEVLDLAGNQLKALTNGTLPNGTLLQKLDVSSNSIVSVVPAFFALAVELKEVNLSHNILKTVDRSWFGPIV
 MNLTVLVDVRSNPLHCACGAADFVLDLLEVTQKVPGLANGVKCGSPGQLQGRSIFAQDLRLCLDEVLSWDCFG

SEQ ID NO:31 (Murine TLR9)

tgtcagagggagcctcgggagaatcctccatctcccaacatggttctccgtcgaaggactctgcaccccttgctcc
 ctccctggtacaggctgcagtgctggtgagactctggccctgggtaccctgcctgccttccctaccctgtgagctg

- 25 -

aagcctcatggcctgggtgactgcaattgggtgttctctgaagtctgtaccccggttctctgcggcagcatcctgc
 tccaacatcaccgcctctccttgatctccaaccgtatccaccacctgcacaactccgacttcgtccacctgtcc
 aacctgcggcagctgaacctcaagtgggaactgtccaccactggccttagccccctgcacttctcttgccacatg
 accattgagcccagaaccttctctggctatgcgtagactggaggagctgaacctgagctataatgggtatcaccact
 5 gtgccccgactgcccagctccctgggtgaatctgagcctgagccacaccaacatcctgggtctagatgctaacagc
 ctgcgcggctatacagcctgcgcggttctcttcatggacgggaactgctactacaagaacctgacagggagcg
 gtgaagggtgaccccgaggcgccctcctgggctgagcaatctcaccatctgtctctgaagtataacaacctcaca
 aagggtgccccgccaactgccccagcctggagtacctcctgggtgtctataacctcattgtcaagctggggcct
 gaagacctggccaatctgacctcccttcgagtagcttgatgtgggtgggaattgcccgtcgctgcgacctgcccc
 10 aatccctgtatagaatgtggccaaaagtccctccacctgcaccctgagaccttccatcacctgagccatctggaa
 ggctgtgctgaaggacagctctctccatacactgaactcttccctgggtccaaggctgtggtcaacctctcggtg
 ctggacctaaagcgagaacttctctatgaaagcatcaaccacaccaatgcctttcagaacctaacccgcctgccc
 aagctcaacctgtccttcaattaccgcaagaaggatcctttgcccgcctccacctggcaagttccttcaagaac
 ctgggtgtcaactgcaggagctgaacatgaacggcatcttctccgctcgctcaacaagtacacgctcagatggctg
 15 gccgatctgccccaaactccacactctgcatcttcaaatgaacttcatcaaccaggcacagctcagcatcttgggt
 accttccgagcccttcgcttctgtggacttgtcagacaatcgcatcagtgggccttcaacgctgtcagaagccacc
 cctgaagaggcagatgatgcagagcaggaggagctgtgtctgcggatcctcaccagctccactgagcaccct
 gcttctaagaacttcatggacaggtgtaagaactcaagttcaccatggacctgtctcggaacaacctgggtgact
 atcaagccagagatgtttgtcaatctctcagcctccagtgcttagcctgagccacaactccattgcacaggct
 20 gtcaatggctctcagttcctgccgctgactaatctgcaggtgctggacctgtccataaacaactggacttgtac
 cactggaaactcgttcagtgagctaccacagttgcaggccctggacctgagctacaacagccagcccttagcatg
 aagggtataggccacaatttcagtttctgtggcccatctgtccatgctacacagccttagcctggcacacaatgac
 attcatacccggtgtgtcctcacatctcaacagcaactcagtgaggttcttgacttcagcggcaacgggtatgggc
 cgcatgtgggatgagggggggttcttctccatttcttccaaggcctgagtgggcctgctgaagctggacctgtct
 25 caaaataacctgcatactcctccggccccagaaccttgacaacctccccaagagcctgaagctgctgagcctccga
 gacaactacctatcttcttcaactggaccagtctgtccttccctgcccaacctgggaagtcctagacctggcaggc
 aaccagctaaaggccctgaccaatggcaccctgcctaattggcaccctcctccagaaactggatgtcagcagcaac
 agtatcgtctctgtgggtcccagccttcttctgctctggcggtcgagctgaaagaggtcaacctcagccacaacatt
 ctcaagacgggtggatcgctcctgggttggggccattgtgatgaacctgacagttctagacgtgagaagcaacct
 30 ctgcactgtcctgtggtgggagccttcgtgagcattactgttgaggtgcagaccaaggtgctggcctggccta
 ggtgtgaagtggtggcagccccggccagctgcagggcctgagcatcttcgcacaggacctgcggctgtgctggat
 gaggtcctctcttgggactgcttggcctttcactcttggtgtggcctggtggcctggtgctatactgcac
 catctctgcggctgggagctctggtactgttttcatctgtgctggcatggctaccttctgtggcccgagccga
 cgcagcgcccaagctctccctatgatgccttcgtggtgttcgataaaggcacagagcgagttgcggactgggtg
 35 tataacgagctgccccgtgccccggaggagcgcggtcgccgagccctacgcttgtgtctggaggaccgagat
 tgggtgctggccagacgctcttcgagaacctctgggcttccatctatgggagccgcaagactctatttgtgctg
 gccacacgggacgcgctcagtgccctcctgcgcaactactgttgaggtgcagcagcgctgttgaagaccgc
 aaggacgtgggtggtgtggtgatcctgcgtccggatgccaccgctccgctatgtgagcactgcgccagcgtctc
 tgccgccagagtggtgctcttctggccccagcagcccaacgggaggggggttctggggccagctgagtagcgc
 40 ctgactagggaacaaccgacctctataaccagaacttctgcccgggacctacagcagaatagctcagagcaaca
 gctggaaacagctgcatctcagtcctgggttccgagttgctctgctgc

SEQ ID NO:31 (Murine TLR9)

atgggttctccgtcgaaggactctgcaccccttgccctcctggtagaggtgcagtgctggctgagactctggcc
 45 ctgggtaccctgcctgccttctaccctgtgagctgaagcctcatggcctgggtggactgcaattgggtgttctg
 aagtctgtaccccggttctctgcggcagcatcctgtctccaacatcaccgcctctccttgatctccaaccgtatc
 caccacctgcacaactccgacttcgtccacctgtccaacctgcccagctgaacctcaagtggaaactgtccacc
 actggccttagccccctgaccttctcttggccacatgaccttagaccagaaccttctgggtatgctgactg
 50 gaggagctgaacctgagctataatgggtatcaccactgtgccccgactgcccagctccctgggtgaatctgagcctg
 agccacaccaacatcctgggttctagatgctaacagcctcgccggcctatacagcctgcgcgttctcttcatggag
 gggaactgctactacaagaaccttgcacaggagcggtgaaggtagccccaggcgccctcctgggctgagcaat
 ctacccatctgtctctgaagtataacaacctcacaagggtgccccgccaactgccccagcctggagtacctc
 ctgggtgtcctataacctcattgtcaagctggggcctgaagacctggccaatctgacctcccttcgagtagctg
 55 gtgggtgggaattgcccgtcgctgcgacctgcccccaatccctgtatagaatgtggccaaaagtccctccacctg
 caccctgagaccttccatcacctgagccatctggaaggcctgggtgctgaaggacagctctctccatacactgaac
 tcttctgggttccaaggctgggtcaacctctcggtgctggacctaaagcgagaacttctctatgaaagcatcaac
 cacaccaatgccttccagaacctaacccgcctgcgcaagctcaacctgtccttcaattaccgcaagaaggatcc

5
10
15

tttgcgcgcctccacctggcaagttccttcaagaacctgggtgctcactgcaggagctgaacatgaacggcatcttc
ttccgctcgctcaacaagtacacgctcagatgggtggccgatctgccaaactccacactctgcatcttcaaagt
aacttcatcaaccaggcacagctcagcatctttgggtaccttccgagcccttcgctttgtggacttgtcagacaat
cgcatcagtgggccttcaacgctgtcagaagccaccctgaaaggagcagatgatgcagagcaggaggagctgttg
tctgcggatcctcaccagctccactgagcaccctgcttctcaagaacttcatggacaggtgtaagaacttcaag
ttcaccatggacctgtctcggaacaacctgggtgactatcaagccagagatgtttgtcaatctctcacgcctccag
tgtcttagcctgagccacaactcattgacaggtgtcaatggctctcagttcctgcccgtgactaatctgcag
gtgctggacctgtcccataaacaactggacttgtaccactggaaatcgttcagtgactaccacagcttgaggcc
ctggacctgagctacaacagccagcccttttagcatgaagggtataggccacaattttagttttggggccatctg
tccatgctacacagccttagcctggcacacaatgacattcatacccggtgtgtcctcacatctcaacagcaactca
gtgagggtttcttgacttcagcgggcaacggtatgggcccgatgtgggatgaggggggctttatctccatttcttc
caaggcctgagtgccctgctgaagctggacctgtctcaaaataacctgcatactctcgggcccagaaaccttgac
aacctccccaagagcctgaagctgctgagcctccgagacaactacctatcttctttaactggaccagtctgtcc
ttcttgcccaacctggaagtcttagacctggcagggaaccagctaaaggccctgaccaatggcaccctgccta
ggcaccctcctccagaaactggatgtcagcagcaacagtatcgtctctgtggteccagccttcttcgctctggcg
gtcagactgaaagaggttcaacctcagccacaacattctcaagacggtggatcgctctgggttggggccatttgt
atgaacctgacagttcttagcgtgagaagcaacctctgcactgtgctctggggcagcctctgtagacttactg
ttggaggtgcagaccaaggtgctggcctgggtaatgggtggaagtgtggcagcccccggccagctgcagggcgt
agcatcttcgcacaggacctgcggtgtgctggatgaggtcctctcttgggactgctttggc

MGFCRSALHPLSLLLQAIMLAMTLLALGTLPAFLPCELPQPHGLVNCNWLFLKSVPHFSMAAPRGNVTSLSLSSNNRI
HHLHDSDFAHLPSPRLHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEBLNLSYNNIMTVPALPKSLISLSL
SHTNILLMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYI
25 LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNPCMECPRHFPQLHPDTFSHLSRLEGLVLKDDSSLSWLN
ASWFRGLGNLRVLDLSENFLYKCIITKFAFQGLTQLRLKPLNSFNYQKRVSFAHLSLAPTSFGSLVALKEKLDHMGIF
FRSLDETTLRPLARLPMQLTRLMQNFINQAQLGIFRAFPGLRYVSHLSDSNRISGASELSTATMGADGGEKVLQV
GDLAPAPVDTPSSEDFRPNCTSLNFTFLDLNRNNLVTVPQEMFAQYLDLQCLRLSHNCISQAVNGSQFLPLTGLQV
LDLSRNKLDLYHEHSPTLPRLEALDLSYNSQPPFGMQGVGHNFSFVAHLRTLRLHLSLAHNNIHSQVSQQLCSTSL
30 RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDLSQNRHLHTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF
LPKLEVLDLAGNRLKALTNGSLPAGTRLRLRDVSCNSISFVAPGFFSKAKELREINLSANALKTVDHSWFGPLAS
ALQILDVSNAPLHLCACGAAMDFLLEVQAAVPGLPSRVKCGSPGQLQGLSIFAQDLRLCLDEALSWD CFALSLLA
VALGLGVPMLHLHLCWGLDWYCFHLCLAWLPWRGRQSGRDEDALPYDAFVDFKTOQSAAVADWVYNELRGQLEECRG
RWALRLCLEERDLWPKGLTFENLWASVYGRSKTLFVLAHTDRVSGLLRASFLLAQQORLLEDKRDVVVLVILSPDG
35 RRSRYVRLRQRLCRQSVLLWPHQPSGQRSFWAQLGMALTRDNHFFYNRNFCQPTAE

40 MGFCRSALHPLSLLVQAIMLAMTLALGTLPAPFLPCELQPHGLVNCNWFLKSVPHFSMAAPRGNVTSLSLSSNRI
HHLHDSDFAHLP SLRHLNLKWNCPVGLSPMHFPCHMTIEPSTFLAVPTLEBLNLSYNNIMTVPALPKSLISLSL
SHTNIMLMLDSASLAGLHALRFLFMDGNCYKNPCRQALEVAPGALLGLGNLTHLSLKYNNTLVVPRNLPSSLEYL
LLSYNRIVKLAPEDLANLTALRVLDVGGNCRCDHAPNPCMECPRHFPQLHPDFTSHLSRLEGLVLKDDSSLSWLN
ASWFRGLGNLRVLDLSENFYKCIITKTAFQGLTQLRKLNLSFNYQKRVSFAHLSLAPSGSLVALKELDMHGIF
FRSLDETTLRPLARLPMLQTLRLQMNFINQAQLGIFRAFPGLRYVDLSDNRISGASELTATMGADGGGKVVWLQP
45 GD LAPAPVDTPSSEDFRPN CSTLNF TLDLSRNNLVTVQPEMFAQLSHLQCLRLSHNCISQAVNGSQFLPLTGLQV
LDLSRNLKLDLYHEHSFTELPRLEALDLSYNSQPFMGQGVGHNF SFVAHLRTLRLHLSLAHNNIHSQVSQQLCSTSL
RALDFSGNALGHMWAEGDLYLHFFQGLSGLIWLDLSQNRLLTLLPQTLRNLPKSLQVLRRLRDNYLAFFKWWSLHF
LPKLEVLDLAGNRLKALTNGSLPAGTLRRLDVS CNSISFVAPGFFSKAKELRLELNSANALKTVDHSHWFGPLAS
ALQILDV SANPLHCACGA AFMDFLLEVOAAVPGLPSRVKCGSPGOGLSIFAODLRCLDEALSWDCFA

aggctgggtataaaaaatcttacttctctattctctgagccgctgctgccctgtgggaagggacctcgagtgtga
agcatccttcctgtagctgctgtccagtctgcccgccagaccctctggagaagccctgccccagcatgggt
ttctgccgcagcgccctgcaccgctgtctctcctgggtgcaagccatcatgctggccatgacccctggccctgggt

- 27 -

accttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctgaagtct
 gtgccccacttctccatggcagcaccctcggtggaatgtcaccagccttctctgtcctccaaccgcacccaccac
 ctccatgattctgactttgcccacctgcccagcctgcgccatctcaacctcaagtggaaactgcccgcgggttggc
 ctacgccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggtgtgcccaccctggaagag
 5 ctaaacctgagctacaacaacatcatgactgtgctgcgctgcccacatccctcatatccctgtccctcagccat
 accaacatcctgatgctagactctgcccagcctcgccggcctgcatgcccctgcgcttcttattcatggacggcaac
 tgttattacaagaaccctgacggcaggcactggaggtggccccgggtgccctccttggcctgggcaacctcacc
 cacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctgctgttg
 tectacaaccgcacgtcaaacctggcgccctgaggacctggccaatctgaccgcccctgctgtgctcgatgtgggc
 10 ggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagctacatccc
 gataccttcagccacctgagccgtcttgaaggcctggtgttgaaggacagttctctctcctggctgaatgccagt
 tgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcactaaaacc
 aaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaagaggggtgtcctttgcc
 cacctgtctctggccccttcttccgggagcctggctgccttgaaggagctggacatgcacggcacttcttccgc
 15 tctcgtgagagaccacgctccggccactggccgcctgcccctgctccagactctgctctgcagatgaacttc
 atcaaccagggccagctcgcatcttccagggccttccctggcctgctacgtggacctgtcggacaaccgcac
 agcggagcttccggagctgacagccaccatggggaggcagatggaggggagaaggctctggctgcagcctggggac
 cttgtccggccccagtggaactcctcagctctgaagacttcaggcccaactgcagcaccctcaacttcaccttg
 gatctgtcacggaacaacctggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgccctgccc
 20 ctgagccacaactgcatctcgcaggcagtcattggctcccagttcttccgctgaccggtctgcaggtgctagac
 ctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggagggcctggacctc
 agctacaacagccagcccttggcatgcaggcgtggggccacaacttcagcttctgtggctcactgcgcacctg
 cgccacctcagcctggcccaacaacatccacagccaagtgctccagcagctctgcagtagctcgtcgggcc
 ctggacttcagcggcaatgcactggggccatgtgtggcgaggaggacctctatctgcacttcttccaaggcctg
 25 agcgggttgatctggctggacttgtcccagaaccgctgcacacctcctgccccaaacctgcgcaacctcccc
 aagagcctacaggtgctgctctccgtgacaattacctggccttctttaagtgggtggagcctccacttccctgcc
 aaactggaagtccctgcacctggcaggaaccggctgaaggccctgaccaatggcagcctgctgctggcaccgg
 ctccggaggctggatgtcagctgcaacagcatcagcttctgtggcccccggttcttttccaaggccaaggagctg
 cgagagctcaaccttagcgccaacgcccctcaagacagtggaccactcctgggttggggccctggcgagtgcctg
 30 caaatactagatgtaagcgccaacctctgcactgcgctgtggggcgcccttctatggacttctgtgagggtg
 caggactccgtgcccgggtctgcccagccgggtgaagtgtggcagtcggggccagctccaggccctcagcatctt
 gcacaggacctgcgctctgctggatgaggccctctcctgggactgtttgcctctcgtgctggtgtggtg
 ctgggctgggtgtgcccctgctgcacacctctgtggtgggacctctggtactgcttccacctgtgctggtg
 tggcttccctggcgggggcggaagtggggcgagatgaggatgcccctgcccacgatgccttctgtggtcttcgac
 35 aaaacgcagagcgagtgaggactgggtgtacaacagagcttcggggcgagctggaggagtgcctggggcgctgg
 gcaactccgctgtgctgagggaacgcgactggctgctggcaaaacctctttgagaacctgtgggctcggtc
 tatggcagccgcaagacgctgtttgtgctggcccacacggaccgggtcagtggtctcttgcgcgacagcttccg
 ctggccagcagcgccctgctggaggaccgcaaggcgtcggtgctggtgatcctgagccctgacggcgccgc
 tcccgtcagctgcccgtgcgcccagcgcctctgcgcgagagtgctcctctggtggccaccagccagtggtcag
 40 cgcagcttctggggccagctgggcatggcctgaccagggaacaaccaccttctataaccggaacttctgccag
 ggaccacggccgaatagccgtgagccggaatcctgcacggtgccacctccacactcacctcacctctgctgccc
 tggctgaccctccctgctcgcctcctcaccaccacactgacacagagca

SEQ ID NO:36 (Human TLR9)

45 atgggtttctgcccagcgcctgcaaccgctgtctctcctgggtgcaggccatcatgctggccatgaccctggcc
 ctgggtaccttgccctgccttccctaccctgtgagctccagccccacggcctggtgaactgcaactggctgttccctg
 aagtctgtgccccacttctccatggcagcaccctcggtggaatgtcaccagccttctctgtcctccaaccgcac
 caccacctccatgattctgactttgcccacctgcccagcctgcgccatctcaacctcaagtggaaactgcccgcg
 gttggcctcagccccatgcacttcccctgccacatgaccatcgagcccagcaccttcttggctgtgcccaccctg
 50 gaagagctaaaacctgagctacaacaacatcatgactgtgctgcgctgcccacatccctcatatccctgtccctc
 agccataccaacatcctgatgctagactctgcccagcctcgccggcctgcatgcccctgcgcttcttattcatggac
 ggcaactgttattacaagaaccctgcaggcaggcactggaggtggccccgggtgccctccttggcctgggcaac
 ctccaccacctgtcactcaagtacaacaacctcactgtggtgccccgcaacctgccttccagcctggagtatctg
 ctgttgcctacaaccgcacgtcaaacctggcgccctgaggacctggccaatctgaccgcccctgctgtgctcgat
 55 gtggggggaaattgcccgcgctgcgaccacgctcccaacccctgcatggagtgcctcgtcacttccccagcta
 catcccgataccttcagccacctgagccgtcttgaaggcctggtgttgaaggacagttctctctcctggctgaat
 gccagttgggtccgtgggctgggaaacctccgagtgctggacctgagtgagaacttctctacaaatgcatcact

- 28 -

aaaaccaaggccttccagggcctaacacagctgcgcaagcttaacctgtccttcaattacaaaaagagggtgtcc
 tttgccacctgtctctggcccttccctcgggagcctggcgccctgaaggagctggacatgcacggcatcttc
 ttcgctcactcgatgagaccacgctccggccactggcccgctgccatgctccagactctgcgtctgcagatg
 aacttcatcaaccaggcccagctcggcatcttcagggccttccttggcctgcgctacgtggacctgtcggacaac
 5 cgcacagcggagcttccggagctgacagccaccatgggggaggcagatggaggggagaaggctcgtgctgcagcct
 ggggaccttgcctcggccccagtggaactcccagctctgaagacttcaggcccaactgcagcaccctcaacttc
 accttggatctgtcacggaacaacctggtgaccgtgcagccggagatgtttgccagctctcgcacctgcagtgc
 ctgcgcctgagccacaactgcctcgcaggcagtcgaatggctcccagttcctgcccgtgacctgtcgcaggtg
 ctagacctgtcccgaataagctggacctctaccacgagcactcattcacggagctaccgcgactggaggccctg
 10 gacctcagctacaacagccagcccttggcatgcaggcgctgggccacaacttcagcttctgtggctcacctgcgc
 acctgcgccacctcagcctggccacaacaacatccacagccaagtgtcccagcagctctgcagtacgtcgctg
 cgggcccctggacttcagcggcaatgcactggggccatgtgtggccgagggagacctctatctgcacttcttccaa
 ggccctgagcgggttgatctggctggacttgtcccagaaccgcctgcacaccctcctgccccaaacctgcgcaac
 ctccccaaagagcctacaggtgctgcgtctccgtgacaattacctggccttctttaagtggtggagcctccacttc
 15 ctgccccaaactggaagtccctcgacctggcaggaaaccgctgaaggccctgaccaatggcagcctgcctgctggc
 acccggtccggaggtggatgtcagctgcaacagcatcagcttctgtggcccccggttcttccaaggccaag
 gagctgcgagagctcaaccttagcgccaacgcctcgaagacagtggaacctcctgggttgggccccctggcgagt
 gccctgcaataactagatgtaagcgccaacctctgcactgcgcctgtggggcgcccttatggacttctgctg
 gaggtgcaggctgccgtgcccggtctgccagccgggtgaagtgtggcagtcggggccagctccagggcctcagc
 20 atctttgcacaggacctgcgcctctgcctggatgaggccctctcctgggactgtttcgcc

In addition to the foregoing native rat, porcine, bovine, equine, and ovine TLR9
 polypeptides and nucleic acid molecules encoding them, chimeric TLR9 polypeptides and
 nucleic acid molecules encoding them are provided by the invention. The chimeric
 25 polypeptides include at least one amino acid substitution based on a comparison of
 conserved and non-conserved amino acids among at least two of rat, murine, porcine, bovine,
 equine, ovine, canine, feline, and human TLR9. The information contained in a multiple
 sequence alignment of these various TLR9 polypeptide sequences, provided for example in
 Figure 1, can be used to identify and select individual amino acid positions and even
 30 individual amino acids to substitute in designing a chimeric TLR9. The substitution or
 substitutions can be effected using methods known to those of ordinary skill in molecular
 biology. Nucleic acids encoding the native or chimeric polypeptides of the invention can be
 inserted into an expression vector and used to express TLR9 polypeptide.

A conservative amino acid substitution shall refer to a substitution of a first amino
 35 acid for a second amino acid, wherein side chains of the first amino acid and the second
 amino acid share similar features in terms of hydrophobicity, size, aromaticity, or tendency to
 alter conformation. For example, conservative amino acid substitutions generally may be
 made between members within each of the following groups: hydrophobic (A, I, L, M, V),
 neutral (C, S, T), acidic (D, E), basic (H, K, N, Q, R), and aromatic (F, W, Y). A non-
 40 conservative amino acid substitution refers to any other amino acid substitution.

- 29 -

An expression vector for TLR9 will include at least a nucleotide sequence coding for a TLR9, or a fragment thereof coding for a functional TLR9 polypeptide, operably linked to a gene expression sequence which can direct the expression of the TLR9 nucleic acid within a eukaryotic or prokaryotic cell. A "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the nucleic acid to which it is operably linked. With respect to TLR9 nucleic acid, the "gene expression sequence" is any regulatory nucleotide sequence, such as a promoter sequence or promoter-enhancer combination, which facilitates the efficient transcription and translation of the TLR9 nucleic acid to which it is operably linked. The gene expression sequence may, for example, be a mammalian or viral promoter, such as a constitutive or inducible promoter. Constitutive mammalian promoters include, but are not limited to, the promoters for the following genes: hypoxanthine phosphoribosyl transferase (HPRT), adenosine deaminase, pyruvate kinase, β -actin promoter, and other constitutive promoters. Exemplary viral promoters which function constitutively in eukaryotic cells include, for example, promoters from the simian virus (e.g., SV40), papillomavirus, adenovirus, human immunodeficiency virus (HIV), Rous sarcoma virus (RSV), cytomegalovirus (CMV), the long terminal repeats (LTR) of Moloney murine leukemia virus and other retroviruses, and the thymidine kinase (TK) promoter of herpes simplex virus. Other constitutive promoters are known to those of ordinary skill in the art. The promoters useful as gene expression sequences of the invention also include inducible promoters. Inducible promoters are expressed in the presence of an inducing agent. For example, the metallothionein (MT) promoter is induced to promote transcription and translation in the presence of certain metal ions. Other inducible promoters are known to those of ordinary skill in the art.

In general, the gene expression sequence shall include, as necessary, 5' non-transcribing and 5' non-translating sequences involved with the initiation of transcription and translation, respectively, such as a TATA box, capping sequence, CAAT sequence, and the like. Especially, such 5' non-transcribing sequences will include a promoter region which includes a promoter sequence for transcriptional control of the operably joined nucleic acid coding sequence for a TLR9 polypeptide. The gene expression sequences optionally include enhancer sequences or upstream activator sequences as desired.

- 30 -

Generally a nucleic acid coding sequence and a gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the nucleic acid coding sequence under the influence or control of the gene expression sequence. Thus the TLR9 nucleic acid coding sequence and the gene expression sequence are said to be “operably linked” when they are covalently linked in such a way as to place the transcription and/or translation of the TLR9 nucleic acid coding sequence under the influence or control of the gene expression sequence. If it is desired that the TLR9 sequence be translated into a functional protein, two DNA sequences are said to be operably linked if induction of a promoter in the 5' gene expression sequence results in the transcription of the TLR9 sequence and if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region to direct the transcription of the TLR9 sequence, or (3) interfere with the ability of the corresponding RNA transcript to be translated into a protein. Thus, a gene expression sequence would be operably linked to a TLR9 nucleic acid sequence if the gene expression sequence were capable of effecting transcription of that TLR9 nucleic acid sequence such that the resulting transcript might be translated into the desired TLR9 protein or polypeptide.

A “TLR9 ligand” as used herein refers to a molecule that specifically binds a TLR9 polypeptide. In one embodiment the TLR9 ligand specifically binds a TLR9 polypeptide corresponding to at least a ligand-binding portion of the extracellular domain of TLR9. In most instances a TLR9 ligand will also induce TLR9 signaling when contacted with TLR9 under suitable conditions. TLR9 signaling refers to TLR/IL-1R signal transduction mediated through the TLR9, as described in further detail elsewhere herein. As mentioned above, CpG nucleic acids have been reported to be TLR9 ligands, but TLR9 ligands may include other entities as well, including, for example, small molecules. As also previously mentioned, there appears to be a species-specific preference for at least certain TLR9s and certain CpG motifs. As used herein, a species-preferred CpG DNA refers to a particular CpG DNA that is optimized for signal induction by a TLR9 of a particular species. A CpG DNA that is optimized for signal induction by a TLR9 of a particular species refers to a CpG DNA having a sequence that preferentially binds to and/or induces signaling by TLR9 of that species. For example, a human-preferred CpG DNA shall refer to a CpG DNA that optimally stimulates human TLR9 to signal through its TIR domain. Likewise, a murine-preferred CpG DNA

- 31 -

shall refer to a CpG DNA that optimally stimulates murine TLR9 to signal through its TIR domain. Examples of human-preferred and murine-preferred CpG DNA are ODN 2006 (SEQ ID NO:58) and 1668 (SEQ ID NO:60), respectively.

5 The binding and species specificity of TLR9s are believed to be influenced by key amino acids present in the extracellular domain of TLR9. Key amino acids in a TLR9 as used herein refer to those amino acids which contribute significantly to ligand binding and ligand specificity of a particular TLR9 polypeptide.

10 A "CpG nucleic acid" or a "CpG immunostimulatory nucleic acid" as used herein is a nucleic acid containing at least one unmethylated CpG dinucleotide (cytosine-guanine dinucleotide sequence, i.e., "CpG DNA" or DNA containing a 5' cytosine followed by 3' guanine and linked by a phosphate bond) which activates a component of the immune system. The entire CpG nucleic acid can be unmethylated or portions may be unmethylated but at least the C of the 5' CG 3' must be unmethylated.

In one embodiment a CpG nucleic acid is represented by at least the formula:

15
$$5'-N_1X_1CGX_2N_2-3'$$

wherein X_1 and X_2 are nucleotides, N is any nucleotide, and N_1 and N_2 are nucleic acid sequences composed of from about 0-25 N's each. In some embodiments X_1 is adenine, guanine, or thymine and/or X_2 is cytosine, adenine, or thymine. In other embodiments X_1 is cytosine and/or X_2 is guanine.

20 Nucleic acids having modified backbones, such as phosphorothioate backbones, also fall within the class of immunostimulatory nucleic acids. U.S. Pat. Nos. 5,723,335 and 5,663,153 issued to Hutcherson, et al. and related PCT publication WO95/26204 describe immune stimulation using phosphorothioate oligonucleotide analogues. These patents describe the ability of the phosphorothioate backbone to stimulate an immune response in a
25 non-sequence specific manner.

An immunostimulatory nucleic acid molecule, including for example a CpG DNA, may be double-stranded or single-stranded. Generally, double-stranded molecules may be more stable *in vivo*, while single-stranded molecules may have increased activity. The terms "nucleic acid" and "oligonucleotide" refer to multiple nucleotides (i.e., molecules comprising
30 a sugar (e.g., ribose or deoxyribose) linked to a phosphate group and to an exchangeable organic base, which is either a substituted pyrimidine (e.g., cytosine (C), thymine (T) or uracil (U)) or a substituted purine (e.g., adenine (A) or guanine (G)) or a modified base. As

- 32 -

used herein, the terms "nucleic acid" and "oligonucleotide" refer to oligoribonucleotides as well as oligodeoxyribonucleotides. The terms shall also include polynucleosides (i.e., a polynucleotide minus the phosphate) and any other organic base-containing polymer. The terms "nucleic acid" and "oligonucleotide" also encompass nucleic acids or oligonucleotides with a covalently modified base and/or sugar. For example, they include nucleic acids having backbone sugars which are covalently attached to low molecular weight organic groups other than a hydroxyl group at the 2' position and other than a phosphate group at the 5' position. Thus modified nucleic acids may include a 2'-O-alkylated ribose group. In addition, modified nucleic acids may include sugars such as arabinose instead of ribose. Thus the nucleic acids may be heterogeneous in backbone composition thereby containing any possible combination of polymer units linked together such as peptide-nucleic acids (which have amino acid backbone with nucleic acid bases). In some embodiments the nucleic acids are homogeneous in backbone composition.

The substituted purines and pyrimidines of the immunostimulatory nucleic acids include standard purines and pyrimidines such as cytosine as well as base analogs such as C-5 propyne substituted bases. Wagner RW et al. (1996) *Nat Biotechnol* 14:840-4. Purines and pyrimidines include but are not limited to adenine, cytosine, guanine, thymine, 5-methylcytosine, 2-aminopurine, 2-amino-6-chloropurine, 2,6-diaminopurine, hypoxanthine, and other naturally and non-naturally occurring nucleobases, substituted and unsubstituted aromatic moieties.

The immunostimulatory nucleic acid is a linked polymer of bases or nucleotides. As used herein with respect to linked units of a nucleic acid, "linked" or "linkage" means two entities are bound to one another by any physicochemical means. Any linkage known to those of ordinary skill in the art, covalent or non-covalent, is embraced. Such linkages are well known to those of ordinary skill in the art. Natural linkages, which are those ordinarily found in nature connecting the individual units of a nucleic acid, are most common. The individual units of a nucleic acid may be linked, however, by synthetic or modified linkages.

Whenever a nucleic acid is represented by a sequence of letters it will be understood that the nucleotides are in 5' to 3' (or equivalent) order from left to right and that "A" denotes adenine, "C" denotes cytosine, "G" denotes guanine, "T" denotes thymidine, and "U" denotes uracil unless otherwise noted.

- 33 -

Immunostimulatory nucleic acid molecules useful according to the invention can be obtained from natural nucleic acid sources (e.g., genomic nuclear or mitochondrial DNA or cDNA), or are synthetic (e.g., produced by oligonucleotide synthesis). Nucleic acids isolated from existing nucleic acid sources are referred to herein as native, natural, or isolated nucleic acids. The nucleic acids useful according to the invention may be isolated from any source, including eukaryotic sources, prokaryotic sources, nuclear DNA, mitochondrial DNA, etc. Thus, the term nucleic acid encompasses both synthetic and isolated nucleic acids.

The immunostimulatory nucleic acids can be produced on a large scale in plasmids, (see *Molecular Cloning: A Laboratory Manual*, J. Sambrook, et al., eds., Second Edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989) and separated into smaller pieces or administered whole. After being administered to a subject the plasmid can be degraded into oligonucleotides. One skilled in the art can purify viral, bacterial, eukaryotic, etc. nucleic acids using standard techniques, such as those employing restriction enzymes, exonucleases or endonucleases.

For use in the instant invention, the immunostimulatory nucleic acids can be synthesized *de novo* using any of a number of procedures well known in the art. For example, the β -cyanoethyl phosphoramidite method (Beaucage SL and Caruthers MH, *Tetrahedron Let* 22:1859 (1981)); nucleoside H-phosphonate method (Garegg et al., *Tetrahedron Let* 27:4051-4054 (1986); Froehler et al., *Nucl Acid Res* 14:5399-5407 (1986); Garegg et al., *Tetrahedron Let* 27:4055-4058 (1986); Gaffney et al., *Tetrahedron Let* 29:2619-2622 (1988)). These chemistries can be performed by a variety of automated oligonucleotide synthesizers available in the market.

The immunostimulatory nucleic acid may be any size of at least 6 nucleotides but in some embodiments are in the range of between 6 and 100 or in some embodiments between 8 and 35 nucleotides in size. Immunostimulatory nucleic acids can be produced on a large scale in plasmids. These may be administered in plasmid form or alternatively they can be degraded into oligonucleotides before administration.

A "stabilized immunostimulatory nucleic acid" shall mean a nucleic acid molecule that is relatively resistant to *in vivo* degradation (e.g., via an exo- or endo-nuclease).

Stabilization can be a function of length or secondary structure. Nucleic acids that are tens to hundreds of kbs long are relatively resistant to *in vivo* degradation. For shorter nucleic acids, secondary structure can stabilize and increase their effect. For example, if the 3' end of an

- 34 -

oligonucleotide has self-complementarity to an upstream region, so that it can fold back and form a sort of stem loop structure, then the oligonucleotide becomes stabilized and therefore exhibits more activity.

Some stabilized immunostimulatory nucleic acids have a modified backbone. It has
5 been demonstrated that modification of the oligonucleotide backbone provides enhanced activity of the immunostimulatory nucleic acids when administered *in vivo*. Nucleic acids, including at least two phosphorothioate linkages at the 5' end of the oligonucleotide and multiple phosphorothioate linkages at the 3' end, preferably 5, may provide maximal activity and protect the oligonucleotide from degradation by intracellular *exo*- and *endo*-nucleases.
10 Other modified oligonucleotides include phosphodiester modified oligonucleotide, combinations of phosphodiester and phosphorothioate oligonucleotide, methylphosphonate, methylphosphorothioate, phosphorodithioate, and combinations thereof. Each of these combinations and their particular effects on immune cells is discussed in more detail in U.S. Pat. Nos. 6,194,388 and 6,207,646, the entire contents of which are incorporated herein by
15 reference. It is believed that these modified oligonucleotides may show more stimulatory activity due to enhanced nuclease resistance, increased cellular uptake, increased protein binding, and/or altered intracellular localization. Both phosphorothioate and phosphodiester nucleic acids are active in immune cells.

Other stabilized immunostimulatory nucleic acids include: nonionic DNA analogs,
20 such as alkyl- and aryl-phosphates (in which the charged phosphonate oxygen is replaced by an alkyl or aryl group), phosphodiester and alkylphosphotriesters, in which the charged oxygen moiety is alkylated. Oligonucleotides which contain diol, such as tetraethyleneglycol or hexaethyleneglycol, at either or both termini have also been shown to be substantially resistant to nuclease degradation.

25 Phosphorothioate nucleic acid molecules may be synthesized using automated techniques employing either phosphoramidate or H-phosphonate chemistries. Aryl- and alkyl-phosphonates can be made, e.g., as described in U.S. Pat. No. 4,469,863; and alkylphosphotriesters (in which the charged oxygen moiety is alkylated as described in U.S. Pat. No. 5,023,243 and European Patent No. 092,574) can be prepared by automated solid
30 phase synthesis using commercially available reagents. Methods for making other DNA backbone modifications and substitutions have been described. Uhlmann E and Peyman A (1990) *Chem Rev* 90:544; Goodchild J (1990) *Bioconjugate Chem* 1:165.

- 35 -

Other sources of immunostimulatory nucleic acids useful according to the invention include standard viral and bacterial vectors, many of which are commercially available. In its broadest sense, a "vector" is any nucleic acid material which is ordinarily used to deliver and facilitate the transfer of nucleic acids to cells. The vector as used herein may be an empty
 5 vector or a vector carrying a gene which can be expressed. In the case when the vector is carrying a gene the vector generally transports the gene to the target cells with reduced degradation relative to the extent of degradation that would result in the absence of the vector. In this case the vector optionally includes gene expression sequences to enhance expression of the gene in target cells such as immune cells, but it is not required that the gene
 10 be expressed in the cell.

Nucleic acid-binding fragments of TLRs are believed to include the extracytoplasmic (extracellular) domain or subportions thereof, such as those which include at least an MBD motif, a CXXC motif, or both an MBD motif and a CXXC motif.

Both mouse and human TLR9 have an N-terminal extension of approximately 180
 15 amino acids compared to other TLRs. An insertion also occurs at amino acids 253-268, which is not found in TLRs 1-6 but is present in human TLR7 and human TLR8. This insert has two CXXC motifs which participate in forming a CXXC domain. The CXXC domain resembles a zinc finger motif and is found in DNA-binding proteins and in certain specific CpG binding proteins, e.g., methyl-CpG binding protein-1 (MBD-1). Fujita N et al. (2000)
 20 *Mol Cell Biol* 20:5107-18. Both human and mouse TLR9 CXXC domains occur at aa 253-268:

CXXC motif:	GNCXXCXXXXXXXXCXXC	SEQ ID NO:62
Human TLR9:	GNCRRCDHAPNPCMEC	SEQ ID NO:63
25 Murine TLR9:	GNCRRCDHAPNPCMIC	SEQ ID NO:64

An additional motif believed to be involved in CpG binding is the MBD motif, also found in MBD-1, listed below as SEQ ID NO:53. Fujita, N et al.(2000) *Mol Cell Biol* 20:5107-18; Ohki I et al. (1999) *EMBO J* 18:6653-61. Amino acids 524-554 of hTLR9 and
 30 aa 525-555 of mTLR9 correspond to the MBD motif of MBD-1 as shown:

MBD motif:

- 36 -

MBD-1	R-XXXXXXX-R-X-D-X-Y-XXXXXXXXX-R-S-XXXXXX-Y	SEQ ID NO:65
hTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-R-L-XXXXXX-Y	SEQ ID NO:66
mTLR9	Q-XXXXXXX-K-X-D-X-Y-XXXXXXXXX-Q-L-XXXXXX-Y	SEQ ID NO:67
5 hTLR9	Q-VLDLSRN-K-L-D-L-Y-HEHSFTELP-R-L-EALDLS-Y	SEQ ID NO:68
mTLR9	Q-VLDLSHN-K-L-D-L-Y-HWKSFSLEP-Q-L-QALDLS-Y	SEQ ID NO:69

Although the signaling functions of MBD-1 and TLR9 are quite different, the core D-X-Y is conserved and is believed to be involved in CpG binding.

10 According to another aspect of the invention, a screening method is provided for identifying an immunostimulatory compound. The method according to this aspect of the invention involves contacting a functional TLR9 with a test compound; detecting presence or absence of a response mediated by a TLR9 signal transduction pathway in the presence of the test compound arising as a result of an interaction between the functional TLR9 and the test
15 compound; and determining the test compound is an immunostimulatory compound when the presence of a response mediated by the TLR9 signal transduction pathway is detected.

An immunostimulatory compound is a natural or synthetic compound that is capable of inducing an immune response when contacted with an immune cell. A TLR9 ligand that is an immunostimulatory compound is a natural or synthetic compound that is capable of
20 inducing an immune response when contacted with an immune cell that expresses TLR9. A TLR9 ligand that is an immunostimulatory compound is also a natural or synthetic compound that is capable of inducing a TLR/IL-1R signal transduction pathway when contacted with a TLR9. Immunostimulatory compounds include but are not limited to immunostimulatory
25 molecule, polynucleotide or oligonucleotide, a polypeptide or oligopeptide, a lipid or lipopolysaccharide, a small molecule.

A basis for certain of the screening assays is the presence of a functional TLR9 in a cell. The functional TLR9 in some instances is naturally expressed by a cell. In other instances, expression of the functional TLR9 can involve introduction or reconstitution of a
30 species-specific TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact with an

- 37 -

immunostimulatory nucleic acid. In yet other instances, expression of the functional TLR9 can involve introduction of a chimeric or modified TLR9 into a cell or cell line that otherwise lacks the TLR9 or lacks responsiveness to immunostimulatory nucleic acid, resulting in a cell or cell line capable of activating the TLR/IL-1R signaling pathway in response to contact
5 with an immunostimulatory nucleic acid. Examples of cell lines lacking TLR9 or immunostimulatory nucleic acid responsiveness include, but are not limited to, 293 fibroblasts (ATCC CRL-1573), MonoMac-6, THP-1, U937, CHO, and any TLR9 knock-out. The introduction of the species-specific, chimeric or modified TLR9 into the cell or cell line is preferably accomplished by transient or stable transfection of the cell or cell line with a
10 TLR9-encoding nucleic acid sequence operatively linked to a gene expression sequence (as described above). Methods for transient and for stable transfection of a cell are well known in the art.

The screening assays can have any of a number of possible readout systems based upon either TLR/IL-1R signaling pathway or other assays useful for assessing response to
15 immunostimulatory nucleic acids. It has been reported that immune cell activation by CpG immunostimulatory sequences is dependent in some way on endosomal processing.

In certain embodiments, the readout for the screening assay is based on the use of native genes or, alternatively, cotransfected or otherwise co-introduced reporter gene constructs which are responsive to the TLR/IL-1R signal transduction pathway involving
20 MyD88, TRAF, p38, and/or ERK. Häcker H et al. (1999) *EMBO J* 18:6973-6982. These pathways activate kinases including κ B kinase complex and c-Jun N-terminal kinases. Thus reporter genes and reporter gene constructs particularly useful for the assays can include a reporter gene operatively linked to a promoter sensitive to NF- κ B. Examples of such promoters include, without limitation, those for NF- κ B, IL-1 β , IL-6, IL-8, IL-12 p40, CD80,
25 CD86, and TNF- α . The reporter gene operatively linked to the TLR-sensitive promoter can include, without limitation, an enzyme (e.g., luciferase, alkaline phosphatase, β -galactosidase, chloramphenicol acetyltransferase (CAT), etc.), a bioluminescence marker (e.g., green-fluorescent protein (GFP, U.S. Pat. No. 5,491,084), blue fluorescent protein, etc.), a surface-expressed molecule (e.g., CD25), and a secreted molecule (e.g., IL-8, IL-12 p40, TNF- α). In
30 certain embodiments the reporter is selected from IL-8, TNF- α , NF- κ B-luciferase (NF- κ B-luc; Häcker H et al. (1999) *EMBO J* 18:6973-6982), IL-12 p40-luc (Murphy TL et al. (1995)

- 38 -

Mol Cell Biol 15:5258-5267), and TNF-luc (Häcker H et al. (1999) *EMBO J* 18:6973-6982). At least one of these reporter constructs (NF- κ B-luc) is commercially available (Stratagene, La Jolla, CA). In assays relying on enzyme activity readout, substrate can be supplied as part of the assay, and detection can involve measurement of chemiluminescence, fluorescence, color development, incorporation of radioactive label, drug resistance, or other marker of enzyme activity. For assays relying on surface expression of a molecule, detection can be accomplished using FACS analysis or functional assays. Secreted molecules can be assayed using enzyme-linked immunosorbent assay (ELISA) or bioassays. Many such readout systems are well known in the art and are commercially available.

According to one embodiment of this method, comparison can be made to a reference immunostimulatory nucleic acid. The reference immunostimulatory nucleic acid may be any suitably selected immunostimulatory nucleic acid, including a CpG nucleic acid. In certain embodiments the screening method is performed using a plurality of test nucleic acids. In certain embodiments comparison of test and reference responses is based on comparison of quantitative measurements of responses in each instance.

In another aspect the invention provides a screening method for identifying species specificity of an immunostimulatory nucleic acid. The method involves contacting a TLR9 of a first species with a test immunostimulatory nucleic acid; contacting a TLR9 of a second species with the test immunostimulatory nucleic acid; measuring a response mediated by a TLR signal transduction pathway associated with the contacting the TLR9 of the first species with the test immunostimulatory nucleic acid; measuring a response mediated by the TLR signal transduction pathway associated with the contacting the TLR9 of the second species with the test immunostimulatory nucleic acid; and comparing the two responses. The TLR9 may be expressed by a cell or it may be part of a cell-free system. The TLR9 may be part of a complex, with either another TLR or with another protein, e.g., MyD88, IRAK, TRAF, I κ B, NF- κ B, or functional homologues and derivatives thereof. Thus for example a given ODN can be tested against a panel of human fibroblast 293 fibroblast cells transfected with TLR9 from various species and optionally cotransfected with a reporter construct sensitive to TLR/IL-1R activation pathways. Thus in another aspect, the invention provides a method for screening species selectivity with respect to a given nucleic acid sequence.

Test compounds can include but are not limited to peptide nucleic acids (PNAs), antibodies, polypeptides, carbohydrates, lipids, hormones, and small molecules. Test

- 39 -

compounds can further include variants of a reference immunostimulatory nucleic acid incorporating any one or combination of the substitutions described above. Test compounds can be generated as members of a combinatorial library of compounds.

In preferred embodiments, the screening methods can be performed on a large scale and with high throughput by incorporating, e.g., an array-based assay system and at least one automated or semi-automated step. For example, the assays can be set up using multiple-well plates in which cells are dispensed in individual wells and reagents are added in a systematic manner using a multiwell delivery device suited to the geometry of the multiwell plate. Manual and robotic multiwell delivery devices suitable for use in a high throughput screening assay are well known by those skilled in the art. Each well or array element can be mapped in a one-to-one manner to a particular test condition, such as the test compound. Readouts can also be performed in this multiwell array, preferably using a multiwell plate reader device or the like. Examples of such devices are well known in the art and are available through commercial sources. Sample and reagent handling can be automated to further enhance the throughput capacity of the screening assay, such that dozens, hundreds, thousands, or even millions of parallel assays can be performed in a day or in a week. Fully robotic systems are known in the art for applications such as generation and analysis of combinatorial libraries of synthetic compounds. See, for example, U.S. Pat. Nos. 5,443,791 and 5,708,158.

The following examples are provided for illustrative purposes and are not meant to be limiting in any way.

Examples

Example 1. Cloning and Sequencing of Rat, Porcine, Bovine, Equine, Ovine, Canine, and Feline TLR9

Cells and Tissues. Lymphoid tissues, primarily spleen or blood mononuclear cells (PBMC) from five mammalian species were collected: mouse, pig, bovine, rat and horse. Spleen samples were collected in *RNAlater*TM (Ambion[®], Austin, TX, USA), stabilized at 4°C overnight and stored at -70°C. Blood samples were centrifuged at 500 x g for 25 min at room temperature and the buffy coat, containing enriched PBMC, was then removed and stored at -70°C. The mouse specimen was used as a comparative positive control.

- 40 -

First-strand cDNA synthesis. Total RNA from the spleen and PBMC samples was isolated using a monophasic solution of phenol and guanidine isothiocyanate: TRIzol™ reagent (GIBCO BRL®, Burlington, ON, Canada) according to the manufacturer's instructions. First-strand cDNA was synthesized from the total RNA using
5 SUPERScript™ II reverse transcriptase (GIBCO BRL®, Burlington, ON, Canada). Approximately 3 µg of total RNA was added to 50 pmoles of oligo(dT) primer [poly T₍₁₈₎]; the mixture was heated to 70°C for 10 min and subsequently chilled on ice. The following was added to the cooled reaction mixture: 1 µl of mixed dNTP stock containing 10 mM each dATP, dCTP, dGTP and dTTP (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) at
10 neutral pH, 1X first strand buffer (50 mM Tris-HCl pH 8.3/ 75 mM KCl/ 3 mM MgCl₂) and 2 µl of 0.1 M DTT. The mixture was subsequently heated to 42°C for 2 min, followed by addition of 200 units of SUPERScript™ II reverse transcriptase. The reaction was carried out at 42°C for 50 min, followed by 70°C for 15 min. The first-strand cDNA was used as the template for subsequent polymerase chain reaction (PCR) amplifications.

15 *PCR amplification.* TLR9 gene was PCR amplified from each of the above-mentioned species using primers designed from known mouse and human TLR9 sequence in Genbank: Accession AF314224 and AF259262, respectively. The primers were designed using the primer design software, Clone Manager 5 (Scientific and Educational Software, Durham, NC, USA). TLR9 gene-specific primers used were:

20 forward primer 5'-ACCTTGCCTGCCTTCCTACCCTGTGA-3' (SEQ ID NO:37) and reverse primer 5'-GTCCGTGTGGGCCAGCACAAA-3' (SEQ ID NO:38).

The 2.7 Kbp fragment was PCR amplified using Advantage® 2 DNA polymerase mix (BD Biosciences Clontech, Palo Alto, CA, USA) according to the manufacturer's instructions. PCR reaction volumes of 25 µl contained 15 pmoles of each primer, 0.2 mM of dNTP mix
25 and 1 µl of reverse transcription reaction. PCR amplification was conducted by initial denaturation at 94°C for 1 min followed by 30 cycles of 94°C denaturation (15 sec), 65°C annealing (45 sec) and 72°C extensions (2 min), with a final extension at 72°C for 5 min.

Cloning and sequencing. The PCR amplified fragment was treated with 500 units of T4 DNA polymerase (Amersham Pharmacia Biotech Inc., Baie de Urfe, Quebec) for 15 min
30 at room temperature prior to cleaning the reaction with QIAquick PCR purification kit (QIAGEN Inc., Mississauga, ON, Canada). The fragment was then ligated to pZerO™ - 2

- 41 -

vector (Invitrogen™ Life Technologies, Burlington, ON, Canada), treated with *Eco RV* restriction enzyme, using T4 DNA Ligase (GIBCO BRL®, Burlington, ON, Canada). *E. coli* TOP 10 chemically competent cells (Invitrogen™ Life Technologies, Burlington, ON, Canada) were used to transform ligated products. Plasmids containing the 2.7 Kbp fragment
5 were sequenced using an automated DNA sequencer, CEQ™ 2000XL DNA analysis system (Beckman Coulter Inc., Fullerton, CA, USA).

Sequences of the 2.7 Kbp fragment were derived from three clones of each species selected from independent PCR reactions to account for errors that may have been incurred during the PCR amplifications and to confirm the sequence data.

10 Nucleotide sequences of the rat, porcine, bovine, equine, ovine, canine, and feline TLR9 were extended and completed using standard 5' and 3' RACE PCR and primers designed using the sequences obtained from the 2.7 Kbp fragments.

Results. Nucleotide sequences of rat, porcine, bovine, equine, canine, and feline TLR9 cDNA obtained by the methods above are provided as SEQ ID NOs 3, 7, 11, 15, 19,
15 23, and 27, respectively. Deduced amino acid sequences are provided as SEQ ID NOs 1, 5, 9, 13, 17, 21, and 25, respectively. Deduced amino acid sequences of full-length murine and human TLR9 are provided as SEQ ID NOs 29 and 33, respectively.

Example 2. Comparison of Aligned Sequences for TLR9 from Various Mammalian Species.

20 Multiple sequence alignment of deduced amino acid sequences for feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 polypeptides was performed using Clustal W 1.82 (see, for example, www.cmbi.kun.nl/bioinf/tools/clustalw.shtml). In addition, paired sequence alignment of deduced amino acid sequences for murine and human TLR9 polypeptides was performed using Clustal W 1.82. The results of the multiple
25 sequence alignment are presented in **Figure 1**. As will be appreciated from Figure 1, certain amino acids are highly conserved across all species examined. Similarly, certain amino acids differ only by conservative amino acid substitutions among the various species. In addition, it is evident that certain amino acids which are conserved between murine and human TLR9 are not conserved in other species. Furthermore, Figure 1 also indicates that certain amino
30 acids are highly divergent across various species. The information provided by the comparison of multiple species adds significantly to the information available by comparison between only murine and human TLR9 sequences.

- 42 -

The putative transmembrane regions of the TLR9 polypeptides are indicated in boxes in Figure 1. Sequence upstream of each transmembrane region is extracellular domain and is believed to include sequence primarily responsible for binding to TLR9 ligands, including CpG DNA. The extracellular domains of feline, canine, bovine, mouse, ovine, porcine, horse, human, and rat TLR9 correspond to amino acids numbered 1-820, 1-822, 1-818, 1-821, 1-818, 1-819, 1-820, 1-820, and 1-821, respectively, as shown in Figure 1.

Figure 2 presents an evolutionary relatedness tree for six TLR9 polypeptides examined. The cladogram in Figure 2 was prepared using Clustal W (see above). As can be appreciated from this figure, murine and human TLR9 are nearly the most divergent TLR9s in this group. Surprisingly, human and horse TLR9 appear relatively closely related.

Example 3. Reconstitution of TLR9 Signaling in 293 Fibroblasts.

Mouse TLR9 cDNA (SEQ ID NO:31) and human TLR9 cDNA (SEQ ID NO:35) in pT-Adv vector (from Clontech) were individually cloned into the expression vector pcDNA3.1(-) from Invitrogen using the EcoRI site. Utilizing a "gain of function" assay it was possible to reconstitute human TLR9 (hTLR9) and murine TLR9 (mTLR9) signaling in CpG-DNA non-responsive human 293 fibroblasts (ATCC, CRL-1573). The expression vectors mentioned above were transfected into 293 fibroblast cells using the calcium phosphate method.

Since NF- κ B activation is central to the IL-1/TLR signal transduction pathway (Medzhitov R et al. (1998) *Mol Cell* 2:253-258; Muzio M et al. (1998) *J Exp Med* 187:2097-101), cells were transfected with hTLR9 or co-transfected with hTLR9 and an NF- κ B-driven luciferase reporter construct. Human fibroblast 293 cells were transiently transfected with hTLR9 and a six-times NF- κ B-luciferase reporter plasmid (NF- κ B-luc) or with hTLR9 alone. After stimulus with CpG-ODN (2006, 2 μ M, TCGTCGTTTGTCTGTTTGTCTGTT, SEQ ID NO:58), GpC-ODN (2006-GC, 2 μ M, TGCTGCTTTTGTGCTTTTGTGCTT, SEQ ID NO:59), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results representative of three independent experiments showed that cells expressing hTLR9 responded to CpG-DNA but not to LPS.

Independently, human fibroblast 293 cells were transiently transfected with mTLR9 and the NF- κ B-luc construct or with mTLR9 alone. After stimulation with CpG-ODN (1668, 2 μ M; TCCATGACGTTCTGATGCT, SEQ ID NO:60), GpC-ODN (1668-GC, 2 μ M;

- 43 -

TCCATGAGCTTCCTGATGCT, SEQ ID NO:61), LPS (100 ng/ml) or media, NF- κ B activation by luciferase readout (8h) or IL-8 production by ELISA (48h) were monitored. Results showed that expression of TLR9 (human or mouse) in 293 cells results in a gain of function for CpG-DNA stimulation.

5 To generate stable clones expressing human TLR9, murine TLR9, or either TLR9 with the NF- κ B-luc reporter plasmid, 293 cells were transfected in 10 cm plates (2×10^6 cells/plate) with 16 μ g of DNA and selected with 0.7 mg/ml G418 (PAA Laboratories GmbH, Cölbe, Germany). Clones were tested for TLR9 expression by RT-PCR. The clones were also screened for IL-8 production or NF- κ B-luciferase activity after stimulation with
10 ODN. Four different types of clones were generated.

293-hTLR9-luc:	expressing human TLR9 and 6-fold NF- κ B-luciferase reporter
293-mTLR9-luc:	expressing murine TLR9 and 6-fold NF- κ B-luciferase reporter
293-hTLR9:	expressing human TLR9
15 293-mTLR9:	expressing murine TLR9

Results indicated that stable clones also responded to CpG-ODN.

Example 4. Similar ODN Sequence Specificity of TLR9 of Human and Equine TLR9.

20 3×10^6 293T cells were electroporated with 5 μ g NF- κ B-luc plasmid and 5 μ g of either horse TLR9-pcDNA3.1 plasmid or humanTLR9-pcDNA3.1 plasmid at 200V, 975 μ F. After the electroporation the cells were plated in 96-well cell culture plates at 2.5×10^4 cells per well and grown overnight at 37°C. The cells were stimulated with the indicated concentration of ODN for 16h, after which the supernatant was removed and the cells lysed in lysis buffer and
25 frozen for at least 2 hours at -80°C. Luciferase activity was measured by adding Luciferase Assay substrate from Promega. Values are given as fold specific induction over non-stimulated control. Results are shown in Figure 3.

As shown in Figure 3, ODN 2006 (TCGTCGTTTTGTCGTTTTGTCGTT; SEQ ID NO:58) has a strong specificity for human TLR9. ODN 1982
30 (TCCAGGACTTCTCTCAGGTT; SEQ ID NO:70) was the negative control ODN. ODN 5890 (TCCATGACGTTTTTGATGTT; SEQ ID NO:39) has a strong specificity for mouse

- 44 -

TLR9. This experiment demonstrates the similarity of horse TLR9 to human TLR9 in binding specificity, a result predicted by the evolutionary relatedness of horse TLR9 to human TLR9. Mouse TLR9 is more distant from horse TLR9 and human TLR9 in sequence homology, and ODN 5890 was not detected by either human or horse TLR9.

5

Example 5. Non-human, Non-murine Native Mammalian TLR9 Useful in Screening for Human-Preferred CpG DNA.

Native rat, porcine, bovine, equine, and ovine TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Rat, porcine, bovine, equine, or ovine TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected native rat, porcine, bovine, equine, or ovine TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

20 Example 6. Chimeric TLR9 Useful in Screening for Human-Preferred CpG DNA.

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in this assay are then used as the basis for screening for additional human-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA.

30

Example 7. Chimeric TLR9 Responsive to Both Human-Preferred and Murine-Preferred CpG DNA.

- 45 -

Chimeric TLR9 polypeptides are screened for binding or TLR9 signaling activity when contacted with human-preferred CpG DNA (ODN 2006) and also screened for binding or TLR9 signaling activity when contacted with murine-preferred CpG DNA (ODN 1668). Chimeric TLR9 polypeptides which exhibit significant TLR9 binding or TLR9 signaling activity in each of these assays are then used as the basis for screening for additional human-preferred CpG DNA and for screening for additional murine-preferred CpG DNA. An expression vector containing a nucleic acid sequence encoding a selected chimeric TLR9 polypeptide, and optionally a reporter construct, is introduced into cells which do not express TLR9. The cells expressing the selected chimeric TLR9 polypeptide are contacted with candidate human-preferred CpG DNA or candidate murine-preferred CpG DNA. Candidate human-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as human-preferred CpG DNA. Candidate murine-preferred CpG DNA exhibiting significant TLR9 binding or TLR9 signaling activity are selected as murine-preferred CpG DNA.

Equivalents

The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by examples provided, since the examples are intended as a single illustration of one aspect of the invention and other functionally equivalent embodiments are within the scope of the invention. Various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims. The advantages of the invention are not necessarily encompassed by each embodiment of the invention.

All references, patents and patent publications that are recited in this application are incorporated in their entirety herein by reference.

We claim:

- 46 -

Claims

1. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

5

2. An isolated polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

3. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:1, SEQ ID NO:5, SEQ ID NO:9, SEQ ID NO:13, and SEQ ID NO:17.

10

4. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising an amino acid sequence selected from the group SEQ ID NO:2, SEQ ID NO:6, SEQ ID NO:10, SEQ ID NO:14, and SEQ ID NO:18.

15

5. A vector comprising the nucleic acid of any of claims 3-4.

6. A cell comprising the vector of claim 5.

20

7. An antibody or fragment thereof that binds specifically to the polypeptide of any of claims 1-2.

8. A method for identifying key amino acids in a TLR9 of a first species which confer specificity for CpG DNA optimized for TLR9 of the first species, comprising:
aligning protein sequences of TLR9 of a first species, TLR9 of a second species, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for TLR9 of the first species rather than when contacted with a CpG DNA optimized for TLR9 of the second species;

25

generating an initial set of candidate amino acids in the TLR9 of the first species by excluding each amino acid in the TLR9 of the first species which (a) is identical with the

30

- 47 -

TLR9 of the second species or (b) differs from the TLR9 of the second species only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the initial set of candidate amino acids in the TLR9 of the first species which (a) is identical with
5 the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in the TLR9 of the first species each amino acid in the refined set of candidate amino acids.

10 9. A method for identifying key amino acids in human TLR9 which confer specificity for CpG DNA optimized for human TLR9, comprising:

aligning protein sequences of human TLR9, murine TLR9, and TLR9 of a third species, wherein the TLR9 of the third species preferentially generates a signal when contacted with a CpG DNA optimized for human TLR9 rather than when contacted with a
15 CpG DNA optimized for murine TLR9;

generating an initial set of candidate amino acids in human TLR9 by excluding each amino acid in human TLR9 which (a) is identical with murine TLR9 or (b) differs from murine TLR9 only by conservative amino acid substitution;

generating a refined set of candidate amino acids by selecting each amino acid in the
20 initial set of candidate amino acids in human TLR9 which (a) is identical with the TLR9 of the third species or (b) differs from the TLR9 of the third species only by conservative amino acid substitution; and

identifying as key amino acids in human TLR9 each amino acid in the refined set of candidate amino acids.

25

10. The method according to claim 9, performed iteratively with a plurality of TLR9s derived from different species other than human and mouse, wherein for each TLR9 the refined set of candidate amino acids is assigned a weight, said weight corresponding to a ratio equal to (responsiveness to human-preferred CpG DNA)/(responsiveness to murine-preferred
30 CpG DNA).

- 48 -

11. An isolated polypeptide comprising an amino acid sequence identical to SEQ ID NO:30 except for substitution of at least one key amino acid identified according to the method of any of claims 9 or 10.

5 12. An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide according to claim 11.

13. A vector comprising the nucleic acid of claim 12.

10 14. A cell comprising the vector of claim 13.

15. An antibody that binds specifically to the polypeptide of claim 14.

16. A screening method to identify a TLR9 ligand, comprising:
15 contacting a polypeptide according to any of claims 1, 2, or 11 with a candidate TLR9 ligand;
 measuring a signal in response to the contacting; and
 identifying the candidate TLR9 ligand as a TLR9 ligand when the signal in response to the contacting is consistent with TLR9 signaling.

20 17. The method of claim 16, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

25 18. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

19. The method of claim 17, wherein the candidate TLR9 ligand is an immunostimulatory nucleic acid.

30 20. The method of claim 19, wherein the immunostimulatory nucleic acid is CpG DNA.

- 49 -

21. A screening method to identify species-specific CpG-motif preference of an isolated polypeptide of claim 2 or claim 11, comprising:

contacting an isolated polypeptide of claim 2 or claim 11 with a CpG DNA comprising a hexamer sequence selected from the group consisting of GACGTT, AACGTT, CACGTT, TACGTT, GGCGTT, GCCGTT, GTCGTT, GATGTT, GAAGTT, GAGGTT, GACATT, GACCTT, GACTTT, GACGCT, GACGAT, GACGGT, GACGTC, GACGTA, and GACGTG;

measuring a signal in response to the contacting; and

identifying a species-specific CpG-motif preference when the signal in response to the contacting is consistent with TLR9 signaling.

22. The method of claim 21, wherein the signal comprises expression of a reporter gene responsive to TLR/IL-1R signal transduction pathway.

23. The method of claim 17, wherein the reporter gene is operatively linked to a promoter sensitive to NF- κ B.

24. The method of claim 21, wherein the CpG DNA is an oligodeoxynucleotide having a sequence selected from the group consisting of

20	TCCATGACGTTTTTGATGTT	(SEQ ID NO:39),
	TCCATAACGTTTTTGATGTT	(SEQ ID NO:40),
	TCCATCACGTTTTTGATGTT	(SEQ ID NO:41),
	TCCATTACGTTTTTGATGTT	(SEQ ID NO:42),
	TCCATGGCGTTTTTGATGTT	(SEQ ID NO:43),
25	TCCATGCCGTTTTTGATGTT	(SEQ ID NO:44),
	TCCATGTCGTTTTTGATGTT	(SEQ ID NO:45),
	TCCATGATGTTTTTGATGTT	(SEQ ID NO:46),
	TCCATGAAGTTTTTGATGTT	(SEQ ID NO:47),
	TCCATGAGGTTTTTGATGTT	(SEQ ID NO:48),
30	TCCATGACATTTTTGATGTT	(SEQ ID NO:49),
	TCCATGACCTTTTTGATGTT	(SEQ ID NO:50),
	TCCATGACTTTTTTGATGTT	(SEQ ID NO:51),
	TCCATGACGCTTTTGATGTT	(SEQ ID NO:52),
	TCCATGACGATTTTGATGTT	(SEQ ID NO:53),
35	TCCATGACGGTTTTGATGTT	(SEQ ID NO:54),
	TCCATGACGTCTTTGATGTT	(SEQ ID NO:55),
	TCCATGACGTATTTGATGTT	(SEQ ID NO:56), and
	TCCATGACGTGTTTGATGTT	(SEQ ID NO:57).

Figure 1
(1/3)

```
feline  MGPCHGALHPLSLLVQAAALAVALAAGTLPAPFLPCELPQHGVLNCDWLFLKSVPHFSAAA 60
canine  MGPCRGALHPLSLLVQAAALALALAAGTLPAPFLPCELPQHGVLNCDWLFLKSVPRFSAAA 60
bovine  MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQHGQVDCNWLFLKSVPHFSAGA 59
mouse   MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQHGQVDCNWLFLKSVPHFSAGA 59
ovine   MGP-YCAPHPLSLLVQAAALAAALAEGLTLPAPFLPCELPQHGQVDCNWLFLKSVPRFSAGA 59
porcine MGP-RCTLHPLSLLVQVOTALAAALAEGLTLPAPFLPCELPQHGVLNCDWLFLKSVPHFSAAA 59
horse   MGPCHGALQPLSLLVQAAALAVALAAGTLPAPFLPCELPQHGVLNCDWLFLKSVPHFSAAA 60
human   MGFCRSALHPLSLLVQAIMLAMLALGTLAPFLPCELPQHGVLNCDWLFLKSVPHFSMAA 60
rat     MVLCCRTHLPLSLLVQAAVLAELALGTLAPFLPCELPKPHGLVDCNWLFLKSVPHFSAAE 60
*       : :*****. ** : * * * .***** : * * :*****:***

feline  PRGNVTSLSLYSNRIHHLHDSDFVHLSLRLNLKWNCPASLSPMHFPCCHMTIEPHTFL 120
canine  PRGNVTSLSLYSNRIHHLHDYDFVHFVHLRLNLKWNCPASLSPMHFPCCHMTIEPNTFL 120
bovine  PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCCHMTIEPNTFL 119
mouse   PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCCHMTIEPNTFL 119
ovine   PRANVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCCHMTIEPNTFL 119
porcine PRANVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPAGLSPMHFPCCHMTIEPNTFL 119
horse   PRDNVTSLSLISNRIHHLHDSDFVHLSNLRVLNLKWNCPAGLSPMHFPCCHMTIEPNTFL 120
human   PRGNVTSLSLISNRIHHLHDSDFVHLSLRLNLKWNCPVGLSPMHFPCCHMTIEPSTFL 120
rat     PRSNITSLSLIANRIHHLHNLDFVHLNVRQLNLKWNCPGLSPLHFSCHMTIEPKTFL 120
** :***** :*****: ** : : ***** .***.***:***** **

feline  AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPANLAGLSLRFELDGNCYY 180
canine  AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPATLAGLYALRFELDGNCYY 180
bovine  AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCYY 179
mouse   AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCYY 179
ovine   AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLGPHTFTGLHALRFLYMDGNCYY 179
porcine AVPTLEELNLSYNSITTPALPSSLVLSLRTNIVLDPHTGLHALRFLYMDGNCYY 179
horse   AVPTLEELNLSYNGITTPALPSSLVLSLRTNIVLQDPTSLTGLHALRFLYMDGNCYY 180
human   AVPTLEELNLSYNNIMTPALPKSLISLRTNIVLMLDSASLAGLHALRFLYMDGNCYY 180
rat     AMRMLEELNLSYNGITTPALPSSLVLSLRTNIVLDPASSLAGLSLRLVLMGNCYY 180
* : ** :*****. * * * * * . * * : * * * . * : :***** :*****

feline  KNPCQALQVAPGALLGLGNLTHLSLKYNNTAVPRGLPPSLEYLLSYNHIITLAPEDL 240
canine  KNPCQALQVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 240
bovine  MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 239
mouse   MNPCPRALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 239
ovine   KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 239
porcine KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 239
horse   KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 240
human   KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 240
rat     KNPCQALEVAPGALLGLGNLTHLSLKYNNTVPRGLPPSLEYLLSYNHIITLAPEDL 240
*** :* :* . :* :* .***** ***** ** * : ***** * :* .***

feline  ANLTALRVLDVGGNCRRCDHARNPCMECPKGFPHLPDTFSLNHLLEGVLKDSLSYLN 300
canine  ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYSLD 300
bovine  ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 299
mouse   ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 299
ovine   ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 299
porcine ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 299
horse   ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 300
human   ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 300
rat     ANLTALRVLDVGGNCRRCDHARNPCRECPKGFPHLPDTFSLNHLLEGVLKDSLSYKLE 300
****:*****:***** : * * * : .** : * * :*****:***** * :

feline  PRWFHGLGNLMLVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 360
canine  PRWFHGLGNLMLVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 360
bovine  KDWFHGLGNLMLVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 359
mouse   KDWFHGLGNLMLVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 359
ovine   KDWFHGLGNLMLVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 359
porcine TRWFHGLGNLMLVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 359
horse   PRWFHGLGNLMLVLDLSENFLYDCITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 360
human   ASWFHGLGNLMLVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 360
rat     SKWFHGLGNLMLVLDLSENFLYDYITKTTFQGLAQRLRLNLSFNHKKVVSFAHLHLAPSF 360
* : * . * ***** . * * * . * : * * * :***** :***** * : *
```

[illegible]

feline	SFFALATRLRELNLNSANALKTVEPSWFGSLAGTLKVLDDVTGNPLHCACGAAFVDFLLEQ	778
canine	SFFALAVRLRELNLNSANALKTVEPSWFGSLAGALKVLDDVTANPLHCACGATFVDFLLEQ	780
bovine	GFFVATRLRIELNLNSANALKTVDPSWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
mouse	GFFVRATRLRIELNLNSANALKTVDPSWFGSLAGTLKILDVSNPLHCACGAAFVDFLLERQ	776
ovine	GFFVLANRLKELNLNSANALKTVDPSWFGSLAGTLKILDVSNPLHCACGAAFVDFLLEMQ	776
porcine	GFFALAKQLEELNLNSANALKTVEPSWFGSMVGNLKVLDVSNPLHCACGATFVGFLLERQ	777
horse	GFFALATRLRELNLNSANALRTEEPSWFGFLAGSLVLDVSNPLHCACGAAFVDFLLQVQ	778
human	GFFSKAKELRELNLNSANALKTVDHWSWFGPLASALQILDVSNPLHCACGAAFVDFLLERQ	778
rat	AFFALAVELKEVNLSHNLIKTVDRSWFGPIVMNLTVDVSSNPLHCACGAAPFVDLLLEQ	779
	..** * . * :*** * * : : *** : . * :***:*****.*.:***: *	
feline	AAVPGPLPGHVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	838
canine	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	840
bovine	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
mouse	EAVPGLSRRVTCGSPGQLQGRSIFTQDLRLCLDETSLDCFG	836
ovine	AAVPGLSRRVTCGSPGQLQGRSIFAQDLRLCLDETSLDCFG	836
porcine	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDETSLWNCFG	837
horse	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDKSLSWDCFG	838
human	AAVPGPLPSRVKCGSPGQLQGRSIFAQDLRLCLDEALSWDCFG	838
rat	TKVPGLANGVCKGSPRQLQGRSIFAQDLRLCLDDVLSRDCFG	839
	****. * .**** * * * * * :*****. * * * * :*** :*** :***:*	
feline	CGWDLWYCFHLCLAWLPRRGRR--RGADALPYDAFVVDKAQSAVADWVYNELRVLEER	896
canine	CGWDLWYCFHLCLAWLPRRGRR--RGVDALAYDAFVVDKAQSSVADWVYNELRVQLEER	898
bovine	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAVVVDKQVSAVADWVYNELRVQLEER	894
mouse	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAVVVDKQVSAVADWVYNELRVQLEER	894
ovine	CGWDLWYCFHLCLAWLPRRRRQ--RGEDTLLYDAFVVDKAQSAVADWVYNELRVQLEER	894
porcine	CGWDLWYCFHLCLAWLPHRGQR--RGADALFYDAFVVDKAQSAVADWVYNELRVQLEER	895
horse	CGWDLWYCFHLGLAWLPRRGWQ--RGADALSADYDAFVVDKAQSAVADWVYNELRVLEER	896
human	CGWDLWYCFHLCLAWLPRGRGQSGRDEALPYDAFVVDKQVSAVADWVYNELRVQLEER	898
rat	CGWDLWYCFHLCLAWLPLLRGR--RSAQALPYDAFVVDKAQSAVADWVYNELRVLEER	898
	****:***** * * * * * . :* * * * * .** :***** :***	
feline	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	956
canine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	958
bovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMTFVLDHTDRVSGLLRASFLLAQORL	954
mouse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMTFVLDHTDRVSGLLRASFLLAQORL	954
ovine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMTFVLDHTDRVSGLLRASFLLAQORL	954
porcine	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDRVSGLLRASFLLAQORL	955
horse	RGRRALRLCLEERDWLPGKTLFENLWASVYSSRKMLFVLAHTDQVSGLLRASFLLAQORL	956
human	RGRRALRLCLEERDWLPGKTLFENLWASVYSGRKMLFVLAHTDRVSGLLRASFLLAQORL	958
rat	RGRRALRLCLEERDWLPGKTLFENLWASVYSGRKMLFVLAHTDKVSGLLRTSFLLAQORL	958
	*** *****:***:***:*****:*.***:***:*.*****:*****	
feline	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNQ	1016
canine	LEDKRDVVVLVILCPDAHRSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNR	1018
bovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
mouse	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
ovine	LEDKRDVVVLVILRPAAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWANLGIALTRDNR	1014
porcine	LEDKRDVVVLVILRPDAYSRYVRLRQRLCRQSVLLWPHQPSGQSFWAQLGTALTRDNH	1015
horse	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNR	1016
human	LEDKRDVVVLVILSPDARRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLGMALTRDNH	1018
rat	LEDKRDVVVLVILRPDAHRSRYVRLRQRLCRQSVLFWPHQPSGQSFWAQLSTALTRDNH	1018
	***** * . *****:*****:***** * * * * :* . *****:	
feline	HFYNNFCRGPTTAE-----	1031
canine	HFYNNFCRGPTTAE-----	1032
bovine	HFYNNFCRGPTTAE-----	1029
mouse	HFYNNFCRGPTTAE-----	1032
ovine	HFYNNFCRGPTTAE-----	1029
porcine	HFYNNFCRGPTTAE-----	1030
horse	HFYNNFCRGPTTAE-----	1031
human	HFYNNFCRGPTTAE-----	1032
rat	HFYNNFCRGPTTAE-----	1032
	*****:*****	

Figure 2





Figure 3



SEQUENCE LISTING

<110> Coley Pharmaceutical GmbH
 University of Saskatchewan
 Qiagen GmbH

<120> TOLL-LIKE RECEPTOR 9 (TLR9) FROM VARIOUS MAMMALIAN SPECIES

<130> C1041.70040WO00

<150> US 60/412,479
 <151> 2002-09-19

<160> 70

<170> PatentIn version 3.1

<210> 1
 <211> 1032
 <212> PRT
 <213> Rattus norvegicus

<400> 1

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe

610	615	620
Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys		
625	630	635 640
Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu		
	645	650 655
Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser		
	660	665 670
Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn		
	675	680 685
Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu		
	690	695 700
Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala		
705	710	715 720
Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn		
	725	730 735
Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn		
	740	745 750
Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly		
	755	760 765
Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly		
	770	775 780
Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg		
785	790	795 800
Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser		
	805	810 815
Arg Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Thr Val		
	820	825 830
Leu Pro Leu Leu Gln His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe		
	835	840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Thr Arg Gly Arg Arg Ser
850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Lys Val Ser
930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Phe Trp Pro His Gln Pro Asn Gly Gln Gly Ser Phe Trp Ala Gln
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
1025 1030

<210> 2

<211> 821

<212> PRT

<213> Rattus norvegicus

<400> 2

Met Val Leu Cys Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Ala Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Glu Pro Arg Ser Asn
 50 55 60

Ile Thr Ser Leu Ser Leu Ile Ala Asn Arg Ile His His Leu His Asn
 65 70 75 80

Leu Asp Phe Val His Leu Pro Asn Val Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Pro Gly Leu Ser Pro Leu His Phe Ser Cys Arg Met
 100 105 110

Thr Ile Glu Pro Lys Thr Phe Leu Ala Met Arg Met Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Thr Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Ser Ser Leu Ala Gly Leu His Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Asn Gly Ala Val Asn Val Thr Pro
 180 185 190

Asp Ala Phe Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Glu Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Leu Ile Val Lys Leu Gly Ala Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Met Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asp Leu Cys Thr Glu Cys Arg Gln Lys Ser
 260 265 270

Leu Asp Leu His Pro Gln Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Ser Leu Asn Ser Lys Trp Phe
 290 295 300

Gln Gly Leu Ala Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn Lys Thr Ser Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asp Leu Ser Phe Asn Tyr Cys Lys Lys Val Ser Phe Ala
 340 345 350

Arg Leu His Leu Ala Ser Ser Phe Lys Ser Leu Val Ser Leu Gln Glu
 355 360 365

Leu Asn Met Asn Gly Ile Phe Phe Arg Leu Leu Asn Lys Asn Thr Leu
 370 375 380

Arg Trp Leu Ala Gly Leu Pro Lys Leu His Thr Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Val Phe Ser Thr Phe Arg Ala
 405 410 415

Leu Arg Phe Val Asp Leu Ser Asn Asn Arg Ile Ser Gly Pro Pro Thr
 420 425 430

Leu Ser Arg Val Ala Pro Glu Lys Ala Asp Glu Ala Glu Lys Gly Val
 435 440 445

Pro Trp Pro Ala Ser Leu Thr Pro Ala Leu Pro Ser Thr Pro Val Ser
 450 455 460

Lys Asn Phe Met Val Arg Cys Lys Asn Leu Arg Phe Thr Met Asp Leu
 465 470 475 480

Ser Arg Asn Asn Gln Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
 485 490 495

Ser His Leu Gln Cys Leu Ser Leu Ser His Asn Cys Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Lys Val Leu Asp
515 520 525

Leu Ser Tyr Asn Lys Leu Asp Leu Tyr His Ser Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Gln Gly Ile Gly His Asn Phe Ser Phe Leu Ala Asn Leu Ser
565 570 575

Arg Leu Gln Asn Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val
580 585 590

Ser Ser Arg Leu Tyr Ser Thr Ser Val Glu Tyr Leu Asp Phe Ser Gly
595 600 605

Asn Gly Val Gly Arg Met Trp Asp Glu Glu Asp Leu Tyr Leu Tyr Phe
610 615 620

Phe Gln Asp Leu Arg Ser Leu Ile His Leu Asp Leu Ser Gln Asn Lys
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asn Tyr Leu Pro Lys Ser Leu
645 650 655

Thr Lys Leu Ser Phe Arg Asp Asn His Leu Ser Phe Phe Asn Trp Ser
660 665 670

Ser Leu Ala Phe Leu Pro Asn Leu Arg Asp Leu Asp Leu Ala Gly Asn
675 680 685

Leu Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Phe Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn

725

730

735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750

Leu Thr Val Leu Asp Val Ser Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765

Ala Pro Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Arg Gln Leu Gln Gly Arg
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Asp Val Leu Ser
 805 810 815

Arg Asp Cys Phe Gly
 820

<210> 3
 <211> 3099
 <212> DNA
 <213> Rattus norvegicus

<400> 3
 atggtttctct gtcgcaggac cctgcacccc ttgtctctcc tggtacaggc cgcagtgtctg 60
 gctgaggctc tggccctggg taccctgcct gccttctctac cctgtgaact gaagcctcat 120
 ggcttggttag actgcaactg gctcttctctg aagtctgtgc ctcaattctc tgccgcagaa 180
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
 ctgcactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300
 cctggcctca gcccttgca cttctcctgc cgcctgacca ttgagcccaa aaccttctctg 360
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
 ctgcccagct ccttgacgaa tctgagccta agccacacca acatcctggt actcgatgcc 480
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcaacggggc ggtgaacgtg acccggacg ccttctctggg cttgagcaac 600
 ctcaccactt tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660
 agcctggagt acctcctgct gtctataaac ctcacgttca agctgggggc cgaagacct 720
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780

gcccccgacc tctgtacaga atgcgggcag aagtcccttg atctgcaccc tcagactttc 840
 catcacctga gccaccttga aggccctgggtg ctgaaggaca gttctctcca ctgctgaac 900
 tccaagtgggt tccaggggtct ggcgaacctc tcgggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020
 ctgtccttca attactgcaa gaaggatcg ttcgcccgc tccacctggc aagttccttc 1080
 aagagcctgg tgtcgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
 aagaacacgc tcaggtgggt ggctgggtctg cccaagctcc acacgctgca cttcaaagt 1200
 aatttcatca accagggcga gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
 gcagacgagg cggagaaggg ggttccatgg cctgcaagtc tcacccagc tctcccgagc 1380
 actcccgctc caaagaactt catggtcagg tgtaagaacc tcagattcac catggacctg 1440
 tctcggaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
 ctgaccaacc tgaagggtgt ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
 tcgttcagtg agtcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
 gtggagtatc tggacttcag cggcaacggt gtgggcccga tgtgggacga ggaggacctt 1860
 tacctctatt tctccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttctt gcccaatctg 2040
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
 ggcacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
 aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340
 aagggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
 ggcctttcac tcctggctgt ggccgtgggc acggtgttgc ctttactgca gcatctctgc 2520
 ggctgggacg tctggtactg tttccatctg tgccctggcat ggctaccttt gctgacctgt 2580

ggccggcgca gcgccaagc tctcccttat gatgccttcg tgggtgttcga taaggcgag 2640
 agcgcggttg ctgactgggt gtataacgag cttcgagtgc ggctagagga gcggcgcggt 2700
 cgccgagccc tacgcttggt tctggaggac cgagattggc tgcctggcca gacactcttc 2760
 gagaacctct gggcctccat ctatggcagc cgcaagactc tgtttgtgct ggcccacacg 2820
 gacaaggcca gtggcctcct ggcaccagc ttcctgtgtg ctcagcagcg cctgtgtggag 2880
 gaccgcaagg acgtgggtgt gttgggtgat ctgcgccttg atgcccaccg ctcccgttac 2940
 gtgcgactgc gccagcgctt ctgccgccag agtgtgtctt tctggcccca tcagcccaac 3000
 gggcagggca gcttctgggc ccagctgagt acagccctga ctagggacaa ccaccacttc 3060
 tataaccgga acttctgccg gggacctaca gcagaatag 3099

<210> 4

<211> 2463

<212> DNA

<213> Rattus norvegicus

<400> 4

atggttctct gtcgcaggac cctgcacccc ttgtctctcc tggtagaggc cgcagtgtctg 60
 gctgaggctc tggccctggg taccctgcct gccttcttac cctgtgaact gaagcctcat 120
 ggcctggtag actgcaactg gctcttcctg aagtctgtgc ctcacttctc tgccgcagaa 180
 ccccgttcca acatcaccag cctttccttg atcgccaacc gcatccacca cctgcacaac 240
 ctcgactttg tccacctgcc caacgtgcga cagctgaacc tcaagtggaa ctgtccgccc 300
 cctggcctca gccccttgca cttctcctgc cgcctgacca ttgagcccaa aaccttctctg 360
 gctatgcgca tgctggaaga gctgaacctg agctataacg gtatcaccac tgtgccccgc 420
 ctgcccagct ccctgacgaa tctgagccta agccacacca acatcctggg actcgatgcc 480
 agcagcctcg ctggcctgca cagcctgcga gttctcttca tggacgggaa ctgctactac 540
 aagaaccctt gcaacggggc ggtgaacgtg acccgggacg ccttctctggg cttgagcaac 600
 ctcacccact tgtcccttaa gtataacaac ctcacagagg tgccccgcca actgcccccc 660
 agcctggagt acctcctgct gtcctataac ctcacgtca agctgggggc cgaagacctt 720
 gccaacctga cctcccttcg aatgcttgat gtgggtggga attgccgtcg ctgtgatcac 780
 gcccccgacc tctgtacaga atgccggcag aagtccttg atctgcacc tcagactttc 840
 catcacctga gccaccttga aggcctgggt ctgaaggaca gttctctcca ctcgctgaac 900
 tccaagtggg tccaggggtt ggcgaacctc tcggtgctgg acctaaagca gaactttctc 960
 tacgagagca tcaacaaaac cagcgccttt cagaacctga cccgtctgcg caagctcgac 1020

ctgtccttca attactgcaa gaaggtatcg ttcgcccgcc tccacctggc aagttccttc 1080
 aagagcctgg tgctgctgca ggagctgaac atgaacggca tcttcttccg cttactcaac 1140
 aagaacacgc tcaggtggct ggctggctctg cccaagctcc acacgctgca ccttcaaatg 1200
 aatttcatca accagggcga gctcagcgtc tttagtacct tccgagccct tcgctttgtg 1260
 gacctgtcca ataatcgcat cagcgggcct ccaacgctgt ccagagtcgc ccccgaaaag 1320
 gcagacgagg cggagaaggg gggtccatgg cctgcaagtc tcaccccagc tctcccagc 1380
 actcccgctc caaagaactt catgggtcagg tgtaagaacc tcagattcac catggacctg 1440
 tctcggaaaca accaggtgac tatcaagcca gagatgttcg tcaacctctc ccatctccag 1500
 tgtctgagcc tgagccacaa ctgcatcgcg caggctgtca atggctctca gttcctgccg 1560
 ctgaccaacc tgaaggtgct ggacctgtcc tataacaagc tggacctgta ccattcgaaa 1620
 tcgttcagtg agctcccaca gttgcaggcc ctggacctga gctacaacag ccagccattc 1680
 agcatgcagg ggataggcca caacttcagt tttctggcca atctgtccag gttacagaac 1740
 cttagcctgg cacacaatga cattcacagc cgcgtgtcct cagcctcta cagcacctca 1800
 gtggagtatc tggacttcag cggcaacggt gtggggccga tgtgggacga ggaggacctt 1860
 tacctctatt tcttccaaga cctgagaagc ctgattcatc tggacctgtc tcagaataag 1920
 ctgcacatcc tccggcccca gaacctcaac tacctcccca agagcctgac gaagctgagt 1980
 ttccgtgaca atcacctctc tttctttaac tggagcagtc tggccttcct gcccattctg 2040
 cgagacctgg acctggcagg caatctacta aaggccctga ccaacggcac cctgcctaatt 2100
 ggcaacgctcc tccagaaact ggatgtcagt agcaacagta tcgtctttgt ggtcccagcc 2160
 ttctttgctc tggcggtaga gctaaaagag gtcaacctca gccataacat cctcaagact 2220
 gtggatcgct cctggtttgg gccattgtg atgaacctga cggttctaga cgtgagcagc 2280
 aaccctctgc attgtgcctg cgggtgcaccc tttgtagact tactgctgga agtgcagacc 2340
 aaggtgcctg gcctggctaa cgggtgtgaag tgtggcagtc cccgccagct gcagggccgc 2400
 agcatctttg cgcaagacct gcggctgtgc ctggatgacg tcctttctcg ggactgcttt 2460
 ggc 2463

<210> 5
 <211> 1030
 <212> PRT
 <213> Sus scrofa
 <400> 5

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495
 Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510
 Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525
 His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540
 Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560
 Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575
 Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590
 Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
 595 600 605
 Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
 610 615 620
 Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
 625 630 635 640
 Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
 645 650 655
 Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
 660 665 670
 Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
 675 680 685
 Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
 690 695 700
 Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe

705	710	715	720
Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu	725	730	735
Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys	740	745	750
Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr	755	760	765
Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro	770	775	780
Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile	785	790	795
Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn	805	810	815
Cys Phe Gly Ile Ser Leu Leu Ala Met Ala Leu Gly Leu Val Val Pro	820	825	830
Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu	835	840	845
Cys Leu Ala Trp Leu Pro His Arg Gly Gln Arg Arg Gly Ala Asp Ala	850	855	860
Leu Phe Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val	865	870	875
Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg	885	890	895
Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro	900	905	910
Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg	915	920	925
Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu Leu	930	935	940

Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys
 945 950 955 960

Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala Tyr Arg Ser Arg
 965 970 975

Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp
 980 985 990

Pro His Gln Pro Arg Gly Gln Gly Ser Phe Trp Ala Gln Leu Gly Thr
 995 1000 1005

Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg Asn Phe Cys
 1010 1015 1020

Arg Gly Pro Thr Thr Ala Glu
 1025 1030

<210> 6
 <211> 819
 <212> PRT
 <213> Sus scrofa

<400> 6

Met Gly Pro Arg Cys Thr Leu His Pro Leu Ser Leu Leu Val Gln Val
 1 5 10 15

Thr Ala Leu Ala Ala Ala Leu Ala Gln Gly Arg Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Ser Leu Arg Thr Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Asp Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro Thr
 145 150 155 160

His Leu Thr Gly Leu His Ala Leu Arg Tyr Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gly Ala Leu Glu Val Val Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Thr Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asp His Pro
 260 265 270

Lys Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asp Thr Arg Trp Phe Arg
 290 295 300

Gly Leu Asp Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Arg Leu Arg
 325 330 335

Ser Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Pro Ser Phe Gly His Leu Arg Ser Leu Lys Glu Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu Gln
 370 375 380

Pro Leu Val Gln Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly Leu
 405 410 415

Leu Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ile Thr Arg Glu Val Asp Gly Arg Glu Arg Val Trp Leu Pro
 435 440 445

Ser Arg Asn Leu Ala Pro Arg Pro Leu Asp Thr Leu Arg Ser Glu Asp
 450 455 460

Phe Met Pro Asn Cys Lys Ala Phe Ser Phe Thr Leu Asp Leu Ser Arg
 465 470 475 480

Asn Asn Leu Val Thr Ile Gln Ser Glu Met Phe Ala Arg Leu Ser Arg
 485 490 495

Leu Glu Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn
 500 505 510

Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser
 515 520 525

His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro
 530 535 540

Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Thr Met
 545 550 555 560

Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala Leu
 565 570 575

Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser Gln
 580 585 590

Gln Leu Cys Ser Ala Ser Leu Cys Ala Leu Asp Phe Ser Gly Asn Asp
595 600 605

Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe Gln
610 615 620

Gly Leu Arg Ser Leu Val Trp Leu Asp Leu Ser Gln Asn His Leu His
625 630 635 640

Thr Leu Leu Pro Arg Ala Leu Asp Asn Leu Pro Lys Ser Leu Lys His
645 650 655

Leu His Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu
660 665 670

Thr Leu Leu Pro Lys Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln Leu
675 680 685

Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Arg Arg
690 695 700

Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Asn Pro Gly Phe Phe
705 710 715 720

Ala Leu Ala Lys Gln Leu Glu Glu Leu Asn Leu Ser Ala Asn Ala Leu
725 730 735

Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Met Val Gly Asn Leu Lys
740 745 750

Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Thr
755 760 765

Phe Val Gly Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu Pro
770 775 780

Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly His Ser Ile
785 790 795 800

Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Trp Asn
805 810 815

Cys Phe Gly

<210> 7
 <211> 3352
 <212> DNA
 <213> Sus scrofa

<400> 7
 gagcacgaac atccttcact gtagctgctg cccggtctgc cagccagacc ctttgagaa 60
 gacccactc cctgtcatgg gccccgctg caccctgcac cccctttctc tcttggtgca 120
 ggtgacagcg ctggctgagg ctctggcca gggcaggctg cctgccttcc tgccctgtga 180
 gctccagccc cacggcctgg tgaactgaa ctggctcttc ctgaagtccg tgccccactt 240
 ctggcgaggc gcgccccggg ccaacgtcac cagcctctcc ttactctcca accgcatcca 300
 ccacctgcac gactccgact tcgtccacct gtccagccta cgaactctca acctcaagt 360
 gaactgcccg cgggtggcc tcagcccat gcacttcccc tgccacatga ccatcgagcc 420
 caacaccttc ctggcgtgc ccacctgga ggagctgaac ctgagctaca acagcatcac 480
 gaccgtgcct gccctgccg actccctcgt gtccctgtcg ctgagcgca ccaacatcct 540
 ggtgctagac cccaccacc tcactggcct acatgccctg cgctacctgt acatggatgg 600
 caactgctac tacaagaacc cctgccaggg ggcgctggag gtggtgccg gtgccctcct 660
 cggcctgggc aacctcacac atctctcact caagtacaac aatctcacgg aggtgccccg 720
 cagcctgccc cccagcctgg agacctgct gttgtcctac aaccacattg tcacctgac 780
 gcctgaggac ctggccaatc tgactgcct gcgcgtgctt gatgtggggg ggaactgccg 840
 ccgctgtgac catgcccga accctgcag ggagtgccca aaggaccacc ccaagctgca 900
 ctctgacacc ttcagccacc tgagccgct cgaaggcctg gtgttgaaag acagttctct 960
 ctacaacctg gacaccaggt ggttcgagg cctggacagg ctccaagtgc tggacctgag 1020
 tgagaacttc ctctacgact gcatcaccaa gaccacggcc ttccagggcc tggcccgact 1080
 gcgcagcctc aacctgtcct tcaattacca caagaagggt tcctttgcc accctgcacct 1140
 ggcaccctcc tttgggcacc tccggtccct gaaggagctg gacatgcatg gcatcttctt 1200
 ccgctcgctc agtgagacca cgctccaacc tctggtccaa ctgcctatgc tccagacct 1260
 gcgcctgcag atgaacttca ttaaccaggc ccagctcagc atctttgggg ccttccctgg 1320
 cctgctgtac gtggacctat cggacaaccg catcagcga gctgcaaggc cagtggccat 1380
 tactagggag gtggatggtg gggagagggt ctggctgcct tccaggaacc tcgctccacg 1440
 tccactggac actctccgct cagaggactt catgccaaac tgcaaggcct tcagcttcac 1500

cttggacctg tctcggaaca acctggtgac aatccagtcg gagatgtttg ctgcctctc 1560
 acgcctcgag tgectgcgcc tgagccacaa cagcatctcc caggcggtca atggctctca 1620
 gtttgtgccc ctgaccagcc tgcgggtgct ggacctgtcc cacaacaagc tggacctgta 1680
 tcacgggccc tcgttcacgg agctgccgag cctggaagca ctggacctca gctacaatag 1740
 ccagcccttt accatgcagg gtgtgggcca caacctcagc ttcgtggccc agctgcccgc 1800
 cctgcgctac ctacagcctgg cgcacaatga catccatagc cgagtgtccc agcagctctg 1860
 tagcgctca ctgtgcgccc tggactttag cggcaacgat ctgagccgga tgtgggctga 1920
 gggagacctc tatctccgct tcttccaagg cctaagaagc ctagtctggc tggacctgtc 1980
 ccagaaccac ctgcacaccc tctgtccacg tgccctggac aacctccca aaagcctgaa 2040
 gcatctgcat ctccgtgaca ataacctggc cttcttcaac tggagcagcc tgacctcct 2100
 gccaagctg gaaacctgg acttggtgg aaaccagctg aaggccctaa gcaatggcag 2160
 cctgccatct ggcacccagc tgcggaggct ggacctcagt ggcaacagca tcggctttgt 2220
 gaacctggc ttctttgccc tggccaagca gttagaagag ctcaacctca gcgccaatgc 2280
 cctcaagaca gtggagccct cctggtttg ctcgatggtg ggcaacctga aagtctaga 2340
 cgtgagcgcc aacctctgct actgtgcctg tggggcgacc ttcgtgggct tcctgctgga 2400
 ggtacaggct gccgtgctg ggctgcccag ccgcgtcaag tgtggcagtc cggggcagct 2460
 ccagggccat agcatctttg cgcaagacct gcgcctctgc ctggatgaga ccctctctg 2520
 gaactgtttt ggcattctgc tgcgtggccat ggccctgggc ctggttctgc ccatgctgca 2580
 ccacctctgc ggctgggacc tctggtactg cttccacctg tgccctggcct ggctgcccc 2640
 ccgagggcag cggcggggcg cagacgccct gttctatgat gccttcgtgg tctttgacaa 2700
 agctcagagt gctgtggccg actgggtgta caacgagctg cgggtgcagc tggaggagcg 2760
 ccgtgggccc cgcgcactgc gcctgtgcct ggaggagcga gactggttac ctggcaagac 2820
 gctcttcgag aacctgtggg cctcagtcta cagcagccgc aagacctgt ttgtgctggc 2880
 ccacacggac cgtgtcagcg gcctcttgcg tgccagtttc ctgctggccc agcagcgcc 2940
 gctggaggac cgcaaggacg ttgtagtgct ggtgatcctg cgcgccgatg cctaccgctc 3000
 ccgctacgtg cggctgcgcc agcgcctctg ccgcagagt gtccctctct ggccccacca 3060
 gccccgtggg cagggcagct tctgggcccc gctgggcaca gccctgacca gggacaacca 3120
 ccacttctat aaccggaact tctgccgggg cccacgaca gccgaatagc actgagtgc 3180
 agcccagttg cccagcccc cctggatttg cctctctgcc tggggtgccc caacctgctt 3240
 tgctcagcca caccactgct ctgctccctg tccccaccc cccccccag cctggcatgt 3300

aacatgtgcc caataaatgc taccggaggg ccaagaaaaa aaaaaaaaaa aa 3352

<210> 8

<211> 2457

<212> DNA

<213> Sus scrofa

<400> 8

atggggcccc gctgcaccct gcacccctt tctctcctgg tgcaggtgac agcgtggct 60
 gcggtctctgg ccagggcag gctgcctgcc ttcctgcct gtgagctcca gcccacggc 120
 ctggtgaact gcaactggct ctctctgaag tccgtgcccc acttctcggc ggcagcgccc 180
 cgggccaacg tcaccagcct ctcttactc tccaaccgca tccaccacct gcacgactcc 240
 gacttcgtcc acctgtccag cctacgaact ctcaacctca agtggaactg cccgccggct 300
 ggctcagcc ccatgcactt cccctgccac atgaccatcg agcccaacac ctctctggcc 360
 gtgcccaccc tggaggagct gaacctgagc tacaacagca tcacgaccgt gcctgccctg 420
 ccgactccc tcgtgtccct gtcgtgagc cgcaccaaca tcctggtgct agaccccacc 480
 cacctcactg gcctacatgc cctgcgctac ctgtacatgg atggcaactg ctactacaag 540
 aacctctgcc agggggcgct ggaggtggtg ccgggtgccc tcctcgccct gggcaacctc 600
 acacatctct cactcaagta caacaatctc acggaggtgc cccgcagcct gccccccagc 660
 ctggagaccc tgctgttctc ctacaaccac attgtcacc tgacgcctga ggacctggcc 720
 aatctgactg ccttgccgct gcttgatgtg ggggggaact gccgccgctg tgacctgcc 780
 cgcaacctct gcagggagtg cccaaaggac ccccccaagc tgcactctga caccttcagc 840
 cacctgagcc gcctcgaagg cctggtgttg aaagacagtt ctctctacaa cctggacacc 900
 aggtggttcc gaggcctgga caggctccaa gtgctggacc tgagtgagaa ctctctctac 960
 gactgcatca ccaagaccac ggccttcag ggcctggccc gactgcgcag cctcaacctg 1020
 tccttcaatt accacaagaa ggtgtccttt gccacctgc acctggcacc ctctttggg 1080
 cacctccggt ccctgaagga gctggacatg catggcatct tcttcgctc gctcagttag 1140
 accacgtccc aacctctggt ccaactgcct atgtccaga ccctgcgcct gcagatgaac 1200
 ttcattaacc aggccagct cagcatcttt ggggccttcc ctggcctgct gtacgtggac 1260
 ctatcggaca accgcacag cggagctgca aggccagtgg ccattactag ggaggtggat 1320
 ggtagggaga gggctctggct gccttcagg aacctcgctc cagctccact ggacactctc 1380
 cgctcagagg acttcatgcc aaactgcaag gccttcagct tcaccttga cctgtctcgg 1440
 aacaacctgg tgacaatcca gtcggagatg ttgtctgcc tctcagcct cgagtgcctg 1500

cgctgagcc acaacagcat ctcccaggcg gtcaatggct ctcagtttgt gccgctgacc 1560
 agcctgcggg tgctggacct gtcccacaac aagctggacc tgtatcacgg gcgctcgttc 1620
 acggagctgc cgcgcctgga agcactggac ctcagctaca atagccagcc ctttaccatg 1680
 caggggtgtgg gccacaacct cagcttcgtg gccagctgc ccgccctgcg ctacctcagc 1740
 ctggcgacaca atgacatcca tagccgagtg tcccagcagc tctgtagcgc ctcaactgtgc 1800
 gccctggact ttagcggcaa cgatctgagc cggatgtggg ctgagggaga cctctatctc 1860
 cgcttcttcc aaggcctaag aagcctagtc tggctggacc tgtcccagaa ccacctgcac 1920
 accctcctgc cacgtgccct ggacaacctc cccaaaagcc tgaagcatct gcctctccgt 1980
 gacaataacc tggccttctt caactggagc agcctgaccc tcctgcccac gctggaaacc 2040
 ctggacttgg ctggaaacca gctgaaggcc ctaagcaatg gcagcctgcc atctggcacc 2100
 cagctgcgga ggctggacct cagtggcaac agcatcggct ttgtgaaccc tggcttcttt 2160
 gccctggcca agcagttaga agagctcaac ctcagcgcca atgccctcaa gacagtggag 2220
 ccctcctggt ttggctcgat ggtgggcaac ctgaaagtcc tagacgtgag cgccaaccct 2280
 ctgcactgtg cctgtggggc gaccttcgtg ggcttcctgc tggaggtaca ggctgccgtg 2340
 cctgggctgc ccagccgcgt caagtgtggc agtccggggc agtccaggg ccatagcatc 2400
 tttgcgaag acctgcgcct ctgcctggat gagaccctct cgtggaactg ttttggc 2457

<210> 9
 <211> 1029
 <212> PRT
 <213> Bos taurus

<400> 9

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asn Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr

305	310	315	320
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg	325	330	335
Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His	340	345	350
Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu	355	360	365
Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln	370	375	380
Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn	385	390	395
Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu	405	410	415
Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro	420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu	435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp	450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn	465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu	485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly	500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His	515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln	530	535	540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
 705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
 725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
 740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
 755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
 770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly Leu Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
850 855 860

Leu Tyr Asp Ala Val Val Val Phe Asp Lys Val Gln Ser Ala Val Ala
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg
930 935 940

Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
945 950 955 960

Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
965 970 975

Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
980 985 990

His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Ile Ala
995 1000 1005

Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
1010 1015 1020

Gly Pro Thr Thr Ala Glu
1025

<210> 10
<211> 818
<212> PRT
<213> Bos taurus

<400> 10

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Glu Gly Thr Leu Pro Ala Phe Leu
20 25 30

Pro Cys Glu Leu Gln Pro His Gly Gln Val Asp Cys Asn Trp Leu Phe
35 40 45

Leu Lys Ser Val Pro His Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
130 135 140

Val Ser Leu Ser Leu Ser His Thr Ser Ile Leu Val Leu Gly Pro Thr
145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
165 170 175

Cys Tyr Tyr Met Asn Pro Cys Pro Arg Ala Leu Glu Val Ala Pro Gly
180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Asn Asp Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu His Leu Ala Ser Ser Phe Gly Ser Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Ile Thr Leu Gln
 370 375 380

Ser Leu Thr Arg Leu Pro Lys Leu Gln Ser Leu His Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Thr Pro

420	425	430
Ala Ala Ala Leu Gly Glu Val Asp Ser Arg Val Glu Val Trp Arg Leu		
435	440	445
Pro Arg Gly Leu Ala Pro Gly Pro Leu Asp Ala Val Ser Ser Lys Asp		
450	455	460
Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn		
465	470	475
Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu		
485	490	495
Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly		
500	505	510
Ser Gln Phe Val Pro Leu Thr Ser Leu Arg Val Leu Asp Leu Ser His		
515	520	525
Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln		
530	535	540
Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln		
545	550	555
Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg		
565	570	575
Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys		
580	585	590
Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu		
595	600	605
Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly		
610	615	620
Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Glu Asn His Leu His Thr		
625	630	635
Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu		
645	650	655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
660 665 670

Val Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Ile Arg Leu Gln Lys Leu
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Ile Pro Gly Phe Phe Val
705 710 715 720

Arg Ala Thr Arg Leu Ile Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu Lys Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Arg Gln Glu Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Thr Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly

<210> 11

<211> 3191

<212> DNA

<213> Bos taurus

<400> 11

```

gggaagtggg cgccaagcat ccttcctgc agctgcctcc caacctgccc gccagacct 60
ctggagaagc cgcattccct gtcattggcc cctactgtgc cccgcacccc cttctctcc 120
tggtgcaggc ggcggcactg gcagcggccc tggccgaggg caccctgect gccttctgc 180
cctgtgagct ccagcccat ggtcaggtgg actgcaactg gctgttctg aagtctgtgc 240
cgcacttttc ggctggagcc ccccgggcca atgtcaccag cctctctta atctccaacc 300

```

gcatccacca cttgcatgac tctgacttog tccacctgtc caacctgcgg gtcctcaacc 360
 tcaagtggaa ctgcccgcg gccggcctca gcccctgca cttcccctgc cgtatgacca 420
 tcgagcccaa caccttcctg gctgtgcca ccctggagga gctgaacctg agctacaacg 480
 gcatcacgac cgtgcctgcc ctgcccagtt cctcgtgtc cctgtcgtg agccacacca 540
 gcatcctggt gctaggcccc acccaacttca cgggcctgca cgccctgcgc tttctgtaca 600
 tggacggcaa ctgctactac atgaacctt gcccgcgggc cctggagggtg gccccaggcg 660
 cctcctcgg cctgggcaac ctcacgcacc tgtcgtcaa gtacaacaac ctcacggagg 720
 tgccccgcg cctgcccccc agcctggaca cctgctgct gtcctacaac cacattgtca 780
 cctggcacc cgaggacctg gccaacctga ctgccctgcg cgtgcttgac gtgggtggga 840
 actgccgcg ctgcgaccat gcccgcaacc cctgcaggga gtgcccagg aacttcccca 900
 agctgcacc tgacacctt agtcacctga gccgcctga aggcctggtg ttgaaggaca 960
 gttctctcta caaactagag aaagattggt tccgcggcct gggcaggctc caagtgtcg 1020
 acctgagtga gaacttcctc tatgactaca tcaccaagac caccatcttc aacgacctga 1080
 ccagctgcg cagactcaac ctgtccttca attaccaca gaagggtgtc ttgccccacc 1140
 tgcaacctagc gtctcctttt gggagtctgg tgtccctgga gaagctggac atgcacggca 1200
 tcttcttcg ctccctcacc aacatcacgc tccagtcgt gaccggctg cccaagctcc 1260
 agagtctgca tctgcagctg aacttcacat accaggccca gctcagcatc tttggggcct 1320
 tcccagacct gctcttcgtg gacctgtcgg acaaccgcat cagcggagcc gcgacgccag 1380
 cggccgcctt gggggagggtg gacagcaggg tggaagtctg gcgattgcc aggggcctcg 1440
 ctccaggccc gctggacgcc gtcagctcaa aggacttcac gccaaagtgc aacctcaact 1500
 tcaccttgga cctgtcacgg aacaacctgg tgacaatcca gcaagagatg tttaccgcgc 1560
 tctccgcct ccagtgcctg cgctgagcc acaacagcat ctgcaggcg gttaatggct 1620
 ccagttcgt gccgtgacc agcctgcgag tgcctgacct gtcccacaac aagctggacc 1680
 tgtaccatgg gcgctcatc acggagctgc cgcagctgga ggcaactggac ctcaagtaca 1740
 acagccagcc cttcagcatg cagggcgtgg gccacaacct cagcttcgtg gccagctgc 1800
 cctccctgcg ctacctcagc cttgcgcaca atggcatcca cagccgcgtg tcacagaagc 1860
 tcagcagcgc ctctttgcgc gccctggact tcagcggcaa ctccctgagc cagatgtggg 1920
 ccgagggaga cctctatctc tgctttttca aaggcttgag gaacctggtc cagctggacc 1980
 tgtccgagaa ccactctgc accctcctgc ctctcacct ggacaacctg cccaagagcc 2040

tgcggcagct gcgtctccgg gacaataacc tggccttctt caactggagc agcctgaccg 2100
 tcctgccccg gctggaagcc ctggatcttg caggaaacca gctgaaggcc ctgagcaacg 2160
 gcagcctgcc gcctggcatc cggctccaga agctggacgt gagcagcaac agcatcggct 2220
 tcgtgatccc cggcttcttc gtccgcgcga ctccggctgat agagcttaac ctccagccca 2280
 atgccctgaa gacagtggat cctcctcgtt tcggttcctt agcagggacc ctgaaaatcc 2340
 tagacgtgag cgccaacccg ctccactgcg cctgcggggc ggccctttgtg gacttcctgc 2400
 tggagagaca ggaggccgtg cccgggctgt ccaggcgcgt cacatgtggc agtccggggc 2460
 agctccaggg ccgcagcatc ttcacacagg acctgcgcct ctgcctggat gagaccctct 2520
 ccttggactg ctttggcctc tccactgctaa tgggtggcgt gggcctggca gtgcccctgc 2580
 tgcaccacct ctgtggctgg gacctctggt actgcttcca cctgtgtctg gccatttgc 2640
 cccgacggcg gcggcagcgg ggcgaggaca cctgctcta tgatgccgtc gtggtcttcg 2700
 acaaggtgca gagtgcagtg gctgattggg tgtacaacga gctccgcgtg cagctggagg 2760
 agcgccgggg gcgcccggcg ctccgcctct gcctggagga gcgagactgg ctccctggta 2820
 agacgctctt cgagaacctg tgggcctcgg tctacagcag ccgcaagacc atgttcgtgc 2880
 tggaccacac ggaccgggtc agcggcctcc tgcgcgccag ctctctgctg gccagcagc 2940
 gcctgttggg ggaccgcaag gacgtcgtag tgetggtgat cctgcgcccc gccgcctatc 3000
 ggtcccgtca cgtgcggctg cgcagcgcc tctgccgcca gagcgctctc ctctggcccc 3060
 accagcccag tggccagggg agtttctggg ccaacctggg catagccctg accagggaca 3120
 accgtcactt ctataaccgg aacttctgcc ggggccccac gacagccgaa tagcacagag 3180
 tgactgcca g 3191

<210> 12

<211> 2454

<212> DNA

<213> Bos taurus

<400> 12

atgggcccct actgtgcccc gcacccctt tctctcttg tgcaggcggc ggcaactggca 60
 gcggccctgg ccgaggcac cctgcctgcc ttctgcct gtgagctcca gcccctggg 120
 cagggtggact gcaactggct gttcctgaag tctgtgccgc acttttcggc tggagcccc 180
 cgggccaatg tcaccagcct ctcttaatc tccaaccgca tccaccactt gcatgactct 240
 gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtgggaactg cccgcccggc 300
 ggctcagcc ccatgcactt cccctgcgt atgaccatcg agcccaacac ctctctggct 360

gtgcccaccc tggaggagct gaacctgagc tacaacggca tcacgaccgt gcctgccctg 420
 cccagttccc tcgtgtccct gtcgtgagc cacaccagca tcctgggtgt aggccccacc 480
 cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactacatg 540
 aacccctgcc cgcgggccct ggagggtggc ccaggcgccc tcctcggcct gggcaacctc 600
 acgcacctgt cgtcaagta caacaacctc acggagggtgc cccgcgcct gccccccagc 660
 ctggacaccc tgctgtgtc ctacaaccac attgtcacc tggcaccga ggacctggcc 720
 aacctgactg ccctgcgcgt gcttgacgtg ggtgggaact gccgcgcgtg cgaccatgcc 780
 cgcaaccctt gcagggagtgc ccaaagaac ttccccaagc tgcacctga caccttcagt 840
 cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa 900
 gattggttcc gcggcctggg caggtccaa gtgctcgacc tgagtgagaa cttcctctat 960
 gactacatca ccaagaccac catcttcaac gacctgacc agctgcgcag actcaacctg 1020
 tccttcaatt accacaagaa ggtgtccttc gccacctgc acctagcgtc ctcctttggg 1080
 agtctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac 1140
 atcacgctcc agtcgctgac ccggtgccc aagctccaga gtctgcatct gcagctgaac 1200
 ttcatcaacc aggccagct cagcatcttt ggggccttcc cgagcctgct cttcgtggac 1260
 ctgtcggaca accgcatcag cggagccgcg acgccagcgg ccgcctggg ggagggtggac 1320
 agcaggggtg aagtctggc attgcccagg ggcctcgtc caggcccgct ggacgccgtc 1380
 agctcaaagg acttcatgcc aagctgcaac ctcaacttca ccttgacct gtcacggaac 1440
 aacctggtga caatccagca agagatgtt acccgctct cccgcctcca gtgcctgcgc 1500
 ctgagccaca acagcatctc gcaggcggtt aatggctccc agttcgtgcc gctgaccagc 1560
 ctgcgagtgc tcgacctgtc ccacaacaag ctggacctgt accatgggcg ctcattcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcgtgggccc acaacctcag cttcgtggcc cagctgccct cctgcgcta cctcagcctt 1740
 gcgcacaatg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gttgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtgggccc agggagacct ctatctctgc 1860
 tttttcaaag gcttgaggaa cctgggtccag ctggacctgt ccgagaacca tctgcacacc 1920
 ctcctgcctc gtcacctgga caacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg cttcttcaa ctggagcagc ctgacctcc tgcgccggt ggaagccctg 2040
 gatctggcag gaaaccagct gaaggccctg agcaacggca gcctgccgcc tggcatccgg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggttcg tgatccccgg cttcttcgtc 2160

cgcgcgactc ggctgataga gcttaacctc agcgccaatg ccctgaagac agtggatccc 2220
 tcttggttcg gttccttagc agggaccctg aaaatcctag acgtgagcgc caaccgcgtc 2280
 cactgcgcct gcggggcggc ctttgtggac ttctgtctgg agagacagga ggccgtgccc 2340
 gggctgtcca ggcgcgtcac atgtggcagt ccgggccagc tccagggccg cagcatcttc 2400
 acacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 13
 <211> 1031
 <212> PRT
 <213> Equus caballus

<400> 13

Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn
 50 55 60

Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro
 145 150 155 160

Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met⁶ Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe
 260 265 270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655
 Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670
 Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685
 Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700
 Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720
 Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735
 Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750
 Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765
 Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
 770 775 780
 Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800
 Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
 805 810 815
 Asp Cys Phe Gly Leu Ser Leu Leu Val Val Ala Leu Gly Leu Ala Met
 820 825 830
 Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
 835 840 845
 Leu Gly Leu Ala Trp Leu Pro Arg Arg Gly Trp Gln Arg Gly Ala Asp
 850 855 860
 Ala Leu Ser Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala

865 870 875 880
 Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
 885 890 895
 Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
 900 905 910
 Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
 915 920 925
 Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Gln Val Ser Gly Leu
 930 935 940
 Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
 945 950 955 960
 Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Ala Arg Arg Ser
 965 970 975
 Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Phe
 980 985 990
 Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
 995 1000 1005
 Met Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln Asn Phe
 1010 1015 1020
 Cys Arg Gly Pro Thr Met Ala Glu
 1025 1030

 <210> 14
 <211> 820
 <212> PRT
 <213> Equus caballus

 <400> 14
 Met Gly Pro Cys His Gly Ala Leu Gln Pro Leu Ser Leu Leu Val Gln
 1 5 10 15
 Ala Ala Met Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Pro Phe
 20 25 30
 Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu

35	40	45
Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Asp Asn		
50	55	60
Val Thr Ser Leu Ser Leu Leu Ser Asn Arg Ile His His Leu His Asp		
65	70	75
Ser Asp Phe Ala Gln Leu Ser Asn Leu Gln Lys Leu Asn Leu Lys Trp		
85	90	95
Asn Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys His Met		
100	105	110
Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu		
115	120	125
Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser		
130	135	140
Leu Val Ser Leu Ile Leu Ser Arg Thr Asn Ile Leu Gln Leu Asp Pro		
145	150	155
Thr Ser Leu Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly		
165	170	175
Asn Cys Tyr Tyr Lys Asn Pro Cys Gly Arg Ala Leu Glu Val Ala Pro		
180	185	190
Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr		
195	200	205
Asn Asn Leu Thr Thr Val Pro Arg Ser Leu Pro Pro Ser Leu Glu Tyr		
210	215	220
Leu Leu Leu Ser Tyr Asn His Ile Val Thr Leu Ala Pro Glu Asp Leu		
225	230	235
Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg		
245	250	255
Arg Cys Asp His Ala Arg Asn Pro Cys Val Glu Cys Pro His Lys Phe		
260	265	270

Pro Gln Leu His Ser Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Gln Leu Asn Pro Arg Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Thr Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Ala Gln Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu Thr Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Gln Lys Thr Leu
 370 375 380

Gln Pro Leu Ala Arg Leu Pro Met Leu Gln Arg Leu Tyr Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Lys Asp Phe Pro Gly
 405 410 415

Leu Arg Tyr Ile Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Val Glu
 420 425 430

Pro Val Ala Thr Thr Gly Glu Val Asp Gly Gly Lys Lys Val Trp Leu
 435 440 445

Thr Ser Arg Asp Leu Thr Pro Gly Pro Leu Asp Thr Pro Ser Ser Glu
 450 455 460

Asp Phe Met Pro Ser Cys Lys Asn Leu Ser Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Val Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Thr
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Trp Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ser Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg Phe Phe
 610 615 620

Gln Gly Leu Arg Ser Leu Ile Arg Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640

His Thr Leu Leu Pro Cys Thr Leu Gly Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Leu Leu Arg Leu Arg Asn Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
 660 665 670

Leu Thr Leu Leu Pro Asn Leu Glu Thr Leu Asp Leu Ala Gly Asn Gln
 675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Ser Gly Thr Gln Leu Gln
 690 695 700

Arg Leu Asp Val Ser Arg Asn Ser Ile Ile Phe Val Val Pro Gly Phe
 705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
 725 730 735

Leu Arg Thr Glu Glu Pro Ser Trp Phe Gly Phe Leu Ala Gly Ser Leu
 740 745 750

Glu Val Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Val Asp Phe Leu Leu Gln Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Lys Ser Leu Ser Trp
805 810 815

Asp Cys Phe Gly
820

<210> 15

<211> 3391

<212> DNA

<213> Equus caballus

<400> 15

ctctgttctc tgagctgttg ccgcgtgaag ggactgcgag cacaaagcat cctcctctgc	60
agctgctgcc cagtgtgcca gctggaccct ctggatcatc tccactccc tgtcatgggc	120
ccttgccatg gtgccctgca gccctgtct ctcttggtgc aggcggccat gctggcctg	180
gctctggccc aaggcaccct gcctcccttc ctgcctgtg agctccagcc ccacggcctg	240
gtgaactgca actggctgtt cctgaagtcc gtgccccact tctcagcagc agcaccgccg	300
gacaatgtca ccagcctttc cttgctctcc aaccgcatcc accacctcca cgactccgac	360
tttgcccaac tgtccaacct gcagaaaactc aacctcaaat ggaactgccc gccagccggc	420
ctcagcccca tgcacttccc ctgccacatg accatcgagc ccaacacttt cctggctgta	480
cccaccctgg aggagctgaa cctgagctac aacggcatca cgactgtgcc tgcctgccc	540
agctccctcg tgcctctgat cctgagccgc accaacatcc tgcagctaga ccccaccagc	600
ctcacggggc tgcattgcct gcgcttcta tacatggatg gcaactgcta ctacaagaac	660
ccctgcgggc gggccctgga ggtggcccca ggcgcctcc ttggcctggg caacctcacc	720
cacctgtcac tcaagtacaa caacctcaca acggtgcccc gcagcctgcc ccctagcctg	780
gagtacctgc tgttgtccta caaccacatt gtcaccctgg cacctgagga cctggccaat	840
ctgactgccc tgcgtgtgct cgatgtgggt ggaaactgcc gccgctgtga ccatgcacgc	900
aaccctgcg tggagtgccc acataaatc cccagctgc actccgacac cttcagccac	960

ctaagccgcc tagaaggcct cgtgttgaag gatagttctc tctaccagct gaaccccaga 1020
 tggttccgtg gcctgggcaa cctcacagtg ctcgacctga gtgagaactt cctctacgac 1080
 tgcataacca aaaccaaggc attccagggc ctggcccagc tgcgaagact caacttgctc 1140
 ttcaattacc ataagaaggt gtccttcgcc cacctgacgc tggcaccctc cttcgggagc 1200
 ctgctctccc tgcaggaact ggacatgcat ggcattctct tccgctcact cagccagaag 1260
 acgctccagc cactggcccg cctgcccatt ctccagcgtc tgtatctgca gatgaacttc 1320
 atcaaccagg cccagctcgg catcttcaag gacttccttg gtctgcgcta catagacctg 1380
 tcagacaacc gcatcagtgg agctgtggag ccggtggcca ccacagggga ggtggatggt 1440
 gggaagaagg tctggctgac atccagggac ctactccag gccactgga cccccagc 1500
 tctgaggact tcatgccaa ctgcaagaac ctacgcttca ccttggaact gtcacggaac 1560
 aacctggtaa cagtccagcc agagatgttt gccagctct cgcgcctcca gtgcctgcgc 1620
 ctgagccaca acagcatctc gcaggcggtc aatggctcac agttcgtgcc actgaccagc 1680
 ctgcaggtgc tggacctgac ccataacaaa ctggacctgt accatgggag ctcgtttacg 1740
 gagctgcgcg gactggaggc cctggacctc agctacaaca gccagccctt cagcatgcgg 1800
 ggtgtggggc acaacctcag ctttgtggcc cagctgccc ccttgcgcta cctcagcctg 1860
 gcacacaatg gcatccacag ccgtgtgtcc cagcagctct gcagcacctc gctgtggggc 1920
 ctggacttca gcggcaattc cctgagccag atgtgggctg agggagacct ctatctccgc 1980
 ttcttccaag gcctgagaag cctaaccgg ctagacctgt cccagaatcg tctgcatacc 2040
 ctcttgccat gcacctggg caacctcccc aagagcttgc agctgctgcg tctccgtaac 2100
 aattacctgg ccttcttcaa ttggagcagc ctgacctcc tgcccaacct ggaaacctg 2160
 gacctggctg gaaaccagct gaaggctctg agcaatggca gcctgccttc tggcaccag 2220
 ctccagaggc tggacgtcag caggaacagc atcatcttcg tggcccttg cttctttgct 2280
 ctggccacga ggctgcgaga gctcaacctc agtgccaacg ccctcaggac agaggagccc 2340
 tcttggtttg gtttcttagc aggtccctt gaagtccatg atgtgagcgc caacctctg 2400
 cactgcgcct gtggggcagc ctttgtggac ttctgtctgc aggttcaggc tgccgtgcct 2460
 ggtctgccc a gccgcgtcaa gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2520
 gcacaagacc tgcgcctctg cctggacaag tccctctcct gggactgttt tggctctctca 2580
 ttgctgggtg tggccctggg cctggccatg cctatgttgc accacctctg cggctgggac 2640
 ctctgggtact gcttccacct gggcctggcc tggctgcccc ggcgggggtg gcagcggggc 2700

gcggatgccc tgagctatga tgcctttgtg gtcttcgaca aggcacagag cgcagtggcc 2760
gactgggtgt acaatgaact gcgggtgcgg cttagaggagc gccgtgggcg ccgggcgctc 2820
cgctgtgtc tggaggagcg tgactggcta cctggcaaga cgctgttcga aaacctgtgg 2880
gcctcagtct acagcagccg caagatgctg tttgtgctgg cccacacgga ccaggtcagt 2940
ggcctcttgc gtgccagctt cctgctggcc cagcagcgtc tgctggagga ccgcaaggac 3000
gttgtggtgc tggtaatcct gagccctgac gcccgccgtt cccgttacgt gcggctgcgc 3060
cagcgcctct gccgccagag tgcctcttcc tggccccacc agcctagtgg ccagcgcagc 3120
ttctggggcc agctaggcat ggccctgacc agggacaacc gccacttcta taaccagaac 3180
ttctgccggg gcccgacgat ggctgagtag cacagagtga cagcctggca tgtacaaccc 3240
ccagccctga ccttgctct ctgcctatga tgcccagtct gcctcactct gtgacgcccc 3300
tgctctgcct ccgccaccct caccctggc atacagcagg cactcaataa atgccactgg 3360
caggccaaac agccaaaaa aaaaaaaaaa a 3391

<210> 16
<211> 2460
<212> DNA
<213> Equus caballus

<400> 16
atggggccctt gccatggtgc cctgcagccc ctgtctctcc tgggtgcaggc ggccatgctg 60
gccgtggctc tggcccaagg caccctgcct ccttctctgc cctgtgagct ccagccccac 120
ggcctggtga actgcaactg gctgttctct aagtccgtgc cccacttctc agcagcagca 180
ccccgggaca atgtcaccag ccttctcttg ctctccaacc gcatccacca cctccacgac 240
tccgactttg cccaactgtc caacctgcag aaactcaacc tcaaattggaa ctgcccgcga 300
gccggcctca gcccctgca cttcccctgc cacatgacca tcgagcccaa cacttctctg 360
gctgtaccca ccctggagga gctgaacctg agctacaacg gcatcacgac tgtgcctgcc 420
ctgcccagct cctcgtgtc cctgatcctg agccgcacca acatcctgca gctagacccc 480
accagcctca cgggcctgca tgccctgcgc ttctataca tggatggcaa ctgtactac 540
aagaaccctt gcgggcgggc cctggagggt gccccaggcg cctccttgg cctgggcaac 600
ctcaccacc tgctactcaa gtacaacaac ctcaaacgg tgccccgag cctgccccct 660
agcctggagt acctgctgtt gtcctacaac cacattgtca ccctggcacc tgaggacctg 720
gccaatctga ctgccctgcg tgtgtctgat gtgggtggaa actgccgccg ctgtgacct 780
gcacgcaacc cctgcgtgga gtgccacat aaattcccc agctgcactc cgacaccttc 840

agccacctaa gccgcctaga aggcctcgtg ttgaaggata gttctctcta ccagctgaac 900
 cccagatggg tccgtggcct gggcaacctc acagtgtctg acctgagtga gaacttcctc 960
 tacgactgca tcacccaaac caaggcatc cagggcctgg cccagctgcg aagactcaac 1020
 ttgtccttca attaccataa gaagggtgcc ttcgcccacc tgacgctggc accctccttc 1080
 gggagcctgc tctccctgca ggaactggac atgcatggca tcttcttccg ctcaactcagc 1140
 cagaagacgc tccagccact ggcccgctg cccatgtctc agcgtctgta tctgcagatg 1200
 aacttcatca accaggccca gctcggcatc ttcaaggact tccctggctc gcgtacata 1260
 gacctgtcag acaaccgcat cagtggagct gtggagccgg tggccaccac aggggaggtg 1320
 gatggtggga agaaggctctg gctgacatcc agggacctca ctccaggccc actggacacc 1380
 cccagctctg aggacttcat gccaaagtgc aagaacctca gcttcacctt ggacctgtca 1440
 cggaacaacc tggtaacagt ccagccagag atgtttgccc agctctcgcg cctccagtgc 1500
 ctgcgcctga gccacaacag catctcgag gcggtcaatg gctcacagtt cgtgccactg 1560
 accagcctgc aggtgctgga cctgtcccat aacaaactgg acctgtacca tgggcgctcg 1620
 ttacggagc tgccgcgact ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
 atgcggggtg tgggccacaa cctcagcttt gtggcccagc tgcccaccct gcgtacctc 1740
 agcctggcac acaatggcat ccacagccgt gtgtcccagc agctctgcag cacctcgctg 1800
 tgggccctgg acttcagcgg caattccctg agccagatgt gggtgaggg agacctctat 1860
 ctccgcttct tccaaggcct gagaagccta atccggctag acctgtccca gaatcgctg 1920
 cataccctcc tgccatgcac cctgggcaac ctcccgaaga gcttgcagct gctgcgtctc 1980
 cgtaacaatt acctggcctt cttcaattgg agcagcctga ccctcctgcc caacctggaa 2040
 acctggacc tggctggaaa ccagctgaag gctctgagca atggcagcct gccttctggc 2100
 acccagctcc agaggctgga cgtcagcagg aacagcatca tcttctgtgt ccctggcttc 2160
 tttgctctgg ccacgaggct gcgagagctc aacctcagt ccaacgccct caggacagag 2220
 gagccctcct ggtttggttt cctagcaggc tcccttgaag tcctagatgt gagcgccaac 2280
 cctctgcact gcgcctgtgg ggcagccttt gtggacttcc tgctgcaggt tcaggctgcc 2340
 gtgcctggtc tgcccagccg cgtcaagtgt ggcagtccgg gccagctcca gggccgcagc 2400
 atcttcgcac aagacctgcg cctctgcctg gacaagtccc tctcctggga ctgttttggg 2460

<210> 17

<211> 1029

<212> PRT

<213> Ovis aries

<400> 17

Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15

Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30

Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45

Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60

Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80

Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95

Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr
 100 105 110

Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn
 115 120 125

Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu
 130 135 140

Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr
 145 150 155 160

His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn
 165 170 175

Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly
 180 185 190

Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn
 195 200 205

Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu
 210 215 220

Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala
 225 230 235 240

Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg
 245 250 255

Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro
 260 265 270

Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu
 275 280 285

Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg
 290 295 300

Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr
 305 310 315 320

Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg
 325 330 335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
 580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
 595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
 610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
 625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
 645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
 660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
 675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
 690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly Phe Ser Leu Leu Met Val Ala Leu Gly Leu Ala Val Pro Met
820 825 830

Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His Leu Cys
835 840 845

Leu Ala His Leu Pro Arg Arg Arg Arg Gln Arg Gly Glu Asp Thr Leu
850 855 860

Leu Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala Val Ala
865 870 875 880

Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu Glu Arg Arg Gly
885 890 895

Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu Pro Gly
900 905 910

Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser Arg Lys
915 920 925

Thr Met Phe Val Leu Asp His Thr Asp Arg Val Ser Gly Leu Leu Arg

930 935 940
 Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg Lys Asp
 945 950 955 960
 Val Val Val Leu Val Ile Leu Arg Pro Ala Ala Tyr Arg Ser Arg Tyr
 965 970 975
 Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu Trp Pro
 980 985 990
 His Gln Pro Ser Gly Gln Gly Ser Phe Trp Ala Asn Leu Gly Met Ala
 995 1000 1005
 Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Arg Asn Phe Cys Arg
 1010 1015 1020
 Gly Pro Thr Thr Ala Glu
 1025
 <210> 18
 <211> 818
 <212> PRT
 <213> Ovis aries
 <400> 18
 Met Gly Pro Tyr Cys Ala Pro His Pro Leu Ser Leu Leu Val Gln Ala
 1 5 10 15
 Ala Ala Leu Ala Ala Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe Leu
 20 25 30
 Pro Cys Glu Leu Gln Pro Arg Gly Lys Val Asn Cys Asn Trp Leu Phe
 35 40 45
 Leu Lys Ser Val Pro Arg Phe Ser Ala Gly Ala Pro Arg Ala Asn Val
 50 55 60
 Thr Ser Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asp Ser
 65 70 75 80
 Asp Phe Val His Leu Ser Asn Leu Arg Val Leu Asn Leu Lys Trp Asn
 85 90 95
 Cys Pro Pro Ala Gly Leu Ser Pro Met His Phe Pro Cys Arg Met Thr

100	105	110
Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu Asn		
115	120	125
Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Ala Leu Pro Ser Ser Leu		
130	135	140
Val Ser Leu Ser Leu Ser Arg Thr Ser Ile Leu Val Leu Gly Pro Thr		
145	150	155
His Phe Thr Gly Leu His Ala Leu Arg Phe Leu Tyr Met Asp Gly Asn		
165	170	175
Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Val Glu Val Ala Pro Gly		
180	185	190
Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr Asn		
195	200	205
Asn Leu Thr Glu Val Pro Arg Arg Leu Pro Pro Ser Leu Asp Thr Leu		
210	215	220
Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu Ala		
225	230	235
Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg Arg		
245	250	255
Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Asn Phe Pro		
260	265	270
Lys Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly Leu		
275	280	285
Val Leu Lys Asp Ser Ser Leu Tyr Lys Leu Glu Lys Asp Trp Phe Arg		
290	295	300
Gly Leu Gly Arg Leu Gln Val Leu Asp Leu Ser Glu Asn Phe Leu Tyr		
305	310	315
Asp Tyr Ile Thr Lys Thr Thr Ile Phe Arg Asn Leu Thr Gln Leu Arg		
325	330	335

Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala His
 340 345 350

Leu Gln Leu Ala Pro Ser Phe Gly Gly Leu Val Ser Leu Glu Lys Leu
 355 360 365

Asp Met His Gly Ile Phe Phe Arg Ser Leu Thr Asn Thr Thr Leu Arg
 370 375 380

Pro Leu Thr Gln Leu Pro Lys Leu Gln Ser Leu Ser Leu Gln Leu Asn
 385 390 395 400

Phe Ile Asn Gln Ala Glu Leu Ser Ile Phe Gly Ala Phe Pro Ser Leu
 405 410 415

Leu Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Arg Pro
 420 425 430

Val Ala Ala Leu Gly Glu Val Asp Ser Gly Val Glu Val Trp Arg Trp
 435 440 445

Pro Arg Gly Leu Ala Pro Gly Pro Leu Ala Ala Val Ser Ala Lys Asp
 450 455 460

Phe Met Pro Ser Cys Asn Leu Asn Phe Thr Leu Asp Leu Ser Arg Asn
 465 470 475 480

Asn Leu Val Thr Ile Gln Gln Glu Met Phe Thr Arg Leu Ser Arg Leu
 485 490 495

Gln Cys Leu Arg Leu Ser His Asn Ser Ile Ser Gln Ala Val Asn Gly
 500 505 510

Ser Gln Phe Val Pro Leu Thr Arg Leu Arg Val Leu Asp Leu Ser Tyr
 515 520 525

Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu Pro Gln
 530 535 540

Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser Met Gln
 545 550 555 560

Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ser Leu Arg
 565 570 575

Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg Val Ser Gln Lys
580 585 590

Leu Ser Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn Ser Leu
595 600 605

Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Cys Phe Phe Lys Gly
610 615 620

Leu Arg Asn Leu Val Gln Leu Asp Leu Ser Lys Asn His Leu His Thr
625 630 635 640

Leu Leu Pro Arg His Leu Asp Asn Leu Pro Lys Ser Leu Arg Gln Leu
645 650 655

Arg Leu Arg Asp Asn Asn Leu Ala Phe Phe Asn Trp Ser Ser Leu Thr
660 665 670

Val Leu Pro Gln Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln Leu Lys
675 680 685

Ala Leu Ser Asn Gly Ser Leu Pro Pro Gly Thr Arg Leu Gln Lys Leu
690 695 700

Asp Val Ser Ser Asn Ser Ile Gly Phe Val Thr Pro Gly Phe Phe Val
705 710 715 720

Leu Ala Asn Arg Leu Lys Glu Leu Asn Leu Ser Ala Asn Ala Leu Lys
725 730 735

Thr Val Asp Pro Phe Trp Phe Gly Arg Leu Thr Glu Thr Leu Asn Ile
740 745 750

Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala Ala Phe
755 760 765

Val Asp Phe Leu Leu Glu Met Gln Ala Ala Val Pro Gly Leu Ser Arg
770 775 780

Arg Val Thr Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser Ile Phe
785 790 795 800

Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Thr Leu Ser Leu Asp Cys
805 810 815

Phe Gly

<210> 19

<211> 3199

<212> DNA

<213> *Ovis aries*

<400> 19

```

gtcggcacgg gaagtgagcg ccaagcatcc ttccctgcag ctgccgccca acttgcccgc      60
cagaccctct ggagaagccg cattccctgc catgggcccc tactgtgccc cgcaccccct      120
ttctctcttg gtgcaggcgg cggcgctggc agcagccctg gccaggggca ccctgcctgc      180
cttcctgccc tgtgagctcc agccccgggg taaggtgaac tgcaactggc tgttctgaa      240
gtctgtgccg cgcttttcgg cgggagcccc cggggccaat gtcaccagcc tctccttaat      300
ctccaaccgc atccaccact tgcacgactc tgacttcgtc cacctgtcca acctgcggggt      360
cctcaacctc aagtggaaact gcccgccggc cggcctcagc cccatgcact tcccctgccg      420
catgaccatc gagcccaaca ccttcctggc tgtgcccacc ctggaggagc tgaacctgag      480
ctacaatggc atcacgaccg tgccctgccct gccagttct ctogtatccc tgtcgtgag      540
ccgcaccagc atcctggtgc taggccccac ccacttcacc ggctgcacg ccctgcgctt      600
tctgtacatg gacggcaact gctactataa gaaccctgc cagcaggccg tggagggtggc      660
cccaggcgcc ctccctggcc tgggcaacct cagcacctg tegetcaagt acaacaacct      720
cacggagggtg ccccgccgcc tgccccccag cctggacacc ctgctgctgt cctacaacca      780
catcatcacc ctggcaccgc aggacctggc caatctgact gccctgcgtg tgcttgatgt      840
gggcgggaac tgccgcccgt ggcaccacgc ccgaacccc tgcagggagt gcccaaagaa      900
cttccccaag ctgcaccctg acaccttcag ccacctgagc cgcctcgaag gcctggtggt      960
gaaggacagt tctctctaca aactagagaa agactggttc cgcggcctgg gcaggctcca     1020
agtgtctgac ctgagtgaga acttcctcta tgactacatc accaagacca ccatcttcag     1080
gaacctgacc cagctgcgca gactcaacct gtccctcaat taccacaaga aggtgtcctt     1140
cgcccacctg caactggcac cctcctttgg gggcctggtg tccctggaga agctggacat     1200
gcacggcatc ttcttccgct ccctcaccaa caccacgctc cggccgctga ccagctgcc     1260
caagctccag agtctgagtc tgcagctgaa cttcatcaac caggccgagc tcagcatctt     1320
tggggccttc ccgagcctgc tcttcgtgga cctgtcggac aaccgcatca gcggagctgc     1380
gaggccgggtg gccgcccctg gggagggtgga cagcggggtg gaagtctggc ggtggcccag     1440

```

gggcctcgct ccaggcccg cggccgccgt cagcgcaaag gacttcatgc caagctgcaa 1500
 cctcaacttc accttggacc tgtcacggaa caacctggtg acgatccagc aggagatggt 1560
 taccgccttc tcccgctcc agtgctgag cctgagccac aacagcatct cgcaggcggt 1620
 taatggctcg cagttcgtgc cgctgacctg cctgagagt ctgacctgt cctacaacaa 1680
 gctggacctg taccatgggc gctcgttcac ggagctgccg cagctggagg cactggacct 1740
 cagctacaac agccagccct tcagcatgca gggcggtggc cacaacctca gcttcgtggc 1800
 ccagctgccg tccctgcgt acctcagcct tgcgcacaac ggcatccaca gccgcgtgtc 1860
 acagaagctc agcagcgct cgctgcgcgc cctggacttc agcggcaact ccctgagcca 1920
 gatgtgggccc gagggagacc tctatctctg cttcttcaaa ggcttgagga acctggtcca 1980
 gctggacctg tccaagaacc acctgcacac cctcctgcct cgtcacctgg ataacctgcc 2040
 caagagcctg cggcagctgc gtctccggga caataacctg gccttcttca actggagcag 2100
 cctgactgtt ctgccccagc tggaagccct ggatctggcg ggaaaccagc tgaaggccct 2160
 gagcaacggc agcctgccac ctggcaccgc gctccagaag ctggacgtga gcagcaacag 2220
 catcggttt gtgacctctg gcttctttgt ccttgccaac cggctgaaag agcttaacct 2280
 cagcgccaac gccctgaaga cagtggatcc cttctggttc ggtcgcttaa cagagacct 2340
 gaatatccta gacgtgagcg ccaaccgcgt ccaactgtgc tgcggggcgg cctttgtgga 2400
 cttcctgctg gagatgcagg cggccgtgcc tgggctgtcc aggcgcgtca cgtgtggcag 2460
 tccgggcccag ctccagggcc gcagcatctt cgcacaggac ctgcgcctct gcctggatga 2520
 gacctctcc ttggactgct ttggcttctc gctgctaata gtggcgctgg gcctggcggt 2580
 gcccatgctg caccacctct gtggctggga cctgtggtac tgcttccacc tgtgtctggc 2640
 ccatttgccc cgacggcggc ggcagcgggg cgaggacacc ctgctctacg atgccttctg 2700
 ggtcttcgac aaggcgcaga gtgcagtggc cgactgggtg tacaacgagc tccgcgtgca 2760
 gctggaggag cgcgcgggc gccgggcgct ccgcctctgc ctggaggagc gagactggct 2820
 ccctggcaag acgctcttcg agaacctgtg ggctcggtc tacagcagcc gtaagaccat 2880
 gttcgtgctg gaccacacgg accgggtcag tggcctcctg cgcgccagct tcctgctggc 2940
 ccagcagcgc ctgttgagg accgcaagga tgtcgtggtg ctggtgatcc tgcgccccgc 3000
 cgcctaccgg tccgctacg tgcggctgag ccagcgctc tgccgccaga gcgtcctcct 3060
 ctggccccac cagccagtg gccaggtag cttctgggccc aacctgggca tggccctgac 3120
 cagggacaac cgccacttct ataaccggaa cttctgcccg ggcgccaga cagccgaata 3180

gcacagagtg actgcccag

3199

<210> 20

<211> 2454

<212> DNA

<213> *Ovis aries*

<400> 20

atggggcccct actgtgcccc gcaccccctt tctctcctgg tgcaggcggc ggcgctggca	60
gcagccctgg cccagggcac cctgcctgcc ttcctgccct gtgagctcca gccccggggt	120
aagggtgaact gcaactggct gttcctgaag tctgtgccgc gcttttcggc cggagccccc	180
cggggcaatg tcaccagcct ctccctaate tccaaccgca tccaccactt gcacgactct	240
gacttcgtcc acctgtccaa cctgcgggtc ctcaacctca agtggaactg cccgccggcc	300
ggcctcagcc ccattgcactt cccctgcgc atgaccatcg agcccaacac ctctcctggct	360
gtgcccaccc tggaggagct gaacctgagc tacaatggca tcacgaccgt gcctgccttg	420
cccagttctc tcgtatccct gtgcgtgagc cgcaccagca tcctgggtgct agggcccacc	480
cacttcaccg gcctgcacgc cctgcgcttt ctgtacatgg acggcaactg ctactataag	540
aacccctgcc agcaggccgt ggaggtggcc ccaggcgccc tccttggcct gggcaacctc	600
acgcacctgt cgtcaagta caacaacctc acggaggtgc cccgcgcctt gccccccagc	660
ctggacaccc tgctgctgtc ctacaaccac atcatcacc tggcaccoga ggacctggcc	720
aatctgactg ccctgcgtgt gcttgatgtg ggcgggaact gccgcgcgtg cgaccacgcc	780
cgcaaccctt gcagggagtg cccaaagaac ttccccaaagc tgcacctga caccttcagc	840
cacctgagcc gcctcgaagg cctgggtgtg aaggacagtt ctctctacaa actagagaaa	900
gactgggtcc gcggcctggg caggctccaa gtgctcgacc tgagtgagaa ctctctctat	960
gactacatca ccaagaccac catcttcagg aacctgacct agctgcgcag actcaacctg	1020
tccttcaatt accacaagaa ggtgtccttc gccacctgc aactggcacc ctcttttggg	1080
ggcctggtgt ccctggagaa gctggacatg cacggcatct tcttcgctc cctcaccaac	1140
accacgctcc ggccgctgac ccagctgccc aagctccaga gtctgagtct gcagctgaac	1200
ttcatcaacc aggcgcagct cagcatcttt ggggccttcc cgagcctgct ctctgtggac	1260
ctgtcggaca accgcatcag cggagctgcg aggcgggtgg ccgccctcgg ggaggtggac	1320
agcgggggtg aagtctggcg gtggcccagg ggcctcgtc caggcccgct ggccgcgctc	1380
agcgcaaagg acttcatgcc aagctgcaac ctcaacttca ccttggacct gtcacggaac	1440
aacctggtga cgatccagca ggagatgttt acccgctct cccgcctcca gtgcctgcgc	1500

ctgagccaca acagcatctc gcaggcggtt aatggctcgc agttcgtgcc gctgacccgc 1560
 ctgcgagtgc tcgacctgtc ctacaacaag ctggacctgt accatgggcg ctcgttcacg 1620
 gagctgccgc agctggaggc actggacctc agctacaaca gccagccctt cagcatgcag 1680
 ggcgtggggc acaacctcag cttcgtggcc cagctgccgt ccttgcgcta cctcagcctt 1740
 gcgcacaacg gcatccacag ccgcgtgtca cagaagctca gcagcgctc gctgcgcgcc 1800
 ctggacttca gcggcaactc cctgagccag atgtggggcg agggagacct ctatctctgc 1860
 ttcttcaaag gcttgaggaa cctgggtccag ctggacctgt ccaagaacca cctgcacacc 1920
 ctctgcctc gtcacctgga taacctgccc aagagcctgc ggcagctgcg tctccgggac 1980
 aataacctgg ccttcttcaa ctggagcagc ctgactgttc tgccccagct ggaagccctg 2040
 gatctggcgg gaaaccagct gaagccctg agcaacggca gctgccacc tggcaccg 2100
 ctccagaagc tggacgtgag cagcaacagc atcggtttg tgaccttg cttctttgtc 2160
 cttgccaacc ggctgaaaga gcttaacctc agcgccaacg cctgaagac agtggatccc 2220
 ttctggttcg gtcgcttaac agagaccctg aatatactag acgtgagcgc caaccgctc 2280
 cactgtgcct gcggggcggc ctttgtggac ttctgtctgg agatgcaggc ggccgtgcct 2340
 gggctgtcca ggcggtcac gtgtggcagt ccgggccagc tccagggccg cagcatcttc 2400
 gcacaggacc tgcgcctctg cctggatgag accctctcct tggactgctt tggc 2454

<210> 21
 <211> 1032
 <212> PRT
 <213> Canis familiaris

<400> 21

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro

- 62 -

Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
785 790 795 800

Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
805 810 815

Ser Trp Val Cys Phe Ser Leu Ser Leu Leu Ala Val Ala Leu Ser Leu
820 825 830

Ala Val Pro Met Leu His Gln Leu Cys Gly Trp Asp Leu Trp Tyr Cys
835 840 845

Phe His Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Arg Gly
850 855 860

Val Asp Ala Leu Ala Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
865 870 875 880

Ser Ser Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Gln Leu Glu
885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
900 905 910

Trp Val Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
915 920 925

Ser Ser Arg Lys Thr Leu Phe Val Leu Ala Arg Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Cys Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
995 1000 1005

Leu Gly Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Thr Ala
1025 1030

<210> 22
<211> 822
<212> PRT
<213> Canis familiaris

<400> 22

Met Gly Pro Cys Arg Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Ala Leu Ala Leu Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Tyr Asp Phe Val His Phe Val His Leu Arg Arg Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Asn Thr Phe Leu Ala Val Pro Thr Leu Glu Asp Leu
115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
145 150 155 160

Ala Thr Leu Ala Gly Leu Tyr Ala Leu Arg Phe Leu Phe Leu Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Gln Gln Ala Leu Gln Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Arg Glu Cys Pro Lys Gly Phe
 260 265 270

Pro Gln Leu His Pro Asn Thr Phe Gly His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Arg Asp Ser Ser Leu Tyr Ser Leu Asp Pro Arg Trp Phe
 290 295 300

His Gly Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Lys Ala Phe Tyr Gly Leu Ala Arg Leu
 325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
 340 345 350

His Leu His Leu Ala Ser Ser Phe Gly Ser Leu Leu Ser Leu Gln Glu
 355 360 365

Leu Asp Ile His Gly Ile Phe Phe Arg Ser Leu Ser Lys Thr Thr Leu
 370 375 380

Gln Ser Leu Ala His Leu Pro Met Leu Gln Arg Leu His Leu Gln Leu
 385 390 395 400

Asn Phe Ile Ser Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ala Glu
 420 425 430

Pro Ala Ala Ala Thr Gly Glu Val Glu Ala Asp Cys Gly Glu Arg Val
 435 440 445

Trp Pro Gln Ser Arg Asp Leu Ala Leu Gly Pro Leu Gly Thr Pro Gly
 450 455 460

Ser Glu Ala Phe Met Pro Ser Cys Arg Thr Leu Asn Phe Thr Leu Asp
 465 470 475 480

Leu Ser Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Val Arg
 485 490 495

Leu Ala Arg Leu Gln Cys Leu Gly Leu Ser His Asn Ser Ile Ser Gln
 500 505 510

Ala Val Asn Gly Ser Gln Phe Val Pro Leu Ser Asn Leu Arg Val Leu
 515 520 525

Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr
 530 535 540

Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro
 545 550 555 560

Phe Ser Met Arg Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu
 565 570 575

Pro Ala Leu Arg Tyr Leu Ser Leu Ala His Asn Gly Ile His Ser Arg
 580 585 590

Val Ser Gln Gln Leu Arg Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser
 595 600 605

Gly Asn Thr Leu Ser Gln Met Trp Ala Glu Gly Asp Leu Tyr Leu Arg
 610 615 620

Phe Phe Gln Gly Leu Arg Ser Leu Val Gln Leu Asp Leu Ser Gln Asn
 625 630 635 640

Arg Leu His Thr Leu Leu Pro Arg Asn Leu Asp Asn Leu Pro Lys Ser
 645 650 655

Leu Arg Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp

660 665 670
 Ser Ser Leu Ala Leu Leu Pro Lys Leu Glu Ala Leu Asp Leu Ala Gly
 675 680 685
 Asn Gln Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln
 690 695 700
 Leu Gln Arg Leu Asp Leu Ser Gly Asn Ser Ile Gly Phe Val Val Pro
 705 710 715 720
 Ser Phe Phe Ala Leu Ala Val Arg Leu Arg Glu Leu Asn Leu Ser Ala
 725 730 735
 Asn Ala Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly
 740 745 750
 Ala Leu Lys Val Leu Asp Val Thr Ala Asn Pro Leu His Cys Ala Cys
 755 760 765
 Gly Ala Thr Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro
 770 775 780
 Gly Leu Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly
 785 790 795 800
 Arg Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu
 805 810 815
 Ser Trp Val Cys Phe Ser
 820

<210> 23
 <211> 3334
 <212> DNA
 <213> Canis familiaris

<400> 23
 aggaaggggc tgtgagctcc aagcatcctt tcctgcagct gctgccagc ctgccagcca 60
 gaccctctgg agaagcccc gctccctgtc atgggcccct gccgtggcgc cctgcacccc 120
 ctgtctctcc tgggtgcaggc tgccgcgcta gccctggccc tggcccaggg caccctgcct 180
 gccttcctgc cctgtgagct ccagcccat ggccctggta actgcaactg gctgttcctc 240
 aagtcctgtgc cccgcttctc ggcagctgca ccccgcggtg acgtcaccag cctttccttg 300

tactccaacc gcatccacca cctccatgac tatgactttg tccacttcgt ccacctgcgg	360
cgtctcaatc tcaagtggaa ctgcccgcgc gccagcctca gcccacatgca ctttcctgt	420
cacatgacca ttgagcccaa caccttcctg gctgtgcca ccctagagga cctgaatctg	480
agctataaca gcatcacgac tgtgcccgcg ctgcccagtt cgcttgtgtc cctgtccctg	540
agccgcacca acatcctggt gctggaccct gccaccctgg caggccttta tgccctgcgc	600
ttcctgttcc tggatggcaa ctgctactac aagaacctct gccagcaggc cctgcagggtg	660
gccccagggt cctcctggtg cctgggcaac ctcacacacc tgtcactcaa gtacaacaac	720
ctcaccgtgg tgccgcgggg cctgcccccc agcctggagt acctgctctt gtccctacaac	780
cacatcatca ccctggcacc tgaggacctg gccaatctga ctgccctgcg tgcctcgat	840
gtgggtggga actgtcgccg ctgtgacctat gccgtaacc cctgcagggg gtgccccaaag	900
ggcttcccc agctgcaccc caacaccttc ggccacctga gccacctcga aggcctggtg	960
ttgagggaca gctctctcta cagcctggac ccaggtggt tccatggcct gggcaacctc	1020
atggtgctgg acctgagtga gaacttcctg tatgactgca tcacaaaaac caaagccttc	1080
taaggcctgg ccggtgctgc cagactcaac ctgtccttca attatcataa gaaggtgtcc	1140
tttgcccacc tgcatctggc atcctccttc gggagcctac tgtccctgca ggagctggac	1200
atacatggca tcttcttccg ctgctcagc aagaccacgc tccagtcgtt ggcccacctg	1260
cccatgctcc agcgtctgca tctgcagttg aactttatca gccaggccca gctcagcatc	1320
ttcgggcctt tccctggact gcggtacgtg gacttgtcag acaaccgcat cagtggagct	1380
gcagagcccc cggtgccac aggggaggta gaggcagact gtggggagag agtctggcca	1440
cagtccccgg accttgtctt gggcccactg ggcacccccg gctcagaggc cttcatgccg	1500
agctgcagga cctcaactt caccttggac ctgtctcgga acaacctagt gactgttcag	1560
ccggagatgt ttgtccggtt ggcgcgcctc cagtgcctgg gcctgagcca caacagcatc	1620
tcgcaggcgg tcaatggctc gcagttcgtg cctctgagca acctgcgggt gctggacctg	1680
tcccataaca agctggacct gtaccacggg cgctcgttca cggagctgcc gcggctggag	1740
gccttggacc tcagctacaa cagccagccc ttcagcatgc ggggcgtggg ccacaatctc	1800
agctttgtgg cacagctgcc agcctgcgc tacctcagcc tggcgcacaa tggcatccac	1860
agccgcgtgt ccagcagct ccgcagcgcc tcgctccggg ccctggactt cagtggcaat	1920
accctgagcc agatgtgggc cgaggagac ctctatctcc gcttcttcca aggcctgaga	1980
agcctggttc agctggacct gtcccagaat cgctgcata ccctcctgcc acgcaacctg	2040
gacaacctcc ccaagagcct gcggctcctg cggctccgtg acaattacct ggctttcttc	2100

aactggagca gcctggccct cctacccaag ctggaagccc tggacctggc gggaaaccag 2160
ctgaaggccc tgagcaatgg cagcttgccc aacggcacc agctccagag gctggacctc 2220
agcggcaaca gcatcggtt cgtggtcccc agcttttttg cctggccgt gaggttcga 2280
gagctcaacc tcagcgccaa cgcctcaag acggtggagc cctcctggtt tggttccctg 2340
gcgggtgccc tgaaagtct agacgtgacc gccaacccct tgcattgccc ttgcggcgca 2400
accttcgtgg acttcttgct ggaggtgcag gctgcggtgc ccggcctgcc tagccgtgtc 2460
aagtgcggca gcccgggcca gctccagggc cgcagcatct tcgcacagga cctgcgcctc 2520
tgcttgagc aagcgtctc ctgggtctgt ttcagcctct cgctgctggc tgtggccctg 2580
agcctggctg tgcccatgct gcaccagctc tgtggctggg acctctggta ctgcttcac 2640
ctgtgcctgg cctggctgcc ccggcggggg cggcggcggg gtgtggatgc cctggcctat 2700
gacgccttcg tggcttcga caaggcgag agctcgggtg cggactgggt gtacaatgag 2760
ctgcgggtac agctagagga gcgcgtggg cgccggcgcc tacgcctgtg tctggaggaa 2820
cgtgactggg tacccgcaa aaccctcttc gagaacctct gggcctcagt ttacagcagc 2880
cgcaagacgc tgtttgtgct ggcccgacg gacagagtca gggcctcct gcgtgccagc 2940
ttcctgctgg cccaacagcg cctgctggag gaccgcaagg acgtcgtggt gctggtgatc 3000
ctgtgccccg acgcccaccg ctcccgctat gtgcggctgc gccagcgcct ctgccgccag 3060
agtgtctcc tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc 3120
acggccctga ccagggacaa ccgccacttc tacaaccaga acttctgcg gggccccacg 3180
acagcctgat aggcagacag ccagcacct tcgcgccct acaccctgcc tgtctgtctg 3240
ggatgccga cctgctggct ctacaccgcc gctctgtctc ccctacacc agcctggca 3300
taaagcgacc gctcaataaa tgctgctggt agac 3334

<210> 24

<211> 2466

<212> DNA

<213> *Canis familiaris*

<400> 24

atgggcccct gccgtggcg cctgcacccc ctgtctctcc tgggtgcaggc tgccgcgcta 60
gccttgccc tggcccagg caccctgcct gccttctgc cctgtgagct ccagcccat 120
ggcctggtga actgcaactg gctgttctc aagtccgtgc ccgcttctc ggcagctgca 180
cccccggtga acgtaccag ccttctctg tactccaacc gcatccacca cctccatgac 240
tatgactttg tccacttcgt ccacctgcg cgtctcaatc tcaagtggaa ctgcccgcc 300

gccagcctca gccccatgca cttccctgt cacatgacca ttgagcccaa caccttcctg 360
 gctgtgcca ccctagagga cctgaatctg agctataaca gcatcacgac tgtgcccgcc 420
 ctgcccagtt cgcttggtc cctgtccctg agccgcacca acatcctggt gctggaccct 480
 gccaccctgg caggccttta tgccctgcg ttcctgttcc tggatggcaa ctgctactac 540
 aagaaccct gccagcaggc cctgcaggtg gcccaggtg cctcctggg cctgggcaac 600
 ctcacacacc tgtcactcaa gtacaacaac ctcaccgtg tgccgcggg cctgcccccc 660
 agcctggagt acctgctctt gtccataaac cacatcatca ccctggcacc tgaggacctg 720
 gccaatctga ctgccctgcg tgcctcgat gtgggtggga actgtcgccg ctgtgaccat 780
 gcccgtaacc cctgcagga gtgccccaa ggcttcccc agctgcacc caacaccttc 840
 ggccacctga gccacctga aggcctggtg ttgagggaca gctctctcta cagcctggac 900
 cccaggtggt tccatggcct gggcaacctc atggtgctgg acctgagtga gaacttcctg 960
 tatgactgca tcacaaaac caaagccttc tacggcctgg cccggctgcg cagactcaac 1020
 ctgtccttca attatcataa gaaggtgtcc tttgccacc tgcatctggc atcctccttc 1080
 gggagcctac tgtccctgca ggagctggac atacatggca tcttcttcg ctgctcagc 1140
 aagaccacgc tccagtgcct gggccacctg cccatgctcc agcgtctgca tctgcagttg 1200
 aactttatca gccaggccca gctcagcatc ttcgggcct tccctggact gcggtacgtg 1260
 gacttgctag acaaccgcat cagtggagct gcagagcccg cggctgccac aggggaggta 1320
 gaggcagact gtggggagag agtctggcca cagtcccggg accttgcctt gggccactg 1380
 ggcaccccg gctcagaggc cttcatgccc agctgcagga cctcaactt caccttggac 1440
 ctgtctcgga acaacctagt gactgttcag ccggagatgt ttgtccggct ggcgcgcctc 1500
 cagtgcctgg gcctgagcca caacagcatc tcgcaggcgg tcaatggctc gcagttcgtg 1560
 cctctgagca acctgcgggt gctggacctg tcccataaca agctggacct gtaccacggg 1620
 cgctcgttca cggagctgcc gcggctggag gccttgacc tcagctacaa cagccagccc 1680
 ttcagcatgc gggcggtggg ccacaatctc agctttgtgg cacagctgcc agccctgccc 1740
 tacctcagcc tggcgcaaaa tggcatccac agccgcgtgt cccagcagct ccgcagcgcc 1800
 tcgctccggg ccttggaact cagtggcaat accctgagcc agatgtgggc cgagggagac 1860
 ctctatctcc gcttcttcca aggcctgaga agcctggctc agctggacct gtcccagaat 1920
 cgctgcata cctcctgcc acgcaacctg gacaacctc ccaagagcct gcggctcctg 1980
 cggtccgtg acaattacct ggctttcttc aactggagca gcctggcct cctaccaag 2040

```

ctggaagccc tggacctggc gggaaaccag ctgaaggccc tgagcaatgg cagcttgccc 2100
aacggcaccc agctccagag gctggacctc agcggcaaca gcatcggtt cgtgggtccc 2160
agcttttttg cctgggcccgt gaggtttcga gagtcaacc tcagcgccaa cgccctcaag 2220
acgggtggagc cctcctgggt tggttccttg gcgggtgccc tgaaagtcc agacgtgacc 2280
gccaacccct tgcatcgcg ttgcggcgca accttcgtgg acttcttgct ggaggtgcag 2340
gctgcgggtgc cgggctgcc tagccgtgtc aagtgcggca gcccgggcca gctccagggc 2400
cgcagcatct tcgcacagga cctgcgcctc tgctggagc aagcgtctc ctgggtctgt 2460
ttcagc 2466

```

```

<210> 25
<211> 1031
<212> PRT
<213> Felis catus

```

```

<400> 25

```

```

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1           5           10           15

```

```

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
20           25           30

```

```

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
35           40           45

```

```

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
50           55           60

```

```

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
65           70           75           80

```

```

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
85           90           95

```

```

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
100          105          110

```

```

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115          120          125

```

```

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
130          135          140

```

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
 420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
 435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
 450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
 485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
 500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
 515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
 530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
 545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
 565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
 580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe

610	615	620
Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu		
625	630	635 640
His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg		
	645	650 655
Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser		
	660	665 670
Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln		
	675	680 685
Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln		
	690	695 700
Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe		
705	710	715 720
Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala		
	725	730 735
Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu		
	740	745 750
Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala		
	755	760 765
Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu		
	770	775 780
Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser		
785	790	795 800
Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp		
	805	810 815
Asp Cys Phe Gly Leu Ser Leu Leu Thr Val Ala Leu Gly Leu Ala Val		
	820	825 830
Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His		
	835	840 845

Leu Cys Leu Ala Trp Leu Pro Arg Arg Gly Arg Arg Gly Ala Asp
850 855 860

Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln Ser Ala
865 870 875 880

Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu Glu Arg
885 890 895

Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp Trp Leu
900 905 910

Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr Ser Ser
915 920 925

Arg Lys Met Leu Phe Val Leu Ala His Thr Asp Arg Val Ser Gly Leu
930 935 940

Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu Asp Arg
945 950 955 960

Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His Arg Ser
965 970 975

Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val Leu Leu
980 985 990

Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln Leu Gly
995 1000 1005

Thr Ala Leu Thr Arg Asp Asn Gln His Phe Tyr Asn Gln Asn Phe
1010 1015 1020

Cys Arg Gly Pro Thr Thr Ala Glu
1025 1030

<210> 26
<211> 820
<212> PRT
<213> Felis catus

<400> 26

Met Gly Pro Cys His Gly Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Ala Leu Ala Val Ala Leu Ala Gln Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Arg His Gly Leu Val Asn Cys Asp Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Ala Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Tyr Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Val His Leu Ser Ser Leu Arg Arg Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Ala Ser Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro His Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Ser Ile Thr Thr Val Pro Ala Leu Pro Ser Ser
 130 135 140

Leu Val Ser Leu Ser Leu Ser Arg Thr Asn Ile Leu Val Leu Asp Pro
 145 150 155 160

Ala Asn Leu Ala Gly Leu His Ser Leu Arg Phe Leu Phe Leu Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Pro Gln Ala Leu Gln Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Ala Val Pro Arg Gly Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn His Ile Ile Thr Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Arg Asn Pro Cys Met Glu Cys Pro Lys Gly Phe
260 265 270

Pro His Leu His Pro Asp Thr Phe Ser His Leu Asn His Leu Glu Gly
275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Tyr Asn Leu Asn Pro Arg Trp Phe
290 295 300

His Ala Leu Gly Asn Leu Met Val Leu Asp Leu Ser Glu Asn Phe Leu
305 310 315 320

Tyr Asp Cys Ile Thr Lys Thr Thr Ala Phe Gln Gly Leu Ala Gln Leu
325 330 335

Arg Arg Leu Asn Leu Ser Phe Asn Tyr His Lys Lys Val Ser Phe Ala
340 345 350

His Leu His Leu Ala Pro Ser Phe Gly Ser Leu Leu Ser Leu Gln Gln
355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Ser Glu Thr Thr Leu
370 375 380

Arg Ser Leu Val His Leu Pro Met Leu Gln Ser Leu His Leu Gln Met
385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Ala Phe Pro Gly
405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Met Glu
420 425 430

Leu Ala Ala Ala Thr Gly Glu Val Asp Gly Gly Glu Arg Val Arg Leu
435 440 445

Pro Ser Gly Asp Leu Ala Leu Gly Pro Pro Gly Thr Pro Ser Ser Glu
450 455 460

Gly Phe Met Pro Gly Cys Lys Thr Leu Asn Phe Thr Leu Asp Leu Ser
465 470 475 480

Arg Asn Asn Leu Val Thr Ile Gln Pro Glu Met Phe Ala Arg Leu Ser
485 490 495

Arg Leu Gln Cys Leu Leu Leu Ser Arg Asn Ser Ile Ser Gln Ala Val
500 505 510

Asn Gly Ser Gln Phe Met Pro Leu Thr Ser Leu Gln Val Leu Asp Leu
515 520 525

Ser His Asn Lys Leu Asp Leu Tyr His Gly Arg Ser Phe Thr Glu Leu
530 535 540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Ser
545 550 555 560

Met Gln Gly Val Gly His Asn Leu Ser Phe Val Ala Gln Leu Pro Ala
565 570 575

Leu Arg Tyr Leu Ser Leu Ala His Asn Asp Ile His Ser Arg Val Ser
580 585 590

Gln Gln Leu Cys Ser Ala Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
595 600 605

Ala Leu Ser Arg Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
610 615 620

Arg Gly Leu Arg Ser Leu Val Arg Leu Asp Leu Ser Gln Asn Arg Leu
625 630 635 640

His Thr Leu Leu Pro Arg Thr Leu Asp Asn Leu Pro Lys Ser Leu Arg
645 650 655

Leu Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Asn Trp Ser Ser
660 665 670

Leu Val Leu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ala Gly Asn Gln
675 680 685

Leu Lys Ala Leu Ser Asn Gly Ser Leu Pro Asn Gly Thr Gln Leu Gln
690 695 700

Arg Leu Asp Leu Ser Ser Asn Ser Ile Ser Phe Val Ala Ser Ser Phe
705 710 715 720

Phe Ala Leu Ala Thr Arg Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala

725

730

735

Leu Lys Thr Val Glu Pro Ser Trp Phe Gly Ser Leu Ala Gly Thr Leu
 740 745 750

Lys Val Leu Asp Val Thr Gly Asn Pro Leu His Cys Ala Cys Gly Ala
 755 760 765

Ala Phe Val Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
 770 775 780

Pro Gly His Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg Ser
 785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
 805 810 815

Asp Cys Phe Gly
 820

<210> 27
 <211> 3235
 <212> DNA
 <213> Felis catus

<400> 27
 agggctctgcg agctccaggc attcttctct gccatcgctg cccagtctgc catccagacc 60
 ctctggagaa gccccactc cctgtcatgg gccctgcca tggcgccctg cccccctgt 120
 ctctcctggt gcaggctgcc gcgctggccg tggccctggc ccagggcacc ctgcctgcct 180
 ttctgccctg tgagctccag cgccacggcc tgggtgaattg cgactggctg ttctcaagt 240
 ccgtgccccca cttctcggcg gcagcgcccc gtggtaacgt caccagcctt tccctgtact 300
 ccaaccgcat ccaccacctc cagactccg actttgtcca cctgtccagc ctgcggcgctc 360
 tcaacctcaa atggaactgc ccaccgcca gctcagccc catgcacttc cctgtcaca 420
 tgaccattga gccccacacc ttctggccg tgcccaccct ggaggagctg aacctgagct 480
 acaacagcat cagcacagta ccgcccctgc ccagttccct cgtgtccctg tccctgagcc 540
 gtaccaacat cctggtgctg gaccctgcca acctcgagg gctgcactcc ctgcgctttc 600
 tgttcctgga tggcaactgc tactacaaga acccctgccc gcaggccctg caggtggccc 660
 cgggcgcctt ccttggcctg ggcaacctta cgcacctgtc actcaagtac aacaacctca 720
 ctgcggtgcc ccgcggcctg cccccagcc tggagtacct gctattgtcc tacaaccaca 780

tcataccacct	ggcacctgag	gacctggcca	acctgaccgc	cctgcgtgtg	ctcgatgtgg	840
gtgggaactg	ccgtcgctgt	gaccacgccc	gcaaccctg	tatggagtgc	cccaagggct	900
tcccgacact	gcacctgac	accttcagcc	acctgaacca	cctcgaaggc	ctggtgttga	960
aggacagctc	tctctacaac	ctgaacccca	gatggttcca	tgccctgggc	aacctcatgg	1020
tgctggacct	gagtgagaac	ttcctatatg	actgcatac	caaaaccaca	gccttcagg	1080
gcctggccca	gctgcgcaga	ctcaacttgt	ctttcaatta	ccacaagaag	gtgtcctttg	1140
cccacctgea	tctggcgccc	tccttcggga	gcctgctctc	cctgcagcag	ctggacatgc	1200
atggcatctt	cttcgctcg	ctcagcgaga	ccacgctccg	gtcgctggtc	cacctgcccc	1260
tgctccagag	tctgcacctg	cagatgaact	tcataatca	ggcccagctc	agcatcttcg	1320
gggccttccc	tggcctgcga	tacgtggacc	tgctagacaa	ccgcataagt	ggagccatgg	1380
agctggcggc	tgccacgggg	gaggtggatg	gtggggagag	agtccggctg	ccatctgggg	1440
acctagctct	ggggccaccg	ggcacccta	gtccgaggg	cttcattgcca	ggctgcaaga	1500
ccctcaactt	caccttggac	ctgtcacgga	acaacctagt	gacaatccag	ccagagatgt	1560
ttgccgggct	ctcgcgctc	cagtgcctgc	tcctgagccg	caacagcatc	tcgcaggcag	1620
tcaacggctc	acaatttatg	ccgctgacca	gcctgcaggt	gctggacctg	tcccataaca	1680
agctggacct	gtaccatggg	cgctctttca	cggagctgcc	gcggctggag	gccttgacc	1740
tcagctacaa	cagccagccc	ttcagcatgc	agggcgctgg	tcacaacctc	agctttgtgg	1800
cacagctgcc	ggccctgcgc	tatctcagcc	tggcgacaaa	cgacatccac	agccgtgtgt	1860
cccagcagct	ctgcagcgcc	tcgctgcggg	ccttggaactt	cagcggcaat	gccttgagcc	1920
ggatgtgggc	cgagggagac	ctgtatctcc	acttcttcg	aggcctgagg	agcctggctc	1980
ggttgatct	gtcccagaat	cgctgcata	ccctcttgcc	acgcacctg	gacaacctcc	2040
ccaagagcct	gcggctgctg	cgtctccgtg	acaattatct	ggctttcttc	aactggagca	2100
gcctggtcct	cctccccagg	ctggaagccc	tggacctggc	gggaaaccag	ctgaaggccc	2160
tgagcaacgg	cagcttgctc	aatggaaccc	agctccagag	gctggacctc	agcagcaaca	2220
gtatcagctt	cgtggcctcc	agcttttttg	ctctggccac	caggctgcga	gagctcaacc	2280
tcagtgcctc	cgccctcaag	acggtggagc	cctcctgggt	cggttctcta	gcgggcaccc	2340
tgaaagtcct	agatgtgact	ggcaaccccc	tgactgcgc	ctgtggggcg	gccttcgtgg	2400
acttcttgct	ggaggtgcag	gctgcagtgc	ccggcctgcc	aggccacgtc	aagtgtggca	2460
gtccaggtca	gctccagggc	cgcagcatct	ttgcgcagga	tctgcgctc	tgcttgatg	2520
aggccctctc	ctgggactgt	tttggcctct	cgctgctgac	cgtggccctg	ggcctggcgg	2580

tgcccatgct gcaccacctc tgtggctggg acctctggta ctgcttcac ctgtgcctgg 2640
 cctggctgcc ccggcggggg cgggcgggg gcgcggatgc cctgccctac gatgcctttg 2700
 tgggtcttga caaggcacag agcgcggtgg ccgactgggt gtacaacgag ctgcggggtac 2760
 ggctagagga gcgcctgga cgccgagcgc tccgcctgtg cctggaggaa cgtgactggc 2820
 taccgggtaa aacgctcttt gagaacctgt gggcctcagt ttacagcagc cgcaagatgc 2880
 tgtttgtgct ggccacaca gacagggtca gcggcctctt gcgcgccagc tttctgctgg 2940
 cccagcagcg cctgctggag gaccgcaagg acgttgtggg gctggatgc ctgcccccg 3000
 acgcccaccg ctcccgtat gtgcggctgc gccagcgct ctgccgccag agcgtcctcc 3060
 tctggcccca ccagcccagt ggccagcgca gcttctgggc ccagctgggc acggccctga 3120
 ccagggacaa ccagcacttc tataaccaga acttctgccg gggccccacg acggcagagt 3180
 gaccgcccag caccccaagc ctctacacc ttgcctgtct gctgggatg ccggg 3235

<210> 28
 <211> 2460
 <212> DNA
 <213> Felis catus

<400> 28
 atgggcccct gccatggcgc cctgcacccc ctgtctctcc tggatgcaggc tgccgcgctg 60
 gccgtggccc tggcccaggg caccctgcct gcctttctgc cctgtgagct ccagcgccac 120
 ggctgtgga attgcgactg gctgttctc aagtccgtgc ccacttctc ggcggcagcg 180
 cccgtggta acgtcaccag cctttccctg tactccaacc gcattacca cctccacgac 240
 tccgactttg tccacctgtc cagcctgcgg cgtctcaacc tcaaaggaa ctgcccaccc 300
 gccagcctca gcccctatga cttccctgt cacatgacca ttgagcccca cacttctctg 360
 gccgtgcca ccctggagga gctgaacctg agctacaaca gcattcacgac agtaccgccc 420
 ctgcccagtt cctcgtgtc cctgtccttg agcgtacca acatcctggg gctggaccct 480
 gccaacctcg cagggtgca ctccctgcgc tttctgttcc tggatggcaa ctgtactac 540
 aagaacctct gcccgcaggc cctgcagggt gcccggggcg cctccttgg cctgggcaac 600
 cttacgcacc tgtcactcaa gtacaacaac ctactgcgg tgccccgcgg cctgcccccc 660
 agcctggagt acctgtatt gtctacaac cacatcatca cctggcacc tgaggacctg 720
 gccaacctga ccgcctgcg tgtgctcgat gtgggtggga actgccgtcg ctgtgaccac 780
 gcccgaacc cctgtatgga gtgcccgaag ggcttccgc acctgcaccc tgacaccttc 840
 agccacctga accacctga aggcctggtg ttgaaggaca gctctctcta caacctgaac 900


```

cccagatggg tccatgccct gggcaacctc atggtgctgg acctgagtga gaacttecta 960
tatgactgca tcacaaaaac cacagccttc cagggcctgg ccagctgcg cagactcaac 1020
ttgtctttca attaccacaa gaaggtgtcc tttgccacc tgcattctggc gccctccttc 1080
gggagcctgc tctccctgca gcagctggac atgcatggca tcttcttcg ctcgctcagc 1140
gagaccacgc tccggctgct ggtccacctg cccatgctcc agagtctgca cctgcagatg 1200
aacttcatca atcaggccca gctcagcatc ttcggggcct tccctggcct gcgatacgtg 1260
gacctgtcag acaaccgcat aagtggagcc atggagctgg cggtgccac gggggagggtg 1320
gatggtgggg agagagtccg gctgccatct ggggacctag ctctggggcc accgggcacc 1380
cctagctccg agggcttcat gccaggctgc aagaccctca acttcacctt ggacctgtca 1440
cggaacaacc tagtgacaat ccagccagag atgtttgcc ggctctcgcg cctccagtgc 1500
ctgctcctga gccgcaacag catctcgag gcagtcaacg gctcacaatt tatgccgtg 1560
accagcctgc aggtgctgga cctgtcccat aacaagctgg acctgtacca tgggcgctct 1620
ttcacggagc tgccgaggct ggaggccctg gacctcagct acaacagcca gcccttcagc 1680
atgcagggcg tgggtcacia cctcagcttt gtggcacagc tgccggccct gcgctatctc 1740
agcctggcgc acaacgacat ccacagccgt gtgtccagc agctctgcag cgcctcgctg 1800
cgggccttgg acttcagcgg caatgccttg agccggatgt gggccgaggg agacctgtat 1860
ctccacttct tccgaggcct gaggagcctg gtccggttgg atctgtccca gaatcgctg 1920
catacctct tgccacgcac cctggacaac ctccccaaga gcctgcggct gctgcgtctc 1980
cgtgacaatt atctggcttt ctccaactgg agcagcctgg tcctcctccc caggctggaa 2040
gccctggacc tggcgggaaa ccagctgaag gccctgagca acggcagctt gcctaattga 2100
accagctcc agaggctgga cctcagcagc aacagtatca gcttcgtggc ctccagcttt 2160
tttgctctgg ccaccaggct gcgagagctc aaacctagtg ccaacgcct caagacggtg 2220
gagccctcct ggttcggttc tctagcggc accctgaaag tcctagatgt gactggcaac 2280
cccctgcact gcgctgtgg ggcggccttc gtggacttct tgctggaggt gcaggtgca 2340
gtgcccggcc tgccaggcca cgtcaagtgt ggcagtccag gtcagctcca gggccgcagc 2400
atctttgcgc aggatctgcg cctctgcctg gatgaggccc tctcctggga ctgttttggc 2460

```

```

<210> 29
<211> 1032
<212> PRT
<213> Mus musculus

```

<400> 29

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
 50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
 65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
 100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu

225	230	235	240
Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg	245	250	255
Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser	260	265	270
Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly	275	280	285
Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe	290	295	300
Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu	305	310	315
Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala	340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu	355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu	370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala	405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr	420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu	435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser	450	455	460

Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu
465 470 475 480

Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu
485 490 495

Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala
500 505 510

Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp
515 520 525

Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu
530 535 540

Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe
545 550 555 560

Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser
565 570 575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
 705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
 725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
 740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
 755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
 770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
 785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
 805 810 815

Trp Asp Cys Phe Gly Leu Ser Leu Leu Ala Val Ala Val Gly Met Val
 820 825 830

Val Pro Ile Leu His His Leu Cys Gly Trp Asp Val Trp Tyr Cys Phe
 835 840 845

His Leu Cys Leu Ala Trp Leu Pro Leu Leu Ala Arg Ser Arg Arg Ser
 850 855 860

Ala Gln Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Ala Gln
 865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Val Arg Leu Glu
 885 890 895

Glu Arg Arg Gly Arg Arg Ala Leu Arg Leu Cys Leu Glu Asp Arg Asp
 900 905 910

Trp Leu Pro Gly Gln Thr Leu Phe Glu Asn Leu Trp Ala Ser Ile Tyr
 915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
 930 935 940

Gly Leu Leu Arg Thr Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Arg Pro Asp Ala His
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Phe Trp Pro Gln Gln Pro Asn Gly Gln Gly Gly Phe Trp Ala Gln
995 1000 1005

Leu Ser Thr Ala Leu Thr Arg Asp Asn Arg His Phe Tyr Asn Gln
1010 1015 1020

Asn Phe Cys Arg Gly Pro Thr Ala Glu
1025 1030

<210> 30
<211> 821
<212> PRT
<213> Mus musculus

<400> 30

Met Val Leu Arg Arg Arg Thr Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ala Val Leu Ala Glu Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Lys Pro His Gly Leu Val Asp Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro Arg Phe Ser Ala Ala Ala Ser Cys Ser Asn
50 55 60

Ile Thr Arg Leu Ser Leu Ile Ser Asn Arg Ile His His Leu His Asn
65 70 75 80

Ser Asp Phe Val His Leu Ser Asn Leu Arg Gln Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Thr Gly Leu Ser Pro Leu His Phe Ser Cys His Met
100 105 110

Thr Ile Glu Pro Arg Thr Phe Leu Ala Met Arg Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Gly Ile Thr Thr Val Pro Arg Leu Pro Ser Ser
 130 135 140

Leu Val Asn Leu Ser Leu Ser His Thr Asn Ile Leu Val Leu Asp Ala
 145 150 155 160

Asn Ser Leu Ala Gly Leu Tyr Ser Leu Arg Val Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Thr Gly Ala Val Lys Val Thr Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Ser Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Lys Val Pro Arg Gln Leu Pro Pro Ser Leu Glu Tyr
 210 215 220

Leu Leu Val Ser Tyr Asn Leu Ile Val Lys Leu Gly Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ser Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Ile Glu Cys Gly Gln Lys Ser
 260 265 270

Leu His Leu His Pro Glu Thr Phe His His Leu Ser His Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu His Thr Leu Asn Ser Ser Trp Phe
 290 295 300

Gln Gly Leu Val Asn Leu Ser Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Glu Ser Ile Asn His Thr Asn Ala Phe Gln Asn Leu Thr Arg Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Arg Lys Lys Val Ser Phe Ala

340	345	350
Arg Leu His Leu Ala Ser Ser Phe Lys Asn Leu Val Ser Leu Gln Glu		
355	360	365
Leu Asn Met Asn Gly Ile Phe Phe Arg Ser Leu Asn Lys Tyr Thr Leu		
370	375	380
Arg Trp Leu Ala Asp Leu Pro Lys Leu His Thr Leu His Leu Gln Met		
385	390	400
Asn Phe Ile Asn Gln Ala Gln Leu Ser Ile Phe Gly Thr Phe Arg Ala		
405	410	415
Leu Arg Phe Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Pro Ser Thr		
420	425	430
Leu Ser Glu Ala Thr Pro Glu Glu Ala Asp Asp Ala Glu Gln Glu Glu		
435	440	445
Leu Leu Ser Ala Asp Pro His Pro Ala Pro Leu Ser Thr Pro Ala Ser		
450	455	460
Lys Asn Phe Met Asp Arg Cys Lys Asn Phe Lys Phe Thr Met Asp Leu		
465	470	475
Ser Arg Asn Asn Leu Val Thr Ile Lys Pro Glu Met Phe Val Asn Leu		
485	490	495
Ser Arg Leu Gln Cys Leu Ser Leu Ser His Asn Ser Ile Ala Gln Ala		
500	505	510
Val Asn Gly Ser Gln Phe Leu Pro Leu Thr Asn Leu Gln Val Leu Asp		
515	520	525
Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys Ser Phe Ser Glu		
530	535	540
Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe		
545	550	555
Ser Met Lys Gly Ile Gly His Asn Phe Ser Phe Val Ala His Leu Ser		
565	570	575

Met Leu His Ser Leu Ser Leu Ala His Asn Asp Ile His Thr Arg Val
580 585 590

Ser Ser His Leu Asn Ser Asn Ser Val Arg Phe Leu Asp Phe Ser Gly
595 600 605

Asn Gly Met Gly Arg Met Trp Asp Glu Gly Gly Leu Tyr Leu His Phe
610 615 620

Phe Gln Gly Leu Ser Gly Leu Leu Lys Leu Asp Leu Ser Gln Asn Asn
625 630 635 640

Leu His Ile Leu Arg Pro Gln Asn Leu Asp Asn Leu Pro Lys Ser Leu
645 650 655

Lys Leu Leu Ser Leu Arg Asp Asn Tyr Leu Ser Phe Phe Asn Trp Thr
660 665 670

Ser Leu Ser Phe Leu Pro Asn Leu Glu Val Leu Asp Leu Ala Gly Asn
675 680 685

Gln Leu Lys Ala Leu Thr Asn Gly Thr Leu Pro Asn Gly Thr Leu Leu
690 695 700

Gln Lys Leu Asp Val Ser Ser Asn Ser Ile Val Ser Val Val Pro Ala
705 710 715 720

Phe Phe Ala Leu Ala Val Glu Leu Lys Glu Val Asn Leu Ser His Asn
725 730 735

Ile Leu Lys Thr Val Asp Arg Ser Trp Phe Gly Pro Ile Val Met Asn
740 745 750

Leu Thr Val Leu Asp Val Arg Ser Asn Pro Leu His Cys Ala Cys Gly
755 760 765

Ala Ala Phe Val Asp Leu Leu Leu Glu Val Gln Thr Lys Val Pro Gly
770 775 780

Leu Ala Asn Gly Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Arg
785 790 795 800

Ser Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Val Leu Ser
805 810 815

Trp Asp Cys Phe Gly
820

<210> 31

<211> 3200

<212> DNA

<213> Mus musculus

<400> 31

tgtcagaggg agcctcgagg gaatcctcca tctcccaaca tggttctccg tcgaaggact	60
ctgcacccct tgtccctcct ggtacaggct gcagtgtctgg ctgagactct ggccctgggt	120
accctgcctg ccttcctacc ctgtgagctg aagcctcatg gcctgggtgga ctgcaattgg	180
ctgttctctga agtctgtacc ccgtttctct gcggcagcat cctgctccaa catcacccgc	240
ctctccttga tctccaaccg tatccaccac ctgcacaact ccgacttcgt ccacctgtcc	300
aacctgcggc agctgaacct caagtggaa tgtccacca ctggccttag cccctgcac	360
ttctcttgcc acatgaccat tgagcccaga accttcctgg ctatgcgtac actggaggag	420
ctgaacctga gctataatgg tatcaccact gtgccccgac tgcccagctc cctgggtgaat	480
ctgagcctga gccacaccaa catcctgggt ctagatgcta acagcctcgc cggcctatac	540
agcctgcgcg ttctcttcat ggacgggaac tgctactaca agaaccctg cacaggagcg	600
gtgaagggtga cccagggcgc cctcctgggc ctgagcaatc tcaccatct gtctctgaag	660
tataacaacc tcacaaaggt gcccgcgcaa ctgcccccca gcctggagta cctcctgggt	720
tcctataacc tcattgtcaa gctggggcct gaagacctgg ccaatctgac ctcccttcga	780
gtacttgatg tgggtgggaa ttgccgtcgc tgcgaccatg cccccaatcc ctgtatagaa	840
tgtggccaaa agtccctcca cctgcacctc gagaccttc atcactgag ccactctgaa	900
ggcctgggtgc tgaaggacag ctctctccat aactgaact cttcctgggt ccaaggctctg	960
gtcaacctct cgggtgtgga cctaagcgag aactttctct atgaaagcat caaccacacc	1020
aatgcctttc agaacctaac ccgcctgcgc aagctcaacc tgccttcaa ttaccgcaag	1080
aaggatcct ttgccgcct ccacctggca agttccttca agaacctgggt gtcactgcag	1140
gagctgaaca tgaacggcat cttcttcgcg tcgctcaaca agtacagct cagatggctg	1200
gccgatctgc ccaaactcca cactctgcat cttcaaatga acttcatcaa ccaggcacag	1260
ctcagcatct ttggtacctt ccgagccctt cgctttgtgg acttgtcaga caatcgcatc	1320
agtgggcctt caacgtgtc agaagccacc cctgaagagg cagatgatgc agagcaggag	1380
gagctgttgt ctgcggatcc tcaccagct ccactgagca cccctgcttc taagaacttc	1440

```

atggacaggt gtaagaactt caagttcacc atggacctgt ctcggaacaa cctggtgact 1500
atcaagccag agatgtttgt caatctctca cgctccagt gtcttagcct gagccacaac 1560
tccattgcac aggctgtcaa tggctctcag ttctgcccgc tgactaatct gcaggtgctg 1620
gacctgtccc ataacaaact ggacttgtac cactggaaat cgttcagtga gctaccacag 1680
ttgcaggccc tggacctgag ctacaacagc cagcccttta gcatgaaggg tataggccac 1740
aatttcagtt ttgtggccca tctgtccatg ctacacagcc ttagcctggc acacaatgac 1800
attcataccc gtgtgtcctc acatctcaac agcaactcag tgaggtttct tgacttcagc 1860
ggcaacggta tgggccgcat gtgggatgag gggggccttt atctccattt cttccaaggc 1920
ctgagtggcc tgctgaagct ggacctgtct caaaataacc tgcatatcct ccggccccag 1980
aaccttgaca acctcccaa gagcctgaag ctgctgagcc tccgagacaa ctacctatct 2040
ttctttaact ggaccagtct gtccttctctg cccaacctgg aagtctaga cctggcaggc 2100
aaccagctaa aggcctgac caatggcacc ctgcctaagc gcacctcct ccagaaactg 2160
gatgtcagca gcaacagtat cgtctctgtg gtcccagcct tcttcgctct gcgggtcgag 2220
ctgaaagagg tcaacctcag ccacaacatt ctcaagacgg tggatcgctc ctggtttggg 2280
cccattgtga tgaacctgac agttctagac gtgagaagca accctctgca ctgtgcctgt 2340
ggggcagcct tcgtagactt actgttggag gtgcagacca aggtgcctgg cctggctaata 2400
ggtgtgaagt gtggcagccc cgccagctg cagggccgta gcatcttcgc acaggacctg 2460
cggctgtgcc tggatgaggt cctctcttgg gactgctttg gcctttcact cttggctgtg 2520
gccgtgggca tgggtgtgcc tatactgcac catctctgcg gctgggacgt ctggtactgt 2580
tttcatctgt gcctggcatg gctacctttg ctggcccgca gccgacgcag cgcccaagct 2640
ctcccctatg atgccttcgt ggtgttcgat aaggcacaga gcgcagttgc ggactgggtg 2700
tataacgagc tgcgggtgcg gctggaggag cggcgcggtc gccgagccct acgcttgtgt 2760
ctggaggacc gagattggct gcctggccag acgctcttcg agaacctctg ggcttccatc 2820
tatgggagcc gcaagactct atttgtgctg gccacacgg accgcgtcag tggcctcctg 2880
cgcaccagct tcctgctggc tcagcagcgc ctgttggaag accgcaagga cgtggtggtg 2940
ttggtgatcc tgcgtccgga tgcccaccgc tccgctatg tgcgactcg ccagcgtctc 3000
tgccgccaga gtgtgctctt ctggccccag cagcccaacg ggcagggggg cttctgggcc 3060
cagctgagta cagccctgac tagggacaac cgccacttct ataaccagaa cttctgccgg 3120
ggacctacag cagaatagct cagagcaaca gctggaaaca gctgcatctt catgcctggg 3180
tcccagattg ctctgcctgc 3200

```

<210> 32
 <211> 2463
 <212> DNA
 <213> Mus musculus

<400> 32
 atggttctcc gtcgaaggac tctgcacccc ttgtccctcc tggtagaggc tgcagtgtcg 60
 gctgagactc tggccctggg tacctgcct gccttctac cctgtgagct gaagcctcat 120
 ggcctggtgg actgcaattg gctgttcctg aagtctgtac ccggtttctc tgcggcagca 180
 tctgtctcca acatcacccg cctctccttg atctccaacc gtatccacca cctgcacaac 240
 tccgacttcg tccacctgtc caacctgcgg cagctgaacc tcaagtggaa ctgtccaccc 300
 actggcctta gccccctgca cttctcttgc cacatgacca ttgagcccag aaccttctcg 360
 gctatgcgta cactggagga gctgaacctg agctataatg gtatcaccac tgtgccccga 420
 ctgcccagct ccctggtgaa tctgagcctg agccacacca acatcctggt tctagatgct 480
 aacagcctcg ccggcctata cagcctgcgc gttctcttca tggacgggaa ctgtactac 540
 aagaaccct gcacaggagc ggtgaagggtg accccaggcg ccctcctggg cctgagcaat 600
 ctcacccatc tgtctctgaa gtataacaac ctcacaaagg tgccccgcca actgcccccc 660
 agcctggagt acctcctggt gtctataac ctcatgtca agctggggcc tgaagacctg 720
 gccaatctga cctcccttcg agtacttgat gtgggtggga attgccgtcg ctgcgaccat 780
 gcccccaatc cctgtataga atgtggccaa aagtcctcc acctgcaccc tgagaccttc 840
 catcacctga gccatctgga aggctggtg ctgaaggaca gctctctcca tacactgaac 900
 tcttctggt tccaaggctt ggtcaacctc tcggtgctgg acctaaagca gaactttctc 960
 tatgaaagca tcaaccacac caatgccttt cagaacctaa ccgcctgcg caagctcaac 1020
 ctgtccttca attaccgcaa gaaggatatc ttggccgcc tccacctggc aagttccttc 1080
 aagaacctgg tgtcactgca ggagctgaac atgaacggca tcttcttccg ctgctcaac 1140
 aagtacagc tcagatggct ggccgatctg cccaaactcc acactctgca tcttcaaatg 1200
 aacttcacat accaggcaca gctcagcatc ttgtgtacct tccgagccct tcgctttgtg 1260
 gacttgtcag acaatcgcat cagtgggcct tcaacgctgt cagaagccac ccctgaagag 1320
 gcagatgatg cagagcagga ggagctgttg tctgcggatc ctcaccagc tccactgagc 1380
 acccctgctt ctaagaactt catggacagg tgtaagaact tcaagttcac catggacctg 1440
 tctcggaaca acctggtgac tatcaagcca gagatgtttg tcaatctctc acgcctccag 1500
 tgtcttagcc tgagccacaa ctccattgca caggctgtca atggctctca gttcctgccg 1560

ctgactaatc tgcaggtgct ggacctgtcc cataacaaac tggacttgta ccactggaaa 1620
 tcgttcagtg agctaccaca gttgcaggcc ctggacctga gctacaacag ccagcccttt 1680
 agcatgaagg gtataggcca caatttcagt tttgtggccc atctgtccat gctacacagc 1740
 cttagcctgg cacacaatga cattcatacc cgtgtgtcct cacatctcaa cagcaactca 1800
 gtgagggtttc ttgacttcag cggcaacggc atggggccgca tgtgggatga ggggggcctt 1860
 tatctccatt tcttccaagg cctgagtggc ctgctgaagc tggacctgtc tcaaaataac 1920
 ctgcatatcc tccggcccca gaaccttgac aacctcccca agagcctgaa gctgctgagc 1980
 ctccgagaca actacctatc tttctttaac tggaccagtc tgtccttcct gcccaacctg 2040
 gaagtcctag acctggcagg caaccagcta aaggccctga ccaatggcac cctgcctaatt 2100
 ggcacctcc tccagaaact ggatgtcagc agcaacagta tcgtctctgt ggtcccagcc 2160
 ttcttcgctc tggcggtcga gctgaaagag gtcaacctca gccacaacat tctcaagacg 2220
 gtggatcgct cctggtttgg gccatttgat atgaacctga cagttctaga cgtgagaagc 2280
 aacctctctg actgtgcctg tggggcagcc ttcgtagact tactgttgga ggtgcagacc 2340
 aaggtgcctg gcctggctaa tgggtgtgaag tgtggcagcc ccggccagct gcagggccgt 2400
 agcatcttcg cacaggacct gcggctgtgc ctggatgagg tcctctcttg ggactgcttt 2460
 ggc 2463

<210> 33
 <211> 1032
 <212> PRT
 <213> Homo sapiens

<400> 33

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
 1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
 20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
 35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
 50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
 65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
 85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
 100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
 115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
 130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
 145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
 165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
 180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu

305	310	315	320
Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu	325	330	335
Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala	340	345	350
His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu	355	360	365
Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu	370	375	380
Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met	385	390	395
Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly	405	410	415
Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu	420	425	430
Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu	435	440	445
Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu	450	455	460
Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser	465	470	475
Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser	485	490	495
His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val	500	505	510
Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu	515	520	525
Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu	530	535	540

Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
545 550 555 560

Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
565 570 575

Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
580 585 590

Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
595 600 605

Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
610 615 620

Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
625 630 635 640

His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala Leu Ser Leu Leu Ala Val Ala Leu Gly Leu Gly Val
820 825 830

Pro Met Leu His His Leu Cys Gly Trp Asp Leu Trp Tyr Cys Phe His
835 840 845

Leu Cys Leu Ala Trp Leu Pro Trp Arg Gly Arg Gln Ser Gly Arg Asp
850 855 860

Glu Asp Ala Leu Pro Tyr Asp Ala Phe Val Val Phe Asp Lys Thr Gln
865 870 875 880

Ser Ala Val Ala Asp Trp Val Tyr Asn Glu Leu Arg Gly Gln Leu Glu
885 890 895

Glu Cys Arg Gly Arg Trp Ala Leu Arg Leu Cys Leu Glu Glu Arg Asp
900 905 910

Trp Leu Pro Gly Lys Thr Leu Phe Glu Asn Leu Trp Ala Ser Val Tyr
915 920 925

Gly Ser Arg Lys Thr Leu Phe Val Leu Ala His Thr Asp Arg Val Ser
930 935 940

Gly Leu Leu Arg Ala Ser Phe Leu Leu Ala Gln Gln Arg Leu Leu Glu
945 950 955 960

Asp Arg Lys Asp Val Val Val Leu Val Ile Leu Ser Pro Asp Gly Arg
965 970 975

Arg Ser Arg Tyr Val Arg Leu Arg Gln Arg Leu Cys Arg Gln Ser Val
980 985 990

Leu Leu Trp Pro His Gln Pro Ser Gly Gln Arg Ser Phe Trp Ala Gln
995 1000 1005

Leu Gly Met Ala Leu Thr Arg Asp Asn His His Phe Tyr Asn Arg
1010 1015 1020

Asn Phe Cys Gln Gly Pro Thr Ala Glu
1025 1030

<210> 34
<211> 820
<212> PRT
<213> Homo sapiens

<400> 34

Met Gly Phe Cys Arg Ser Ala Leu His Pro Leu Ser Leu Leu Val Gln
1 5 10 15

Ala Ile Met Leu Ala Met Thr Leu Ala Leu Gly Thr Leu Pro Ala Phe
20 25 30

Leu Pro Cys Glu Leu Gln Pro His Gly Leu Val Asn Cys Asn Trp Leu
35 40 45

Phe Leu Lys Ser Val Pro His Phe Ser Met Ala Ala Pro Arg Gly Asn
50 55 60

Val Thr Ser Leu Ser Leu Ser Ser Asn Arg Ile His His Leu His Asp
65 70 75 80

Ser Asp Phe Ala His Leu Pro Ser Leu Arg His Leu Asn Leu Lys Trp
85 90 95

Asn Cys Pro Pro Val Gly Leu Ser Pro Met His Phe Pro Cys His Met
100 105 110

Thr Ile Glu Pro Ser Thr Phe Leu Ala Val Pro Thr Leu Glu Glu Leu
115 120 125

Asn Leu Ser Tyr Asn Asn Ile Met Thr Val Pro Ala Leu Pro Lys Ser
130 135 140

Leu Ile Ser Leu Ser Leu Ser His Thr Asn Ile Leu Met Leu Asp Ser
145 150 155 160

Ala Ser Leu Ala Gly Leu His Ala Leu Arg Phe Leu Phe Met Asp Gly
165 170 175

Asn Cys Tyr Tyr Lys Asn Pro Cys Arg Gln Ala Leu Glu Val Ala Pro
180 185 190

Gly Ala Leu Leu Gly Leu Gly Asn Leu Thr His Leu Ser Leu Lys Tyr
 195 200 205

Asn Asn Leu Thr Val Val Pro Arg Asn Leu Pro Ser Ser Leu Glu Tyr
 210 215 220

Leu Leu Leu Ser Tyr Asn Arg Ile Val Lys Leu Ala Pro Glu Asp Leu
 225 230 235 240

Ala Asn Leu Thr Ala Leu Arg Val Leu Asp Val Gly Gly Asn Cys Arg
 245 250 255

Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys Pro Arg His Phe
 260 265 270

Pro Gln Leu His Pro Asp Thr Phe Ser His Leu Ser Arg Leu Glu Gly
 275 280 285

Leu Val Leu Lys Asp Ser Ser Leu Ser Trp Leu Asn Ala Ser Trp Phe
 290 295 300

Arg Gly Leu Gly Asn Leu Arg Val Leu Asp Leu Ser Glu Asn Phe Leu
 305 310 315 320

Tyr Lys Cys Ile Thr Lys Thr Lys Ala Phe Gln Gly Leu Thr Gln Leu
 325 330 335

Arg Lys Leu Asn Leu Ser Phe Asn Tyr Gln Lys Arg Val Ser Phe Ala
 340 345 350

His Leu Ser Leu Ala Pro Ser Phe Gly Ser Leu Val Ala Leu Lys Glu
 355 360 365

Leu Asp Met His Gly Ile Phe Phe Arg Ser Leu Asp Glu Thr Thr Leu
 370 375 380

Arg Pro Leu Ala Arg Leu Pro Met Leu Gln Thr Leu Arg Leu Gln Met
 385 390 395 400

Asn Phe Ile Asn Gln Ala Gln Leu Gly Ile Phe Arg Ala Phe Pro Gly
 405 410 415

Leu Arg Tyr Val Asp Leu Ser Asp Asn Arg Ile Ser Gly Ala Ser Glu

420 425 430
 Leu Thr Ala Thr Met Gly Glu Ala Asp Gly Gly Glu Lys Val Trp Leu
 435 440 445
 Gln Pro Gly Asp Leu Ala Pro Ala Pro Val Asp Thr Pro Ser Ser Glu
 450 455 460
 Asp Phe Arg Pro Asn Cys Ser Thr Leu Asn Phe Thr Leu Asp Leu Ser
 465 470 475 480
 Arg Asn Asn Leu Val Thr Val Gln Pro Glu Met Phe Ala Gln Leu Ser
 485 490 495
 His Leu Gln Cys Leu Arg Leu Ser His Asn Cys Ile Ser Gln Ala Val
 500 505 510
 Asn Gly Ser Gln Phe Leu Pro Leu Thr Gly Leu Gln Val Leu Asp Leu
 515 520 525
 Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His Ser Phe Thr Glu Leu
 530 535 540
 Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr Asn Ser Gln Pro Phe Gly
 545 550 555 560
 Met Gln Gly Val Gly His Asn Phe Ser Phe Val Ala His Leu Arg Thr
 565 570 575
 Leu Arg His Leu Ser Leu Ala His Asn Asn Ile His Ser Gln Val Ser
 580 585 590
 Gln Gln Leu Cys Ser Thr Ser Leu Arg Ala Leu Asp Phe Ser Gly Asn
 595 600 605
 Ala Leu Gly His Met Trp Ala Glu Gly Asp Leu Tyr Leu His Phe Phe
 610 615 620
 Gln Gly Leu Ser Gly Leu Ile Trp Leu Asp Leu Ser Gln Asn Arg Leu
 625 630 635 640
 His Thr Leu Leu Pro Gln Thr Leu Arg Asn Leu Pro Lys Ser Leu Gln
 645 650 655

Val Leu Arg Leu Arg Asp Asn Tyr Leu Ala Phe Phe Lys Trp Trp Ser
660 665 670

Leu His Phe Leu Pro Lys Leu Glu Val Leu Asp Leu Ala Gly Asn Arg
675 680 685

Leu Lys Ala Leu Thr Asn Gly Ser Leu Pro Ala Gly Thr Arg Leu Arg
690 695 700

Arg Leu Asp Val Ser Cys Asn Ser Ile Ser Phe Val Ala Pro Gly Phe
705 710 715 720

Phe Ser Lys Ala Lys Glu Leu Arg Glu Leu Asn Leu Ser Ala Asn Ala
725 730 735

Leu Lys Thr Val Asp His Ser Trp Phe Gly Pro Leu Ala Ser Ala Leu
740 745 750

Gln Ile Leu Asp Val Ser Ala Asn Pro Leu His Cys Ala Cys Gly Ala
755 760 765

Ala Phe Met Asp Phe Leu Leu Glu Val Gln Ala Ala Val Pro Gly Leu
770 775 780

Pro Ser Arg Val Lys Cys Gly Ser Pro Gly Gln Leu Gln Gly Leu Ser
785 790 795 800

Ile Phe Ala Gln Asp Leu Arg Leu Cys Leu Asp Glu Ala Leu Ser Trp
805 810 815

Asp Cys Phe Ala
820

<210> 35

<211> 3352

<212> DNA

<213> Homo sapiens

<400> 35

aggctggtat aaaaatctta ctctctctat tctctgagcc gctgctgccc ctgtgggaag 60

ggacctcgag tgtgaagcat ccttcctgt agctgctgtc cagtctgccc gccagaccct 120

ctggagaagc ccctgcccc cagcatgggt ttctgccgca ggcacctgca cccgctgtct 180

ctctgtgtgc aggccatcat gctggccatg accctggccc tgggtacctt gcctgccttc 240

ctaccctgtg agctccagcc ccaaggcctg gtgaactgca actggctggt cctgaagtct 300

gtgccccact tctccatggc agcaccocgt ggcaatgtca ccagcctttc cttgtcctcc	360
aaccgcatcc accacctcca tgattctgac tttgccacc tgcccagcct gcggcatctc	420
aacctcaagt ggaactgccc gccggttggc ctcagcccca tgcacttccc ctgccacatg	480
accatcgagc ccagcacctt cttggctgtg cccaccctgg aagagctaaa cctgagctac	540
aacaacatca tgactgtgcc tgcgtgccc aaatccctca tatccctgtc cctcagccat	600
accaacatcc tgatgctaga ctctgccagc ctgcgggcc tgcatgccct gcgcttcccta	660
ttcatggacg gcaactgtta ttacaagaac ccctgcaggc aggcactgga ggtggccccg	720
ggtgcctccc ttggcctggg caacctcacc cacctgtcac tcaagtacaa caacctcact	780
gtggtgcccc gcaacctgcc ttccagcctg gagtatctgc tgttgtccta caaccgcatc	840
gtcaaactgg cgctgagga cctggccaat ctgaccgccc tgcgtgtgct cgatgtgggc	900
ggaaattgcc gccgtgcga ccacgtccc aaccctgca tggagtgcc tcgtcacttc	960
ccccagctac atcccgatac cttcagccac ctgagccgtc ttgaaggcct ggtgttgaag	1020
gacagttctc tctcctggct gaatgccagt tggttccgtg ggctgggaaa cctccgagt	1080
ctggacctga gtgagaactt cctctacaaa tgcatacta aaaccaaggc cttccagggc	1140
ctaacacagc tgcgcaagct taacctgtcc ttcaattacc aaaagagggt gtcctttgcc	1200
cacctgtctc tggccccctc cttcgggagc ctggtcgccc tgaaggagct ggacatgcac	1260
ggcatcttct tccgtcact cgatgagacc acgctccggc cactggcccc cctgcccatt	1320
ctccagactc tgcgtctgca gatgaacttc atcaaccagg cccagctcgg catcttcagg	1380
gccttccctg gcctgcgcta cgtggacctg tcggacaacc gcatcagcgg agcttcggag	1440
ctgacagcca ccatggggga ggcagatgga ggggagaagg tctggctgca gcctggggac	1500
cttgtccgg cccagtgga cactcccagc tctgaagact tcaggcccaa ctgcagcacc	1560
ctcaacttca ccttgatct gtcacggaac aacctggtga ccgtgcagcc ggagatgttt	1620
gccagctct cgacctgca gtgcctgagc ctgagccaca actgcatctc gcaggcagtc	1680
aatggctccc agttcctgcc gctgaccggt ctgcaggtgc tagacctgtc ccgcaataag	1740
ctggacctct accacgagca ctcatcacg gagctaccgc gactggaggc cctggacctc	1800
agctacaaca gccagccctt tggcatgcag ggcgtgggcc acaacttcag cttegtggct	1860
cacctgcga ccctgcgcca cctcagcctg gccacaaca acatccacag ccaagtgtcc	1920
cagcagctct gcagtacgtc gctgcgggcc ctggacttca gcggcaatgc actgggccat	1980
atgtgggccc agggagacct ctatctgcac ttcttccaag gcctgagcgg tttgatctgg	2040

ctggacttgt cccagaaccg cctgcacacc ctctgcccc aaaccctgcg caacctcccc 2100
 aagagcctac aggtgctgcg tctccgtgac aattacctgg ccttctttaa gtggtggagc 2160
 ctccacttcc tgcccaaact ggaagtctc gacctggcag gaaaccggct gaaggccctg 2220
 accaatggca gcctgcctgc tggcaccggt ctccggaggc tggatgtcag ctgcaacagc 2280
 atcagcttgc tggcccccg cttcttttcc aaggccaagg agctgcgaga gctcaacctt 2340
 agcgccaacg cctcaagac agtgaccac tcttggtttg ggccctggc gactgacctg 2400
 caaatactag atgtaagcgc caacctctg cactgacct gtggggcggc ctttatggac 2460
 ttctgctgg aggtgcaggc tgcctgccc ggtctgcca gccgggtgaa gtgtggcagt 2520
 ccggggccagc tccagggcct cagcatctt gcacaggacc tgcgcctctg cctggatgag 2580
 gccctctct gggactgtt cgcctctcg ctgctggctg tggctctggg cctgggtgtg 2640
 cccatgctgc atcacctctg tggctgggac ctctggtact gcttccacct gtgcctggcc 2700
 tggcttccct ggcgggggcg gcaaagtgg cgagatgagg atgccctgcc ctacgatgcc 2760
 ttctggtct tcgacaaaac gcagagcgca gtggcagact ggggtgtacaa cgagcttcgg 2820
 gggcagctgg aggagtgcg tgggcgctgg gcaactccgc tgtgcctgga ggaacgcgac 2880
 tggctgcctg gcaaaacct ctttgagaac ctgtgggct cgggtctatg cagccgcaag 2940
 acgctgtttg tgctggcca caccggaccg gtcagtgtc tcttgcgcg cagcttctg 3000
 ctggcccagc agcgctgct ggaggaccgc aaggacgtc tgggtgctgt gatcctgagc 3060
 cctgacggcc gccgctccc ctacgtgcg ctgcgccagc gcctctgcc ccagagtgtc 3120
 ctctctggc cccaccagc cagtgtcag cgcagcttct gggcccagct gggcatggc 3180
 ctgaccagg acaaccacca cttctataac cggaacttct gccagggacc caccggccgaa 3240
 tagcgtgag ccggaatcct gcacggtgcc acctccacac tcacctcacc tctgcctgcc 3300
 tgggtctgacc ctcccctgct cgcctccctc accccacacc tgacacagag ca 3352

<210> 36

<211> 2460

<212> DNA

<213> Homo sapiens

<400> 36

atgggtttct gccgcagcgc cctgcacccg ctgtctctcc tgggtgcaggc catcatgctg 60
 gccatgaccc tggccctggg taccttgctt gccttctac cctgtgagct ccagccccac 120
 ggcttggtga actgcaactg gctgttctg aagtctgtgc ccaacttctc catggcagca 180
 cccgtggca atgtcaccag ctttctctg tctccaacc gcatccacca cctccatgat 240

tctgactttg cccacctgcc cagcctgcgg catctcaacc tcaagtggaa ctgcccgcg	300
gttggcctca gcccctgca cttcccctgc cacatgacca tcgagcccag caccttcttg	360
gctgtgcca ccttgaaga gctaaacctg agctacaaca acatcatgac tgtgcctgcg	420
ctgccc aaat cctcatatc cctgtccctc agccatacca acatcctgat gctagactct	480
gccagcctcg ccggcctgca tgcctgcgc ttctattca tggacggcaa ctgttattac	540
aagaacctt gcaggcaggc actggagggtg gcccgggtg ccctccttg cctgggcaac	600
ctcaccacc tgtcactcaa gtacaacaac ctactgttg tgcgccgcaa cctgccttcc	660
agcctggagt atctgctgtt gtctacaac cgcctgtca aactggcgcc tgaggacctg	720
gccaatctga ccgcctgcg tgtgctgat gtggcgga attgccgcg ctgcgaccac	780
gtcccaacc cctgcatgga gtgcctcgt cacttcccc agctacatcc cgataccttc	840
agccacctga gccgtcttga aggcctggtg ttgaaggaca gttctcttc ctggtgaat	900
gccagttggt tccgtgggt gggaaacctc cgagtgttg acctgagtga gaacttctc	960
tacaaatgca tcaactaaaac caaggccttc cagggcctaa cacagctgcg caagcttaac	1020
ctgtccttca attacaaaa gaggggtgtcc ttgcccacc tgtctctggc cccttcttc	1080
gggagcctgg tcgcctgaa ggagctggac atgcacggca tcttcttcg ctactcgat	1140
gagaccacgc tccggccact ggccgcctg cccatgtcc agactctgcg tctgcagatg	1200
aacttcatca accaggccca gctcggcatc ttcaggcct tccctggcct gcgctacgtg	1260
gacctgtcg acaaccgat cagcggagct tcggagctga cagccaccat gggggaggca	1320
gatggagggg agaaggctg gctgcagcct ggggacctg ctccggcccc agtggacact	1380
cccagctctg aagacttcag gcccaactgc agcaccctca acttcacctt ggatctgtca	1440
cggaacaacc tgggtgacct gcagcggag atgtttgcc agctctcga cctgcagtgc	1500
ctgcgcctga gccacaactg catctcgcag gcagtcaatg gctcccagtt cctgccgctg	1560
accggtctgc aggtgctaga cctgtccgc aataagctgg acctctacca cgagcactca	1620
ttcacggagc taccgcgact ggaggccctg gacctcagct acaacagcca gccctttggc	1680
atgcagggcg tgggccacaa cttcagcttc gtggctcacc tgcgcaccct gcgccacctc	1740
agcctggccc acaacaacat ccacagccaa gtgtcccagc agctctgcag tacgtcgtg	1800
cgggcccctg acttcagcg caatgcactg ggccatatgt gggccgagg agaccttat	1860
ctgcacttct tccaaggcct gagcggtttg atctggctgg acttgtcca gaaccgctg	1920
cacaccttc tgccccaaac cctgcgcaac ctcccaaga gcctacaggt gctgcgtctc	1980
cgtgacaatt acctggcctt ctttaagtgg tggagcctcc acttctgcc caaactggaa	2040

gtcctcgacc tggcaggaaa cgggctgaag gccctgacca atggcagcct gcctgctggc 2100
 acccggtccc ggaggctgga tgtcagctgc aacagcatca gcttcgtggc ccccggttc 2160
 ttttccaagg ccaaggagct gcgagagctc aaccttagcg ccaacgccct caagacagtg 2220
 gaccactcct ggtttggggc cctggcgagt gccctgcaaa tactagatgt aagcgccaac 2280
 cctctgcaact gcgcctgtgg ggcgcccttt atggacttcc tgctggaggt gcaggctgcc 2340
 gtgcccggtc tgcccagccg ggtgaagtgt ggcagtccgg gccagctcca gggcctcagc 2400
 atctttgcac aggacctgcg cctctgcctg gatgaggccc tctcctggga ctgtttcgcc 2460

<210> 37

<211> 26

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

accttgccctg ccttcctacc ctgtga

26

<210> 38

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

gtccgtgtgg gccagcacia a

21

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

tccatgacgt ttttgatgtt

20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40
tccataacgt ttttgatggt 20

<210> 41
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 41
tccatcacgt ttttgatggt 20

<210> 42
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 42
tccattacgt ttttgatggt 20

<210> 43
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 43
tccatggcgt ttttgatggt 20

<210> 44
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 44
tccatgccgt ttttgatggt 20

<210> 45
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 45

tccatgtcgt ttttgatggt

20

<210> 46

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 46

tccatgatgt ttttgatggt

20

<210> 47

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 47

tccatgaagt ttttgatggt

20

<210> 48

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 48

tccatgaggt ttttgatggt

20

<210> 49

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 49

tccatgacat ttttgatggt

20

<210> 50

<211> 20

<212> DNA

<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 50
tccatgacct ttttgatggt 20

<210> 51
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 51
tccatgactt ttttgatggt 20

<210> 52
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 52
tccatgacgc ttttgatggt 20

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 53
tccatgacga ttttgatggt 20

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 54
tccatgacgg ttttgatggt 20

<210> 55
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 55
tccatgacgt ctttgatggt 20

<210> 56
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 56
tccatgacgt atttgatggt 20

<210> 57
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 57
tccatgacgt gtttgatggt 20

<210> 58
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 58
tcgtcggtttt gtcgttttgt cggt 24

<210> 59
<211> 24
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 59
tgctgctttt gtgcttttgt gctt 24

<210> 60
<211> 20
<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

tccatgacgt tctgatgct

20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

tccatgagct tctgatgct

20

<210> 62

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Consensus oligopeptide

<220>

<221> MISC_FEATURE

<222> (4)..(5)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (7)..(12)

<223> Any amino acid

<220>

<221> MISC_FEATURE

<222> (14)..(15)

<223> Any amino acid

<400> 62

Gly Asn Cys Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Cys
1 5 10 15

<210> 63

<211> 16

<212> PRT

<213> Homo sapiens

<400> 63

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Glu Cys
 1 5 10 15

<210> 64
 <211> 16
 <212> PRT
 <213> Mus musculus

<400> 64

Gly Asn Cys Arg Arg Cys Asp His Ala Pro Asn Pro Cys Met Ile Cys
 1 5 10 15

<210> 65
 <211> 31
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Consensus oligopeptide

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 65

Arg Xaa Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Ser Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 66
 <211> 31
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 66

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Arg Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 67
 <211> 31
 <212> PRT
 <213> Mus musculus

<220>
 <221> MISC_FEATURE
 <222> (2)..(8)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(22)
 <223> Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (25)..(30)
 <223> Any amino acid

<400> 67

Gln Xaa Xaa Xaa Xaa Xaa Xaa Xaa Lys Xaa Asp Xaa Tyr Xaa Xaa Xaa
 1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Gln Leu Xaa Xaa Xaa Xaa Xaa Xaa Tyr
 20 25 30

<210> 68
 <211> 31
 <212> PRT
 <213> Homo sapiens

<400> 68

Gln Val Leu Asp Leu Ser Arg Asn Lys Leu Asp Leu Tyr His Glu His
 1 5 10 15

Ser Phe Thr Glu Leu Pro Arg Leu Glu Ala Leu Asp Leu Ser Tyr
 20 25 30

<210> 69
 <211> 31
 <212> PRT
 <213> Mus musculus

<400> 69

Gln Val Leu Asp Leu Ser His Asn Lys Leu Asp Leu Tyr His Trp Lys

1

5

10

15

Ser Phe Ser Glu Leu Pro Gln Leu Gln Ala Leu Asp Leu Ser Tyr
20 25 30

<210> 70

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 70

tccaggactt ctctcaggtt

20